

Update 17/03/2025

Test name	location	Test code	Test name	Specimen	Method	TAT	Storage	Ref. range	Department
Glucose (NaF)	NaF Blood	FGLU	Fasting Glucose	NaF Blood	Enz.Hexokinase	1 Day(s)	2-8° C	74 – 99 mg/dL	Chemistry
Glucose^	Serum (clotted blood)	FGLU	Fasting Glucose	Serum (clotted blood)	Enz.Hexokinase	1 Day(s)	2-8° C	74 – 99 mg/dL	Chemistry
Blood Urea Nitrogen^	Serum (clotted blood)	BUN	Blood Urea Nitrogen	Serum (clotted blood)	Urease Kinetic	1 Day(s)	2-8° C	Age<60:6-20 mg/dL, Age>60:8-23 mg/dL	Chemistry
Uric Acid^	Serum (clotted blood)	UA	Uric Acid	Serum (clotted blood)	Enz. colorimetric	1 Day(s)	2-8° C	M:3.4-7.0 mg/dL, F:2.4-5.7 mg/dL	Chemistry
Cholesterol^	Serum (clotted blood)	CHOL	Total Cholesterol	Serum (clotted blood)	Enz. colorimetric	1 Day(s)	2-8° C	M:4,389-10,928 U/L, F:2,879-12,669 U/L	Chemistry
Triglyceride^	Serum (clotted blood)	TRIG	Triglyceride	Serum (clotted blood)	Enz. colorimetric	1 Day(s)	2-8° C	<150 mg/dL	Chemistry
HDL-cholesterol^	Serum (clotted blood)	HDL	HDL-Cholesterol	Serum (clotted blood)	Enz. colorimetric	1 Day(s)	2-8° C	M:>35 mg/dL, F:>45 mg/dL	Chemistry
LDL-cholesterol^	Serum (clotted blood)	LDLD	LDL-Cholesterol	Serum (clotted blood)	Enz. colorimetric	1 Day(s)	2-8° C	< 130 mg/dL	Chemistry
Calcium^	Serum (clotted blood)	CA	Calcium	Serum (clotted blood)	Colorimetric	1 Day(s)	2-8° C	8.6-10.0 mg/dL	Chemistry
Phosphorus^	Serum (clotted blood)	PHOS	Phosphorus	Serum (clotted blood)	Molybdate UV	1 Day(s)	2-8° C	2.5 – 4.5 mg/dL	Chemistry
Magnesium	Serum (clotted blood)	MG	Magnesium	Serum (clotted blood)	Colorimetric	1 Day(s)	2-8° C	1.6 – 2.6 mg/dL	Chemistry
Total Protein^	Serum (clotted blood)	TPALB	Protein Profile	Serum (clotted blood)	Biuret blank	1 Day(s)	2-8° C	6.6-8.7 g/dL	Chemistry
Albumin^	Serum (clotted blood)	ALB	Albumin	Serum (clotted blood)	BCG	1 Day(s)	2-8° C	3.5-5.2 g/dL	Chemistry
Bilirubin (Total)	Serum (clotted blood)	BILIP	Bilirubin profile	Serum (clotted blood)	Diazo Method	1 Day(s)	2-8° C	Total:0.0-1.2 mg/dL, Direct:0.0-0.3 mg/dL	Chemistry
AST (SGOT)^	Serum (clotted blood)	AST	AST (SGOT)	Serum (clotted blood)	Enzymatic	1 Day(s)	2-8° C	M:0.40 U/L, F:0-32 U/L	Chemistry
ALT (SGPT)^	Serum (clotted blood)	ALT	ALT (SGPT)	Serum (clotted blood)	Enzymatic	1 Day(s)	2-8° C	M:0-41 U/L, F:0-33 U/L	Chemistry
Alkaline Phosphatase^	Serum (clotted blood)	ALP	ALP	Serum (clotted blood)	Colorimetric	1 Day(s)	2-8° C	M:40-129 U/L, F:35-104 U/L	Chemistry
CK-MB	Serum (clotted blood)	CKMB	CKMB	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	M:0-4.87 ng/mL, F:0-3.61 ng/mL	Chemistry
Lipase	Serum (clotted blood)	LIPASE	Lipase	Serum (clotted blood)	Enz. colorimetric	1 Day(s)	2-8° C	13 – 60 U/L	Chemistry
P-Amylase	Serum (clotted blood)	PAMY	Amylase Pancreas Bld	Serum (clotted blood)	Enzymatic	1 Day(s)	2-8° C	13 – 53 U/L	Chemistry
Iron&TIBC	Serum (clotted blood)	IRONP	IronTIBC profile	Serum (clotted blood)	-	1 Day(s)	2-8° C	-	Chemistry
OGTTx4 (0, 60, 120, 180)	Serum	GTT4	Glucose Tolerance Test X4	Serum	Enz.Hexokinase	1 Day(s)	2-8° C	see report	Chemistry
Microbilirubin	Capillary tube	NEOBIL	Neonatal Bilirubin	Capillary tube	Direct Spectrophotometer	1 Day(s)	2-8° C	see report	Chemistry
Sodium (Na+)^	Serum (clotted blood)	NA	Sodium (Na+)	Serum (clotted blood)	Indirect ISE	1 Day(s)	2-8° C	136-145 mmol/L	Chemistry
Potassium (K+)^		K	Potassium (K+)	Serum (Clotted blood)	Indirect ISE	1 Day(s)	2-8 oC	3.5 - 5.1 mmol/L	Chemistry
CO2		CO2	Bicarbonate CO2	Serum (Clotted blood)	Bicarbonate PEP	1 Day(s)	2-8 oC	22 - 29 mmol/L	Chemistry

LDH	Serum (clotted blood)	LDH	Lactate Dehydrogenase	Serum (clotted blood)	DGKC	1 Day(s)	2-8° C	M:135-225 U/L, F:135-214 U/L	Chemistry
CK	Serum (clotted blood)	CK	Creatine Kinase	Serum (clotted blood)	UV Absorbance	1 Day(s)	2-8° C	M:0-190 U/L, F:0-170 U/L	Chemistry
Glucose ,urine	Urine	GLUAM	Glucose (1st AM)	1st Morning urine (20mL)	Enz.Hexokinase	1 Day(s)	2-8° C	6 – 20 mg/dL	Chemistry
Blood Urea Nitrogen ,urine	Urine	BUNU	Urea Nitrogen Random	Urine	Urease Kinetic	1 Day(s)	2-8° C	Age<60:6-20 mg/dL, Age>60:8-23 mg/dL	Chemistry
Blood Urea Nitrogen, 24hrs u	Urine 24 Hr	24BUNP	24Hrs Urine UN Profile	Urine 24 Hr	Urease Kinetic	1 Day(s)	2-8° C	12-20 g/day	Chemistry
Creatinine Clearance	Urine 24 Hr	CCTP	Creatinine Clearance	Urine 24 Hr	Jeffe method	1 Day(s)	2-8° C	see report	Chemistry
Uric Acid , urine	Urine	UAU	Uric Acid (1st AM)	Urine	Enzymatic colorimetric	1 Day(s)	2-8° C	37.0-92.0 mg/dL	Chemistry
Uric acid , 24 hrs urine	Urine 24 Hr	24UAUP	24Hrs Urine Uric Acid	Urine 24 Hr	Enz. colorimetric	1 Day(s)	2-8° C	0.2-1.0 g/day	Chemistry
P-Amylase , urine	Urine	PAMYU	Amylase Pancreas U	Urine	Enzymatic	1 Day(s)	2-8° C	M:7-356 U/L, F:13-319 U/L	Chemistry
Magnesium , urine	Urine	MGU	Magnesium Random	Urine	Colorimetric	1 Day(s)	2-8° C	see report	Chemistry
Magnesium , 24 hrs urine	Urine 24 Hr	24MGUP	24Hrs Urine Magnesium	Urine 24 Hr	Colorimetric	1 Day(s)	2-8° C	72.9 – 121.5 mg/day	Chemistry
Calcium , 24 hrs urine	Urine 24 Hr	24CAUP	24Hrs Urine CA Profile	Urine 24 Hr	Colorimetric	1 Day(s)	2-8° C	100-300 mg/day	Chemistry
Phosphorus, urine	Urine	PHOSU	Phosphorus(1st AM)	Urine	Molybdate UV	1 Day(s)	2-8° C	First morning urine:40-136 mg/dL	Chemistry
Phosphorus , 24 hrs urine	Urine 24 Hr	24PHUP	24Hrs Urine Phosphorus	Urine 24 Hr	Molybdate UV	1 Day(s)	2-8° C	400 – 1300 mg/day	Chemistry
Electrolyte, urine	Urine	ISEU	Electrolytes Random Urine	Urine	Indirect ISE	1 Day(s)	2-8° C	see report	Chemistry
Electrolyte, 24 hrs urine	Urine 24 Hr	24ISEU	24Hrs Urine Electrolytes	Urine 24 Hr	Indirect ISE	1 Day(s)	2-8° C	see report	Chemistry
Protein , urine	Urine	TPU	TP Random Urine	Urine	Turbidimetric	1 Day(s)	2-8° C	0-15 mg/dL	Chemistry
Protein , 24 hrs urine	Urine 24 Hr	24TPUP	24Hrs Urine Protein	Urine 24 Hr	Turbidimetric	1 Day(s)	2-8° C	0-0.14 g/day	Chemistry
Glucose , Fluid	Fluid	GLUCSF	Glucose CSF	Fluid	Enz.Hexokinase	1 Day(s)	2-8° C	CSF:40-70 mg/dL	Chemistry
Protein , Fluid	Fluid	TPFLU	Protein, Fluid	Fluid	Turbidimetric	1 Day(s)	2-8° C	See Subcontractor report	Chemistry
Lipase , Fluid	Body Fluid	LIPFLU	Lipase Fluid	Body Fluid	Enz. colorimetric	1 Day(s)	2-8° C	-	Chemistry
LDH , Fluid	Fluid	LDHFLU	LDH Fluid	Fluid	V L-lactate to pyruva	1 Day(s)	2-8° C	see report	Chemistry
Protein , CSF	CSF	TPCSF	Total Protein CSF	CSF	Turbidimetric	1 Day(s)	2-8° C	15 – 45 mg/dL	Chemistry
Microalbumin	Urine	ACRP	Microalbumin/Crea Ratio	Urine	Turbidimetric	1 Day(s)	2-8° C	0.0 – 20.0 mg/g Creatinine	Chemistry
Calcium, urine	Urine	CAU	Calcium Urine	Urine	Colorimetric	1 Day(s)	2-8° C	100-300 mg/mL	Chemistry
OGTTx3 (0, 60, 120)	Serum	GTT	Glucose Tolerance Tests	Serum	Enz.Hexokinase	1 Day(s)	2-8° C	see report	Chemistry
Microalbumin, 24 hrs urine	Urine 24 Hr	24ALBP	Microalbumin, 24hrs Urine	Urine 24 Hr	Turbidimetric	1 Day(s)	2-8° C	see report	Chemistry
Albumin,fluid	Body Fluid	ALBFLU	Albumin Fluid	Body Fluid	Colorimetric	1 Day(s)	2-8° C	-	Chemistry

Adenosine deaminase	Fluid	ADA	Adenosine Deaminase	Fluid	Kinetics	3 Day(s)	2-8° C	9 U/Lserum:0-15 U/LPleural fluid :0-30 U/L	Chemistry
Blood Gas	Heparin	ABG	Arterial Blood Gas	Heparin	-	30 Min(s)	2-8° C	see report	Chemistry
Anti-Thyroid peroxidase (Anti-TPO)	Serum (clotted blood)	ATPO	Anti-Thyroid Peroxidase	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	1-34 IU/mL	Chemistry
Anti-Thyroglobulin (Anti-Tg)	Serum (clotted blood)	ATG	Anti Thyroglobulin	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	0-115 IU/mL	Chemistry
Urine Protein Creatinine Ratio	Urine	TPCRUP	Random Urine TP/CR	Urine	-	1 Day(s)	2-8° C	See Subcontractor report	Chemistry
Capillary Blood gas	Heparin	ABG	Arterial Blood Gas	Heparin	-	30 Min(s)	2-8° C	0	Chemistry
T3 ^	Serum (clotted blood)	T3	Total T3	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	60.7-176.7 ng/dL	Immunology
Free T3^	Serum (clotted blood)	FT3	Free T3	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	2.0 – 4.4 pg/mL	Immunology
T4^	Serum (clotted blood)	T4	Total T4	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	4.60-12.00 ug/dL	Immunology
Free T4^	Serum (clotted blood)	FT4	Free T4	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	0.92 - 1.68 ng/dL	Immunology
TSH^	Serum (clotted blood)	TSH	TSH	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	0.27-4.20 uIU/mL	Immunology
HBs Ag	Serum (clotted blood)	THBSAG	HBSAG	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	Negative	Immunology
HBs Ab	Serum (clotted blood)	HBSAB	Hepatitis Bs Antibody	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	No protective level < 10 IU/L	Immunology
HBc Ab	Serum (clotted blood)	HBCAB	Hepatitis B Core AB	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	Negative	Immunology
HCV Ab	Serum (clotted blood)	THCV	HCV Antibody	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	Non reactive	Immunology
AFP	Serum (clotted blood)	AFP	AFP	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	0.00-7.00 ng/mL	Immunology
CEA	Serum (clotted blood)	CEA	CEA	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	Smoker:0.0-3.8 ng/mL, Smoker:0.0-5.5 ng/mL	Immunology
CA125	Serum (clotted blood)	CA125	CA125	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	0-35 U/mL	Immunology
CA15-3	Serum (clotted blood)	CA153	CA15-3	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	0-26.4 U/mL	Immunology
CA 19-9	Serum (clotted blood)	CA199	CA19-9	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	0-39 U/mL	Immunology
PSA , total	Serum (clotted blood)	TPSA	Total PSA	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	0.0-4.0 ng/mL	Immunology
PSA , free	Serum (clotted blood)	FPSA	Free PSA	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
PSA Ratio	Serum (clotted blood)	PSAP	FREE & TOTAL PSA RATIO	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	ng/mL cutt off = 0.23, 0.16-0.25TPSA<4 ng/mL	Immunology
HCG	Serum (clotted blood)	HCG	Beta-HCG	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
Troponin T hs	Heparinized plasma	TNTHS	Troponin-T HS	Heparinized plasma	ECLIA	1 Day(s)	2-8° C	0-14 ng/L	Immunology
C4 Complement	Serum (clotted blood)	C4	C4 Complement	Serum (clotted blood)	Immunoturbidity	1 Day(s)	2-8° C	9.0-36.0 mg/dL	Immunology
CRP, high sensitivity	Serum (clotted blood)	THSCRP	CRP High Sensitivity	Serum (clotted blood)	Immunoturbidity	1 Day(s)	2-8° C	ng/L, Intermediate:1.0-3.0 mg/L, High card	Chemistry
Ceruloplasmin	Serum (clotted blood)	CERUL	Ceruloplasmin	Serum (clotted blood)	Immunoturbidity	1 Day(s)	2-8° C	M:15-30 mg/dL, F:16-45 mg/dL	Chemistry

Rheumatoid Factor	Serum (clotted blood)	RF	Rheumatoid Factor	Serum (clotted blood)	Immunoturbidity	1 Day(s)	2-8° C	< 14 IU/mL	Chemistry
HIV 1/2 Ab	Serum (clotted blood)	HIVP	HIV Ag/Ab Screening	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	Non reactive	Immunology
Hb A1c^	EDTA	HBA1C	HbA1c	EDTA	TINIA	1 Day(s)	2-8° C	<5.7%	Chemistry
Creatinine^	Serum (clotted blood)	EGFRP	eGFR-CKDEPI Profile	Serum (clotted blood)	Enzymatic	1 Day(s)	2-8° C	M:0.67-1.17mg/dL, F:0.51-0.95 mg/dL	Chemistry
Creatinine(urine)^	Urine	CREUAM	Creatinine (1st AM)	Urine	Enzymatic	1 Day(s)	2-8° C	M:40-278mg/dL, F:29-226 mg/dL	Chemistry
Creatinine, 24 hrs urine	Urine 24 Hr	24CRUP	24Hrs Urine Creatinine	Urine 24 Hr	Enzymatic	1 Day(s)	2-8° C	M:0.98-2.20g/day, F:0.72-1.51 g/day	Chemistry
Lactate	NaF Blood	LACT	Lactate	NaF Blood	Colorimetric	1 Day(s)	2-8° C	0.5 – 2.2 mmol/L	Chemistry
Completed Blood Count (CBC)	EDTA	FBC	Full Blood Count	EDTA	SF cube analysis	1 Day(s)	2-8° C	see report	Hematology
ESR (ขอเปลี่ยนราคา)	EDTA	ESR	ESR	EDTA	Modified wintrobe	1 Day(s)	2-8° C	M : 0-15 mm/hr , F : 0-20 mm/hr	Hematology
Hematocrit (Hct)	EDTA	HCT	Hematocrit	EDTA	-	1 Day(s)	2-8° C	M : 40-54% , F : 37-47%	Hematology
Malaria (Thin film)	EDTA	MP	Malaria Parasite	EDTA	Staining	1 Day(s)	2-8° C	Not found	Hematology
Partial Thromboplastin Time	Citrate plasma	TAPTTP	aPTT with Ratio	Citrate plasma	Turbodensitometric	1 Day(s)	on ice	21.4 - 30.6 sec	Coagulation
Prothrombin Time	Citrate plasma	PTINR	PT INR	Citrate plasma	Turbodensitometric	1 Day(s)	Freeze	10.6-13.3 sec.	Coagulation
Bleeding Time	whole blood	BT	Bleeding Time	whole blood	-	1 Day(s)	-	1-5 min	Coagulation
Coagulation time (Clotting time)	whole blood	CT	Clotting time	whole blood	-	1 Day(s)	RT	7-15 min	Coagulation
ABO Group	EDTA	ABOP	ABO Grouping	EDTA	AGG	1 Day(s)	2-8° C	-	Hematology
Rh Group	EDTA	RHGP	RH Grouping	EDTA	AGG	1 Day(s)	2-8° C	See Subcontractor report	Hematology
Reticulocyte	EDTA	RETIC	Reticulocyte	EDTA	Staining	1 Day(s)	2-8° C	0.2 – 2.0 %	Hematology
VDRL(RPR)	Serum (clotted blood)	VDRL	VDRL(RPR)	Serum (clotted blood)	RPR	1 Day(s)	2-8° C	Non reactive	Serology
G-6-PD	EDTA	G6PD	G-6-PD	EDTA	Fluorescence	1 Day(s)	2-8° C	Normal	Serology
Marijuana (Cannabinoids)	Urine	MARJ	Marijuana	Urine	ICA	1 Day(s)	2-8° C	Negative	Serology
Morphine (Opiate ,Heroine)	Urine	MORP	Morphine	Urine	ICA	1 Day(s)	2-8° C	Negative	Serology
Weil - Felix	Serum (clotted blood)	WEFE	Weil & Felix	Serum (clotted blood)	AGG	1 Day(s)	2-8° C	see report	Serology
Widal Test	Serum (clotted blood)	WIDAL	Widal Profile	Serum (clotted blood)	AGG	1 Day(s)	2-8° C	<= 1 : 80	Serology
Widal, O & H	Serum (clotted blood)	WIDAL	Widal Profile	Serum (clotted blood)	AGG	1 Day(s)	2-8° C	<= 1 : 80	Serology
Cryoglobulin	Serum (clotted blood)	CRYOG	Cryoglobulin	Serum (clotted blood)	Precipitation	3 Day(s)	RT	Negative	Serology
Pregnancy (Rapid test)	Urine	PREG	Pregnancy	Urine	ICA	1 Day(s)	2-8° C	Negative	Serology
Cold agglutinin	Serum (clotted blood)	CAAG	Cold Agglutinin	Serum (clotted blood)	HA	2 Day(s)	RT	<1:64	Serology

D-Dimer	Heparin	DDP	D-DIMER Profile	Heparin	Immuno blot	1 Day(s)	2-8° C	0 – 500 ug/L	Coagulation
HIV Ab (STAT): Rapid test	Serum (clotted blood)	HIVAB	Anti HIV1/2(GP41/120/36)	Serum (clotted blood)	ICA	1 Day(s)	2-8° C	Non reactive	Immunology
NT-Pro BNP	Heparin	PROBNP	NT-Pro BNP	Heparin	Immuno blot	1 Day(s)	2-8° C	see report	Immunology
Dengue IgG	Serum (clotted blood)	DENIG	Dengue IgG	Serum (clotted blood)	FIA	1 Day(s)	2-8° C	Negative	Serology
Dengue IgM	Serum (clotted blood)	DENIM	Dengue IgM	Serum (clotted blood)	FIA	1 Day(s)	2-8° C	Negative	Serology
Dengue NS-1 Ag	Serum (clotted blood)	DENNS1	Dengue NS-1 Ag	Serum (clotted blood)	FIA	1 Day(s)	2-8° C	Negative	Serology
Influenza A and B Ag	Nasal Swab	INFAB	Influenza A/B	Nasal Swab	ICA	1 Day(s)	RT	Negative	Serology
Rota virus	Stool	ROTAP	Rota Virus Profile	Stool	ICA	1 Day(s)	2-8° C	Negative	Serology
Noro virus	Stool	NORO	Noro Virus	Stool	ICA	1 Day(s)	2-8° C	Negative	Serology
RSV Ag	opharyngeal swab - Nasal s	RSVAG	RSV Ag	opharyngeal swab - Nasal sw	ICA	1 Day(s)	2-8° C	Negative	Serology
H.pylori IgG Ab	Serum (clotted blood)	HPYP	H.Pylori Profile	Serum (clotted blood)	ICA	1 Day(s)	2-8° C	Negative	Serology
Influenza A,B and RSV	Nasal Swab	INFABR	Influenza A/B and RSV	Nasal Swab	ICA	1 Day(s)	RT	See Subcontractor report	Serology
C.difficile GDH-toxin A&B	Stool	TOXIAB	C.difficile GDH-toxin A&B	Stool	ICA	1 Day(s)	2-8° C	Negative	Serology
Procalcitonin(PCT)	Serum (clotted blood)	PCT	Procalcitonin(PCT)	Serum (clotted blood)	FIA	1 Day(s)	2-8° C	see report	Immunology
Anti Mullerian hormone(AMH)	Serum (clotted blood)	AMH	Anti Mullerian Hormone	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
Anti HAV IgM	Serum (clotted blood)	HAVIGM	Anti HAV IgM	Serum (clotted blood)	ICA	1 Day(s)	2-8° C	Negative	Immunology
Mini Respiratory Infection Panel	Nasal Swab	MRIP	Mini Resp. Infectn. Panel	Nasal Swab	ICA	1 Day(s)	RT	See Subcontractor report	Serology
Pregnancy Test (I-131) VTH	VTH	PRE131	Pregnancy (I-131)	Urine	ICA	1 Day(s)	RT	Negative	Serology
COVID-19 Ag and Influenza A,B Ag		CINAB	Covid19 & Influeza A&B Ag	Nasal Swab	ICA	1 Day(s)	RT	Negative	Serology
Urine Analysis	Urine	MAURI	Urine Analysis	Urine	Colorimetric	1 Day(s)	2-8° C	See Subcontractor report	Microscopy
Stool Examination	Stool	MSTOE	Stool Examination	Stool	Microscopic	1 Day(s)	2-8° C	See Subcontractor report	Microscopy
Occult Blood	Stool	MOCCB	Occult Blood	Stool	ICA	1 Day(s)	RT	Negative	Microscopy
Protein/Glucose,urine (Strip)	Urine	MPGU	Protein/Glucose, Urine	Urine	DRY CHEMISTRY	1 Day(s)	2-8° C	see report	Microscopy
Specific gravity	Urine	MSG	Specific Gravity	Urine	-	1 Day(s)	2-8° C	1.002-1.030	Microscopy
Screening UA (Strip only)	Urine	MSURI	Screening UA	Urine	-	1 Day(s)	2-8° C	see report	Microscopy
Methamphetamine(Screening)	Urine	METH	Methamphetamine	Urine	ICA	1 Day(s)	2-8° C	Negative	Serology
Depakene (Valproic acid)	Serum (clotted blood)	VALP	Valproic Acid	Serum (clotted blood)	EIA	1 Day(s)	2-8° C	50.0 – 100.0 ug/mL	Chemistry
Dilantin(Phenytoin)	Serum (clotted blood)	PHENY	Phenytoin (Dilantin)	Serum (clotted blood)	KIMS	1 Day(s)	2-8° C	10 – 20 ug/mL	Chemistry

Homocysteine	EDTA Plasma	HCY	Homocysteine	EDTA Plasma	Enzymatic	1 Day(s)	2-8° C	0.0 – 15.0 umol/L	Chemistry
Paracetamol	Serum (clotted blood)	ACET	Acetaminophen	Serum (clotted blood)	Colorimetry	1 Day(s)	2-8° C	See Subcontractor report	Chemistry
Phenobarbital	Serum (clotted blood)	PHENO	Phenobarbital	Serum (clotted blood)	KIMS	1 Day(s)	2-8° C	Normal therapeutic range:10-30 ug/mL	Chemistry
LH	Serum (clotted blood)	LH	Luteinizing Hormone (LH)	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
FSH	Serum (clotted blood)	FSH	FSH	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
Estradiol	Serum (clotted blood)	E2	Estradiol	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
Progesterone	Serum (clotted blood)	PROG	Progesterone	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
Prolactin	Serum (clotted blood)	PROL	Prolactin	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	M:4.04-15.20 ng/mL, F:4.79-23.30 ng/mL	Immunology
Cortisol	Serum (clotted blood)	CORTI	Cortisol	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	M:6.02-18.4 ug/dL,Afternoon(4-8pm):2.6	Immunology
Ferritin	Serum (clotted blood)	FERR	Ferritin	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	M:30-400 ng/mL, F:13-150 ng/mL	Immunology
Insulin	Serum (clotted blood)	INSU	Insulin	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	2.6 – 24.9 uIU/mL	Immunology
PTH- intact	EDTA Plasma	PTH	PTH- intact	EDTA Plasma	ECLIA	1 Day(s)	Freeze	15.0-65.0 pg/mL	Immunology
SHBG	Serum (clotted blood)	SHBGSI	SHBG-SI	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	6 - 76.7 nmol/LFemale (Age 20-49) : 32.4	Immunology
Thyroglobulin	Serum (clotted blood)	TG	Thyroglobulin	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	3.5-77.0 ng/mL	Immunology
Vitamin B12 & Folate	Serum (clotted blood)	FOLB12	Folate & B12 Profile	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
ACTH Stimulation	Serum 0,30,60 mins	ACTHP2	ACTH Stimulation	Serum 0,30,60 mins	ECLIA	1 Day(s)	2-8° C	-	Immunology
Vitamin B12	Serum (clotted blood)	VB12	Vitamin B12	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	197-771 pg/mL	Immunology
Folate	Serum (clotted blood)	FOL	Folate	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	4.50 - 32.20 ng/mLFemale : 4.80 - 37.30 n	Immunology
Vitamin D	Serum (clotted blood)	VITD	Vitamin D	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C Light protect	>= 30.00 ng/mL	Immunology
Thyroid cancer (VTH packag	VTH	THYCAP	Thyroid cancer	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
Urine C/S		MCUU	Urine C/S	Urine in sterile container	Culture	4 Day(s)	RT	-	Microbiology
Sputum C/S		MCUSP	Sputum C/S	Sputum	Culture	4 Day(s)	RT	-	Microbiology
Stool C/S		MCUST	Stool C/S	Stool or rectal swab	Culture	4 Day(s)	RT	-	Microbiology
AFB Stain	Sputum	MAFBS	AFB Stain	Sputum	Staining	1 Day(s)	2-8° C	Not found	Microbiology
Modified AFB Stain	Sputum	MMAFB	Modified AFB Stain	Sputum	Staining	1 Day(s)	2-8° C	acid fast organism found, Stool:No cryptosp	Microbiology
Gram Stain	Other	MGRAM	Gram Stain	Other	Staining	1 Day(s)	RT	see report	Microbiology
Hemo C/S	Blood	MCUAE	Blood culture,aerobe	Blood	-	4 Day(s)	RT	see report	Microbiology
Spore Test	Other	MSPO	Spore Test	Other	-	2 Day(s)	RT	Negative	Microbiology

MIC for Vancomycin	Colony isolate	MVAMI	MIC for Vancomycin	Colony isolate	E-test	3 Day(s)	RT	See Subcontractor report	Microbiology
Genital Culture		MCUGE	Genital Culture	Genital	Culture	4 Day(s)	RT	see report	Microbiology
Fluid Analysis	Fluid	MFLAN	Fluid Analysis	Fluid	Microscopic	1 Day(s)	RT	see report	Microscopy
Indian Ink Preparation	Other	MINK	Indian Ink Preparation	Other	Microscopic	1 Day(s)	RT	not found encapsulated budding yeast cell	Microscopy
KOH Preparation	Other	MKOH	KOH Preparation	Other	Microscopic	1 Day(s)	RT	Negative	Microscopy
Tzanck Smear	Other	MTZS	Tzanck Smear	Other	Microscopic	1 Day(s)	RT	Negative	Microscopy
Wet Smear	Fluid	MWS	Wet Smear	Fluid	Microscopic	1 Day(s)	RT	Not found	Microscopy
Wright Stain/Slide	VTH	MWRS	Wright Stain/Slide	Other	Staining	1 Day(s)	RT	-	Laboratory service
Sperm Analysis	Sperm	MSAMA	Sperm Analysis	Sperm	-	1 Day(s)	RT	see report	Microscopy
BK Viral Load	EDTA Plasma	VBKVLP	BK Viral Load	EDTA Plasma	RT-PCR	4 Day(s)	Freeze	See Subcontractor report	Molecular
BK Viral Load (Urine)		VBKUP	BK viral load (Urine)	Urine	Real-time PCR	7 Day(s)	RT	-	Molecular
SARS-CoV-2 (RT-PCR)		VCOVID	COVID-19 (RT-PCR)	Nasopharyngeal swab	Real-time PCR	1 Day(s)	2-8 oC	Not detected	Molecular
COVID-19 SARS-CoV-2 (RT-PCR)	Nasopharyngeal swab and Throat	VCOVIDI	COVID-19 (RT-PCR) (IPD)	Nasopharyngeal swab and Throat	RT-PCR	1 Day(s)	2-8° C	See Subcontractor report	Molecular
COVID-19 SARS-CoV-2(RT-PCR)	VTH	VCOVIDO	COVID-19 (RT-PCR)(OPD)	Nasopharyngeal swab	Real-time PCR	1 Day(s)	2-8 oC	Not detected	Molecular
Direct Coombs Test	EDTA	DCT	Direct Coombs Test	EDTA Blood	-	1 Day(s)	2-8° C	Negative	Bloodbank
Indirect Coombs Test	Clotted Blood	ICT	Indirect Coombs Test	EDTA plasma	-	1 Day(s)	2-8° C	Negative	Bloodbank
Special Cross Matching	VTH	IDENBB	Antibody Identification	EDAT Blood	-	3 Day(s)	2-8 oC	See Subcontractor report	Send out
Antibody screening*	VTH	OL0001	Antibody Screening	EDTA Blood	-	3 Day(s)	2-8 oC	See Subcontractor report	Send out
ANCA (Screening)	Serum (clotted blood)	ANCASP	ANCA screening	Serum (clotted blood)	IFA	15 Day(s)	2-8° C	see report	Autoimmune
ANCA (Titer)	Serum (clotted blood)	ANCATP	ANCA (Titer)	Serum (clotted blood)	IFA	15 Day(s)	2-8° C	see report	Autoimmune
Anti - Smooth Muscle Ab(Screening)	Serum (clotted blood)	SOMABS	ASMA Screening	Serum (clotted blood)	IFA	5 Day(s)	2-8° C	Negative (<1:80)	Autoimmune
Anti - Smooth Muscle Ab(Titer)	Serum (clotted blood)	SOMABT	ASMA Titer	Serum (clotted blood)	IFA	5 Day(s)	2-8° C	Negative (<1:80)	Autoimmune
Anti Mitochondrial (Screening)	Serum (clotted blood)	MITABS	AMA Screening	Serum (clotted blood)	IFA	5 Day(s)	2-8° C	Negative (<1:80)	Autoimmune
Anti Mitochondrial (Titer)	Serum (clotted blood)	MITABT	AMA Titer	Serum (clotted blood)	IFA	5 Day(s)	2-8° C	Negative (<1:80)	Autoimmune
Anti - ENA	Serum (clotted blood)	AENA	Anti ENA Profile	Serum (clotted blood)	ELISA	4 Day(s)	2-8° C	Negative	Autoimmune
Anti-Sm	Serum (clotted blood)	ANTISM	Anti-Sm	Serum (clotted blood)	ELISA	4 Day(s)	2-8° C	Negative	Autoimmune
Anti-nRNP	Serum (clotted blood)	NRNP	Anti-nRNP	Serum (clotted blood)	ELISA	4 Day(s)	2-8° C	Negative	Allergy
Hb Typing	EDTA	HBT	HB Typing	EDTA	HPLC	2 Day(s)	2-8° C	see report	Hb Typing

Anti Streptolysin O (ASO) qua	Serum (clotted blood)	ASO	Anti Streptolysin O	Serum (clotted blood)	Nephelometry	1 Day(s)	2-8° C	< 200 IU/mL	Immunology
C3 Complement	Serum (clotted blood)	C3	C3 Complement	Serum (clotted blood)	Neph	1 Day(s)	2-8° C	90-180 mg/dL	Immunology
Immunoglobulin IgG	Serum (clotted blood)	IGG	Immunoglobulin IgG	Serum (clotted blood)	Nephelometry	1 Day(s)	2-8° C	see report	Immunology
Immunoglobulin IgM	Serum (clotted blood)	IGM	Immunoglobulin IgM	Serum (clotted blood)	Nephelometry	1 Day(s)	2-8° C	see report	Immunology
Haptoglobin	Serum (clotted blood)	HAPTGP	Haptoglobin Profile	Serum (clotted blood)	Nephelometry	1 Day(s)	2-8° C	0.320 – 2.050 g/L	Immunology
Free Testosterone	Serum (clotted blood)	FTESTP	Free Testosterone profile	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
Testosterone	Serum (clotted blood)	TESTO	Testosterone	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	see report	Immunology
Rubella IgG	Serum (clotted blood)	RUBIGG	Rubella IgG	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	Immune >10 IU/mL	Immunology
Rubella IgM	Serum (clotted blood)	RUBIGM	Rubella IgM	Serum (clotted blood)	ECLIA	1 Day(s)	2-8° C	Negative	Immunology
TPHA (Treponema Ab)	Serum (clotted blood)	TPHA	TPHA (Treponema Ab)	Serum (clotted blood)	ICA	1 Day(s)	2-8° C	Non reactive	Send out
Anti-cardiolipin (Total)	Serum (clotted blood)	ACARD	Anti- cardiolipin Profile	Serum (clotted blood)	ELISA	8 Day(s)	Freeze	Negative (<12)	Autoimmune
Allergy Food Panel	Serum (clotted blood)	FOOD	Food Allergy Profile	Serum (clotted blood)	Immuno blot	3 Day(s)	2-8° C	see report	Allergy
Allergy Inhalation Panel	Serum (clotted blood)	INHAP	Inhalation Profile	Serum (clotted blood)	Immuno blot	3 Day(s)	2-8° C	see report	Allergy
Allergy Food and Inhalation P	Serum (clotted blood)	FOODIN	Food and Inhalation Panel	Serum (clotted blood)	Immuno blot	3 Day(s)	2-8° C	see report	Allergy
Anti-cardiolipin IgG	Serum (clotted blood)	CARIGG	Anti- Cardiolipin IgG	Serum (clotted blood)	ELISA	8 Day(s)	Freeze	Negative (<12)	Autoimmune
Anti-cardiolipin IgM	Serum (clotted blood)	CARIGM	Anti- cardiolipin IgM	Serum (clotted blood)	ELISA	8 Day(s)	Freeze	Negative (<12)	Autoimmune
ANA	Serum (clotted blood)	ANAP	ANA Profile Specific	Serum (clotted blood)	Immuno blot	3 Day(s)	2-8° C	see report	Autoimmune
Insulin like growth factor I (IG	Serum (clotted blood)	IGF1	IGF1	Serum (clotted blood)	CLIA	7 Day(s)	2-8° C	see report	Immunology
ALK*	Other	OL0002	ALK	Other	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Cell block*	Fluid	OL0003	Cell block	Fluid	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Cell block for IHC study*	Other	OL1162	Cell block for IHC study	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
IHC-13300*	VTH	OL1292	IHC-13300(Hi-Tech)	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology-3300*	VTH	OL1321	Pathology-3300	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Immunohistochemistry-14300	VTH	OL1323	IHC-14300 (Hi-tech)	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
ELISpot*	Heparin	OL0004	ELISpot	Heparin	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
ELISpot (2 Drugs)*	Heparin	OL1196	ELISpot (2 Drugs)	Heparin	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
ELISpot 6 drugs (CHULA)*		OL1284	ELISpot 6 drugs (CHULA)	Heparin WB	-	14 Day(s)	2-8 oC	See Subcontractor report	Send out
ELISpot 4 drugs (CHULA)*		OL1293	ELISpot 4 drugs (CHULA)	Heparinized whole blood	-	14 Day(s)	2-8 oC	See Subcontractor report	Send out

Flowcytometry for Lymphoma	Heparinized Bone marrow	OL0005	Lymphoma panels(PDC)	Heparinized Bone marrow	Flow cytometry	3 Day(s)	RT	See Subcontractor report	Send out
Urinary bladder ,biopsy or TU	Other	OL1163	Urinary bladder ,biopsy	Other	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
Fluid specimen,non-gynecologic	Fluid	OL1164	non-gynecologic(Fluid)	Fluid	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
Biopsy-1000(PDC)*	Other	OL1165	Biopsy-1000(PDC)	Other	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
Biopsy-1900(PDC)*	Other	OL1166	Biopsy-1900(PDC)	Other	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
Biopsy-2800(PDC)*	Other	OL1184	Biopsy-2800(PDC)	Other	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
Biopsy-800(PDC)*	Other	OL1186	Biopsy-800(PDC)	Other	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
Pathology (STAT service)*	Other	OL1206	Pathology (STAT service)	Other	-	1 Day(s)	RT	See Subcontractor report	Send out
Biopsy-1100(PDC)*	Other	OL1207	Biopsy-1100(PDC)	Other	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
Biopsy-1300(PDC)	VTH	OL1332	Biopsy-1300(PDC)	Tissue biopsy	-	4 Day(s)	RT	See Subcontractor report	Send out
Tumor Necrosis Factor alpha	Serum (clotted blood)	OL0008	TNF-alpha(RAMA)	Serum (clotted blood)	ELISA	30 Day(s)	2-8° C	See Subcontractor report	Send out
Enoxaparin level*	Citrate plasma	OL0009	[IQ1]Enoxaparin level	Citrate plasma	-	3 Day(s)	Freeze	See Subcontractor report	Send out
DHR (Dihydrorhodamine flow)	EDTA	OL0010	DHR(RAMA)	EDTA	Flow cytometry	3 Day(s)	RT	See Subcontractor report	Send out
HBV Viral load by Cobas Taq	EDTA Plasma	OL0011	HBV Viral load (Taqman)	EDTA Plasma	RT-PCR	5 Day(s)	Freeze	See Subcontractor report	Send out
Aerobe culture for Nocardia*	Other	OL1151	Nocardia C/S	Other	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for FIPL1-PDGFR A fusion	EDTA	OL1152	FIPL1-PDGFR A (FISH)	EDTA	FISH	5 Day(s)	2-8° C	See Subcontractor report	Send out
Multiple myeloma by FISH*	Bone marrow	OL1153	Multiple myeloma by FISH	Bone marrow	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
TEL/AML Fusion gene*	EDTA	OL1154	TEL/AML Fusion gene	EDTA	FISH	7 Day(s)	2-8° C	See Subcontractor report	Send out
Alpha-globin gene sequencing	EDTA	OL1155	Alpha gene sequencing	EDTA	DNA sequencing PCR	3 week(s)	2-8° C	See Subcontractor report	Send out
Beta-globin gene sequencing	EDTA	OL1156	Beta gene sequencing	EDTA	DNA sequencing PCR	3 week(s)	2-8° C	See Subcontractor report	Send out
Edoxaban level*	Citrate plasma	OL1157	Edoxaban level	Citrate plasma	-	2 Day(s)	Freeze	See Subcontractor report	Send out
Anti CIC-C1q IgG*	Serum (clotted blood)	OL1158	Anti CIC-C1q IgG	Serum (clotted blood)	-	20 Day(s)	2-8° C	See Subcontractor report	Send out
Respiratory 33 pathogen panel	Nasopharyngeal swab	OL1159	Respiratory 33 pathogens	Nasopharyngeal swab	Western blot	3 Day(s)	2-8° C	See Subcontractor report	Send out
Osmolarity (drug)*	Other	OL1183	Osmolarity (drug)	Other	FPD	3 Day(s)	2-8° C	See Subcontractor report	Send out
Diuretic Targeted*	Urine	OL1201	Diuretic Targeted	Urine	LC/MS/MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
Anti- Desmoglein1 (DsG1) Ab	Serum (clotted blood)	OL1202	Anti- Desmoglein1(DsG1)Ab	Serum (clotted blood)	ELISA	20 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-BP180*	Serum (clotted blood)	OL1203	Anti-BP180	Serum (clotted blood)	ELISA	20 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-BP230*	Serum (clotted blood)	OL1205	Anti-BP230	Serum (clotted blood)	ELISA	20 Day(s)	2-8° C	See Subcontractor report	Send out

TPHA (CSF)*		OL1226	TPHA (CSF)	CSF	Agglutination, manual	4 Day(s)	2-8 oC	See Subcontractor report	Send out
CYP3A5 polymorphism*		OL1228	CYP3A5 polymorphism	EDTA Whole Blood	Real-time PCR	5 Day(s)	2-8 oC	See Subcontractor report	Send out
CLL panel by FISH*		OL1229	CLL panel by FISH	EDTA Whole Blood	FISH	7 Day(s)	RT	See Subcontractor report	Send out
Bacteria Antigens (CSF)*		OL1349	Bacteria Antigens (CSF)	CSF	Agglutination, manual	5 Day(s)	2-8 oC	See Subcontractor report	Send out
TPHA,Serum(RAMA)*		OL1244	TPHA,Serum(RAMA)	Serum (clotted blood)	Agglutination, manual	3 Day(s)	2-8 oC	See Subcontractor report	Send out
PCR for Alpha-thal1 (5-deletion)*		OL1245	PCR Alpha-thal1 (5-del)	EDTA Whole Blood	PCR	10 Day(s)	2-8 oC	See Subcontractor report	Send out
DCIP test	EDTA	OL1259	DCIP Test	EDTA	KKU-DCIP Clear	3 Day(s)	2-8° C	See Subcontractor report	Send out
Multiple myeloma by FISH[del(17) and t(4;14)]*		OL1260	FISH[del(17) &t(4;14)]-MM	Bone marrow	FISH	20 Day(s)	RT	See Subcontractor report	Send out
Multiple myeloma by FISH (8 probes)		OL1264	MM by FISH (8 probes)	Bone marrow	FISH	20 Day(s)	RT	See Subcontractor report	Send out
CMV Quantitative (Other)*		OL1273	CMV Quantitative (Other)	Other	Real-Time PCR	7 Day(s)	2-8 oC	See Subcontractor report	Send out
Flowcytometry for MM,MDR panel (RAMA)*		OL1271	Flow for MM,MDR(RAMA)	EDTA Whole Blood	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
PTH (RAMA)*		OL1294	PTH (RAMA)	Serum (clotted blood)	CLIA	3 Day(s)	2-8 oC	See Subcontractor report	Send out
HIV1/2 PCR Qualitative(RAMA)*		OL1295	HIV1/2 Qualitative(RAMA)	EDTA Blood	RT-PCR	5 Day(s)	2-8 oC	See Subcontractor report	Send out
Pharmacogenetics for NUDT15*		OL1307	Pharmaco for NUDT15	EDTA Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
Coxsackie A6 PCR (RAMA)*		OL1309	Coxsackie A6 PCR (RAMA)	Other	RT-PCR	4 Day(s)	2-8 oC	See Subcontractor report	Send out
JAK2 V617F mutation by Quantitative PCR(RAMA)*		OL1310	JAK2 by Quanti PCR(RAMA)	EDTA Bone marrow	-	14 Day(s)	2-8 oC	See Subcontractor report	Send out
Pharmacogenetic for Irinotecan(UGT1A1)*		OL1312	Pharmaco. for Irinotecan	EDTA Blood	Sequencing	7 Day(s)	2-8 oC	See Subcontractor report	Send out
JAK2,MPL,CALR and KIT mutation in MPNs(RAMA)*		OL1313	JAK2,MPL,CALR,KIT mutant	EDTA Bone marrow	-	15 Day(s)	2-8 oC	See Subcontractor report	Send out
G6PD Multiplex PCR (10mutation)(RAMA)		OL1333	G6PD Multiplex PCR(RAMA)	EDTA Blood	Multiplex PCR	14 Day(s)	2-8 oC	See Subcontractor report	Send out
IKAROS(RAMA)		OL1338	IKAROS(RAMA)*	EDTA Blood	-	14 Day(s)	2-8 oC	See Subcontractor report	Send out
Autoantibodies of Zinc Transp	Serum (clotted blood)	OL1167	Zinc Transporter8 (ZnT8)	Serum (clotted blood)	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
NGAL (Chula)*		OL1278	NGAL (Chula)	Urine	Chemiluminescence	3 Day(s)	2-8 oC	See Subcontractor report	Send out
Sample preparation		ME0012	Sample preparation		#N/A	#N/A	#N/A	#N/A	other
Transport media for Anaerobe		TR0001	Transport media ,Anaerobe	-	-	2 Day(s)	RT	See Subcontractor report	Microbiology
Hemoculture media for Aerobe		ME0005	Hemoculture media ,Aerobe	-	-	1 Day(s)	RT	See Subcontractor report	Microbiology
Thin Prep media*	Other	OL0012	Thin Prep media	Other	-	-	2-8° C	See Subcontractor report	Send out
Transportation(100)		TR0008	Transportation(100)		#N/A	#N/A	#N/A	#N/A	other
Electrolyte	Serum (clotted blood)	ISE	Electrolytes Profile	Serum (clotted blood)	Indirect ISE	1 Day(s)	2-8° C	See Subcontractor report	Chemistry

Lipid Profile		LIPID	Lipid Profile	Serum (clotted blood)	-	1 Day(s)	2-8 oC	See Subcontractor report	Chemistry
Liver Function Test		LFT	Liver Function Test	Serum (clotted blood)	-	1 Day(s)	2-8 oC	See Subcontractor report	Chemistry
Prevaccination Profile		VACP	Pre-Vaccination Profile	Serum (clotted blood)	ECLIA	1 Day(s)	2-8 oC	See Subcontractor report	Immunology
Basic package (Anti-Aging)		BASICP	Basic package (Anti-Aging)	Serum (clotted blood)	-	1 Day(s)	2-8 oC	See Subcontractor report	Chemistry
Female Tumor screening package (Anti-Aging)		FTUMOR	Female Tumor screening package	Serum (clotted blood)	ECLIA	1 Day(s)	2-8 oC	See Subcontractor report	Immunology
Male Tumor screening package (Anti-Aging)		MTUMOR	Male Tumor screening package	Serum (clotted blood)	ECLIA	1 Day(s)	2-8 oC	See Subcontractor report	Immunology
Lipid profile (Anti-Aging)		LIPAGE	Lipid Profile(Anti-Aging)	Serum (clotted blood)	-	1 Day(s)	2-8 oC	See Subcontractor report	Chemistry
FSH (0,120 min)		FSHP	FSH Profile	Serum (clotted blood)	ECLIA	1 Day(s)	2-8 oC	See Subcontractor report	Immunology
LH (0,60,90,120 min)		LHP	LH Profile	Serum (clotted blood)	ECLIA	1 Day(s)	2-8 oC	See Subcontractor report	Immunology
Dengue virus qualitative*	EDTA Plasma	OL0014	Dengue virus qualitative	EDTA Plasma	PCR	2 Day(s)	Freeze	See Subcontractor report	Send out
HIV-1 Qualitative*	EDTA Plasma	OL0015	HIV-1 Qualitative	EDTA Plasma	PCR	5 Day(s)	Freeze	See Subcontractor report	Send out
HSV qualitative,PCR*	CSF	OL0016	HSV qualitative,PCR	CSF	PCR	5 Day(s)	2-8° C	See Subcontractor report	Send out
MTB/NTM, PCR*	Body Fluid	OL1287	MTB/NTM, PCR*	Sputum	RT-PCR	5 Day(s)	2-8° C	See Subcontractor report	Send out
Real Time PCR for NTM/MTB MDR		OL0017	MTB/MDR Real-time PCR	Sputum	Real-Time PCR	5 Day(s)	2-8 oC	See Subcontractor report	Send out
HIV Qualitative (proviral)*	EDTA	OL0018	HIV Qualitative(proviral)	EDTA	PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
Cholinesterase*	Serum (clotted blood)	OL0019	Cholinesterase	Serum (clotted blood)	Enzymatic	3 Day(s)	2-8° C	See Subcontractor report	Send out
H.pylori IgM*	Serum (clotted blood)	OL0020	H.pylori IgM	Serum (clotted blood)	EIA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Anti - Diuretic Hormone (ADH)	EDTA Plasma	OL0025	Anti - Diuretic Hormone	EDTA Plasma	RIA	30 Day(s)	2-8° C	See Subcontractor report	Send out
Inhibin A*	Serum (clotted blood)	OL0028	Inhibin A	Serum (clotted blood)	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Lithium*	Serum (clotted blood)	OL0029	Lithium (BPL)	Serum (clotted blood)	Colorimetry	2 Day(s)	2-8° C	See Subcontractor report	Send out
Fructosamine*	Serum (clotted blood)	OL0030	Fructosamine	Serum (clotted blood)	Colorimetric	2 Day(s)	2-8° C	See Subcontractor report	Send out
Immuno Electrophoresis*	Serum (clotted blood)	OL0031	Immuno Electrophoresis	Serum (clotted blood)	Electrophoresis	5 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-Intrinsic factor Ab*	Serum (clotted blood)	OL0035	Anti-Intrinsic factor Ab	Serum (clotted blood)	CLIA	25 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-Parietal cell antibody*	Serum (clotted blood)	OL0036	Anti-Parietal cell Ab	Serum (clotted blood)	FA	25 Day(s)	2-8° C	See Subcontractor report	Send out
CPK Isoenzyme*	Serum (clotted blood)	OL0040	CPK Isoenzyme	Serum (clotted blood)	Electrophoresis	24 Day(s)	2-8° C	See Subcontractor report	Send out
NIFTY test*	Blood	OL0041	NIFTY test	Blood	Sequencing	15 Day(s)	2-8° C	See Subcontractor report	Send out
Anti - HAV IgG*	Serum (clotted blood)	OL0042	Anti - HAV IgG	Serum (clotted blood)	CMIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Myoglobin, urine*	Urine	OL0044	Myoglobin, urine	Urine	RIA	18 Day(s)	2-8° C	See Subcontractor report	Send out

Beta 2 Microglobulin,urine*	Urine	OL0045	Beta2 Microglobulin,urine	Urine	Turbidimetric	3 Day(s)	2-8° C	See Subcontractor report	Send out
Leptospira Ab IgM*	Serum (clotted blood)	OL0046	Leptospira Ab IgM	Serum (clotted blood)	EIA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Amylase, serum*	Serum (clotted blood)	OL0047	Amylase, serum	Serum (clotted blood)	Enzymatic colorimetri	2 Day(s)	2-8° C	See Subcontractor report	Send out
Amylase,urine*	Urine	OL0048	Amylase,urine	Urine	Enzymatic colorimetri	2 Day(s)	2-8° C	See Subcontractor report	Send out
Estriol*	Serum (clotted blood)	OL0051	Estriol	Serum (clotted blood)	TRACE	4 Day(s)	2-8° C	See Subcontractor report	Send out
Teloage*	EDTA	OL1193	Teloage	EDTA	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
CERBB2*	Other	OL0055	CERBB2	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
CMV Stain*	Other	OL0056	CMV Stain	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Cytology*	Other	OL0057	Cytology	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Estrogen receptor*	Other	OL0058	Estrogen receptor	Other	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
ER,PR*	Other	OL0059	ER,PR	Other	Staining	10 Day(s)	2-8° C	See Subcontractor report	Send out
Frozen Section Courier*	Other	OL0060	Frozen Section Courier	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Giemsa Stain*	Other	OL0061	Giemsa Stain	Other	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
Gomori's Methenamine Silver	Other	OL0062	GMS Stain	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
HER-2 (Hi Tech)*	Other	OL0063	HER-2, ไฮเทค	Other	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Histo-Package>=6 Conts*	Other	OL0064	Histo-Package>=6 Conts	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Histopatho Frozen section*	Other	OL0065	Histopatho Frozen section	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Histopatho Frozen section*, (Other	OL0066	Frozen section,(Parttime)	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Histopatho size < 5 cm*	Other	OL0067	Histopatho size < 5 cm	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Histopatho size > 5 cm*	Other	OL0068	Histopatho size > 5 cm	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Histopatho - 1800*	Other	OL0069	Histopatho - 1800	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Immunohistochem for Breast	Other	OL0070	IHC for Breast Markers	Other	Staining	10 Day(s)	RT	See Subcontractor report	Send out
Immunohistochem Study*	Other	OL0071	Immunohistochem Study	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
Immunohistochemistry - 1300	Other	OL0072	IHC-13000	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
Immunohistochemistry - 1400	Other	OL0073	IHC-14000	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
Imprint Slide Stain*	Other	OL0074	Imprint Slide Stain	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
P53*	Other	OL0075	P53	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
PAS Stain for Fungi in Tissue	Other	OL0076	PAS Stain (Tissue)	Other	-	5 Day(s)	RT	See Subcontractor report	Send out

Pathology - 1000*	Other	OL0077	Pathology - 1000	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 3000*	Other	OL0078	Pathology - 3000	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 4350*	Other	OL0079	Pathology - 4350	Other	-	10 Day(s)	RT	See Subcontractor report	Send out
Pathology - 750*	Other	OL0080	Pathology - 750	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 800*	Other	OL0081	Pathology - 800	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 850*	Other	OL0082	Pathology - 850	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 900*	Other	OL0083	Pathology - 900	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 6000*	Other	OL0084	Pathology - 6000	Other	-	10 Day(s)	RT	See Subcontractor report	Send out
Proliferating Index*	Other	OL0085	Proliferating Index	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Slide*		OL0086	Slide	Other	-	3 Day(s)	RT	See Subcontractor report	Send out
Special staining*	Other	OL0087	Special staining	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 4500*	Other	OL0088	Pathology - 4500	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 1550*	Other	OL0089	Pathology - 1550	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Progesterone Receptor*	Other	OL0090	Progesterone Receptor	Other	-	10 Day(s)	RT	See Subcontractor report	Send out
Pathology - 2000*	Other	OL0091	Pathology - 2000	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 1600*	Other	OL0092	Pathology - 1600	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 2500*	Other	OL0093	Pathology - 2500	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 8000*	Other	OL0094	Pathology - 8000	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Iron stain*	Other	OL0095	Iron stain	Other	Staining	4 Day(s)	2-8° C	See Subcontractor report	Send out
AFB stain*(Tissue)	Other	OL0096	AFB stain (Tissue)	Other	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
Chromogranin*	Other	OL0097	Chromogranin	Other	Staining	10 Day(s)	2-8° C	See Subcontractor report	Send out
S100*	Other	OL0098	S100	Other	Staining	10 Day(s)	RT	See Subcontractor report	Send out
Vimentin*	Tissue	OL0099	Vimentin	Tissue	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
AE1/AE3*	Other	OL0100	AE1/AE3	Other	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
LCA*	Other	OL0101	LCA	Other	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
ACTIN*	Other	OL0102	ACTIN	Other	Staining	10 Day(s)	2-8° C	See Subcontractor report	Send out
DESMIN*	Other	OL0103	DESMIN	Other	Staining	10 Day(s)	2-8° C	See Subcontractor report	Send out
CD117*	Tissue	OL0104	CD117	Tissue	Staining	10 Day(s)	RT	See Subcontractor report	Send out

CD34(Tissue)*	Tissue	OL0105	CD34	Tissue	Staining	10 Day(s)	RT	See Subcontractor report	Send out
Gram stain,tissue*	Other	OL0106	Gram stain,tissue	Other	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
Immunohistochemistry - 1600	Other	OL0107	IHC-1600	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
CD3*	Tissue	OL0108	CD3	Tissue	Staining	10 Day(s)	RT	See Subcontractor report	Send out
CD20*	Tissue	OL0109	CD20	Tissue	Staining	10 Day(s)	RT	See Subcontractor report	Send out
Cytospin,CSF*	CSF	OL0110	Cytospin,CSF	CSF	-	3 Day(s)	RT	See Subcontractor report	Send out
Pathology - 1450*	Other	OL0111	Pathology - 1450	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pathology - 2200*	Other	OL0112	Pathology - 2200	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Histopatho - 2400*	Other	OL0113	Histopatho - 2400	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Immunophenotype(Patho)*	Other	OL0114	Immunophenotype(Patho)	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
Histopatho - 4000*	Other	OL0115	Histopatho - 4000	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
P63*	Other	OL0116	P63	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
34BE12*	Other	OL0117	34BE12	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
Consult Pathology*	Other	OL0118	Consult Pathology	Other	-	5 Day(s)	RT	See Subcontractor report	Send out
TB(M.tuberculosis), PCR*(Tis	Other	OL0119	TB PCR (Tissue)	Other	PCR	15 Day(s)	RT	See Subcontractor report	Send out
Reticulin stain*	Other	OL0120	Reticulin stain	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
Immunohistochemistry - 7500	Other	OL0122	IHC-7500	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
ER,PR,HER-2*	Other	OL0123	ER,PR,HER-2	Other	Staining	10 Day(s)	2-8° C	See Subcontractor report	Send out
PSA Stain*	Other	OL0124	PSA Stain	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
Immunohistochemistry - 3200	Other	OL0126	IHC- 3200	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
CD Patho*	Other	OL0127	CD Patho	Other	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
Wright Stain*	Other	OL0128	Wright Stain	Other	Staining	4 Day(s)	2-8° C	See Subcontractor report	Send out
Bone marrow core biopsy and	Other	OL0129	BM core biopsy and clot	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Immunohistochemistry-4800*	Other	OL0130	Immunohistochemistry-4800	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
Immunohistochemistry-6500*	Other	OL0131	Immunohistochemistry-6500	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
EBER*	Other	OL0132	EBER	Other	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Mucin Stain*	Paraffin block	OL0133	Mucin Stain	Paraffin block	Staining	7 Day(s)	RT	See Subcontractor report	Send out
Pap smear*	Cervical Swab	OL0134	Pap smear	Cervical Swab	-	7 Day(s)	2-8° C	See Subcontractor report	Send out

Immunohistochemistry 9600*	Other	OL0135	Immunohistochemistry 9600	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
EGFR Mutation*	Other	OL0136	EGFR Mutation	Other	DNA Track mutation	2 Week(s)	2-8° C	See Subcontractor report	Send out
Wright stain (Bone marrow)*	Bone marrow smear	OL0137	Wright stain (BM)	Bone marrow smear	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
Ammonia*	EDTA Plasma	OL0138	Ammonia	EDTA Plasma	Enzymatic	1 Day(s)	Freeze	See Subcontractor report	Send out
Anti - HEV IgG*	Serum (clotted blood)	OL0139	Anti - HEV IgG	Serum (clotted blood)	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Anti - HEV IgM*	Serum (clotted blood)	OL0140	Anti - HEV IgM	Serum (clotted blood)	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out
HDV Ab*	Serum (clotted blood)	OL0141	HDV Ab	Serum (clotted blood)	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Pathology - 4900*	Other	OL0142	Pathology - 4900	Other	-	8 Day(s)	RT	See Subcontractor report	Send out
Troponin I*	Serum (clotted blood)	OL0143	Troponin I	Serum (clotted blood)	CMIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
		OL0144	Tacrolimus(Prograf)	EDTA	CMIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Pro BNP*	Serum (clotted blood)	OL0145	Pro BNP	Serum (clotted blood)	ECLIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Legionella Ag Screening*	Urine	OL0146	Legionella Ag Screening	Urine	ICA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Vitamin E*	Serum (clotted blood)	OL0147	Vitamin E	Serum (clotted blood)	HPLC	10 Day(s)	5° C Light protect	See Subcontractor report	Send out
Vitamin A*	Serum (clotted blood)	OL0148	Vitamin A	Serum (clotted blood)	HPLC	10 Day(s)	5° C Light protect	See Subcontractor report	Send out
Cocaine*	Urine	OL0149	Cocaine	Urine	EIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Arsenic,blood*	EDTA Plasma	OL0150	Arsenic,blood	EDTA Plasma	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Vitamin C*	Serum (clotted blood)	OL0151	Vitamin C	Serum (clotted blood)	HPLC	8 Day(s)	5° C Light protect	See Subcontractor report	Send out
Amikacin*	Serum (clotted blood)	OL0152	Amikacin	Serum (clotted blood)	KIMS	1 Day(s)	2-8° C	See Subcontractor report	Send out
Cobalt*	EDTA	OL0153	Cobalt	EDTA	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Cyclosporine*	EDTA	OL0154	Cyclosporine	EDTA	ECLIA	1 Day(s)	2-8° C	See Subcontractor report	Send out
Saccharomyces cerevisiae A	Serum (clotted blood)	OL0155	Saccharomyces cerevisiae	Serum (clotted blood)	IFA	20 Day(s)	2-8° C	See Subcontractor report	Send out
Phencyclidine(PCP)*	Urine	OL0156	Phencyclidine(PCP)	Urine	ICA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Glutathione*	EDTA	OL0157	Glutathione	EDTA	HPLC-FLD	8 Day(s)	5° C Light protect	See Subcontractor report	Send out
Malondialdehyde (MDA)*	EDTA Plasma	OL0158	Malondialdehyde (MDA)	EDTA Plasma	HPLC-FLD	7 Day(s)	5° C, Protect from	See Subcontractor report	Send out
Beta-carotene*	Serum (clotted blood)	OL0159	Beta-carotene	Serum (clotted blood)	HPLC-UV	7 Day(s)	5° C Light protect	See Subcontractor report	Send out
Liquid Prep*	Cervical Swab	OL0160	Liquid Prep	Cervical Swab	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Thin Prep plus HPV (APTIMA)	Cervical Swab	OL0161	Thin Prep + HPV (APTIMA)	Cervical Swab	-	8 Day(s)	2-8° C	See Subcontractor report	Send out
Liquid Prep plus HPV (COBA	Cervical Swab	OL0162	Liquid Prep + HPV (COBAS)	Cervical Swab	-	7 Day(s)	2-8° C	See Subcontractor report	Send out

HE4 and CA125 (Roche)*	Serum (clotted blood)	OL0163	HE4 and CA125 (Roche)	Serum (clotted blood)	ECLIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Thallium, urine*	Urine	OL0164	Thallium, urine	Urine	ICP-MS	14 Day(s)	2-8° C	See Subcontractor report	Send out
HPV DNA PCR high Risk typi	Cervical Swab	OL0165	HPV PCR + high Risk16/18	Cervical Swab	RT-PCR	7 Day(s)	2-8° C	See Subcontractor report	Send out
Free Radical Total-d-ROMs T	Serum (clotted blood)	OL0166	Free Radical Test	Serum (clotted blood)	Kinetics	3 Day(s)	2-8° C	See Subcontractor report	Send out
PAT Test (Plasma Antioxidas	Serum (clotted blood)	OL0167	Plasma Antioxidase Test	Serum (clotted blood)	Kinetics	3 Day(s)	2-8° C	See Subcontractor report	Send out
Glucose, other*	Synovial fluid	OL0168	Glucose , other	Synovial fluid	Enz.Hexokinase	2 Day(s)	2-8° C	See Subcontractor report	Send out
Protein , other*	Synovial fluid	OL0169	Protein , other	Synovial fluid	Turbidimetric	2 Day(s)	2-8° C	See Subcontractor report	Send out
Cyfra 21-1**	Serum (clotted blood)	OL0170	Cyfra 21-1	Serum (clotted blood)	Electrochemiluminesc	2 Day(s)	2-8° C	See Subcontractor report	Send out
Clostridium difficile PCR*	Stool	OL0171	Clostridium difficile PCR	Stool	PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
Mycobacterium PCR(FFPE),P	Paraffin block	OL0172	Mycobacterium PCR(FFPE)	Paraffin block	RT-PCR	5 Day(s)	2-8° C	See Subcontractor report	Send out
Paraffin Block Preparation*	Paraffin block	OL0173	Prepare Paraffin Block	Paraffin block	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Selenium , Blood*	Serum (clotted blood)	OL0174	Selenium , Blood	Serum (clotted blood)	-	20 Day(s)	2-8° C	See Subcontractor report	Send out
Immunoglobulin IgG*		IGG	Immunoglobulin IgG	Serum (clotted blood)	Nephelometry	1 Day(s)	2-8° C	Adult : 700 - 1600 mg/dL Adult (>60 yrs) : 600 - 1560 mg/dL	Immunology
Immunoglobulin IgM*		OL0175	Immunoglobulin IgM	Serum (clotted blood)	Nephelometry	2 Day(s)	2-8 oC	See Subcontractor report	Send out
Immunoglobulin IgA**	Serum (clotted blood)	OL0176	Immunoglobulin IgA	Serum (clotted blood)	Nephelometry	2 Day(s)	2-8° C	See Subcontractor report	Send out
Preeclampsia (sFit-1/PIGF rat	Serum (clotted blood)	OL0177	sFit-1/PIGF ratio	Serum (clotted blood)	ECLIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
FibroMax*	Serum (clotted blood)	OL0178	FibroMax	Serum (clotted blood)	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
FTA-ABS IgG*	Serum (clotted blood)	OL0179	FTA-ABS IgG	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
FTA-ABS IgM*	Serum (clotted blood)	OL0180	FTA-ABS IgM	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Barbiturate screening*	Urine	OL0181	Barbiturate screening	Urine	KIMS	3 Day(s)	2-8° C	See Subcontractor report	Send out
Pneumocystic PCR*	Sputum	OL0182	Pneumocystic PCR	Sputum	PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
Salmenella typhi IgM/IgG*	Serum (clotted blood)	OL0183	Salmenella typhi IgM/IgG	Serum (clotted blood)	ICA	2 Day(s)	2-8° C	See Subcontractor report	Send out
EBV VCA IgM*	Serum (clotted blood)	OL0184	EBV VCA IgM	Serum (clotted blood)	ELISA	4 Day(s)	2-8° C	See Subcontractor report	Send out
CMV IgM*	Serum (clotted blood)	OL0185	CMV IgM	Serum (clotted blood)	CMIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Mycoplasma IgM*	Serum (clotted blood)	OL0186	Mycoplasma IgM	Serum (clotted blood)	ELISA	5 Day(s)	2-8° C	See Subcontractor report	Send out
Toxoplasma IgG*	Serum (clotted blood)	OL0187	Toxoplasma IgG	Serum (clotted blood)	CMIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Toxoplasma IgM*	Serum (clotted blood)	OL0188	Toxoplasma IgM	Serum (clotted blood)	CMIA	2 Day(s)	2-8° C	See Subcontractor report	Send out

Influenza A,B and RSV(PCR)*	Nasal Swab	OL0189	Influenza A,B,RSV(PCR)	Nasal Swab	PCR	2 Day(s)	2-8° C	See Subcontractor report	Send out
H.pylori Ag Screening*	Stool	OL0190	H.pylori Ag Screening	Stool	ICA	2 Day(s)	2-8° C	See Subcontractor report	Send out
HSV IgM*	Serum (clotted blood)	OL0191	HSV IgM	Serum (clotted blood)	ELISA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Aspergillus Ab*	Serum (clotted blood)	OL0192	Aspergillus Ab	Serum (clotted blood)	Immunodiffusion	20 Day(s)	Freeze	See Subcontractor report	Send out
VZV IgG*	Serum (clotted blood)	OL0193	VZV IgG	Serum (clotted blood)	ELISA	3 Day(s)	2-8° C	See Subcontractor report	Send out
APT Test for Fetal Hb*	Gastric content	OL0194	APT Test for Fetal Hb	Gastric content	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
Thin-prep*	Cervical Swab	OL0195	Thin-prep	Cervical Swab	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Digoxin Level*	Serum (clotted blood)	OL0196	Digoxin Level	Serum (clotted blood)	KIMS	2 Day(s)	2-8° C	See Subcontractor report	Send out
Vasoactive intestinal polypep	EDTA Plasma	OL0197	VIP Test	EDTA Plasma	-	15 Day(s)	Freeze	See Subcontractor report	Send out
Coxsackie B Virus Ab*	Serum (clotted blood)	OL0198	Coxsackie B Virus Ab	Serum (clotted blood)	micro-NT	25 Day(s)	Freeze	See Subcontractor report	Send out
Enterovirus Culture*	Body fluid or Stool or CSF	OL0199	Enterovirus Culture	Body fluid or Stool or CSF	Identification & Culture	34 Day(s)	2-8° C	See Subcontractor report	Send out
Influenza Ab*	Serum (clotted blood)	OL0200	Influenza Ab	Serum (clotted blood)	HI	18 Day(s)	2-8° C	See Subcontractor report	Send out
JE IgM*	Serum (clotted blood)	OL0201	JEIgM	Serum (clotted blood)	ELISA	18 Day(s)	Freeze	See Subcontractor report	Send out
JEIgM, CSF*	CSF	OL0202	JEIgM, CSF	CSF	ELISA	18 Day(s)	2-8° C	See Subcontractor report	Send out
JE IgM, paired serum*	Serum (clotted blood)	OL0203	JE IgM, paired serum	Serum (clotted blood)	-	18 Day(s)	2-8° C	See Subcontractor report	Send out
Viral culture*	Sputum	OL0204	Viral culture	Sputum	Culture	15 Day(s)	2-8° C	See Subcontractor report	Send out
Entero virus71 Ab*, serum	Serum (clotted blood)	OL0205	Entero virus71 Ab , serum	Serum (clotted blood)	micro-NT	20 Day(s)	Freeze	See Subcontractor report	Send out
Influenza A IgM*	Serum (clotted blood)	OL0206	Influenza A IgM	Serum (clotted blood)	ELISA	10 Day(s)	2-8° C	See Subcontractor report	Send out
Influenza B IgM*	Serum (clotted blood)	OL0207	Influenza B IgM	Serum (clotted blood)	ELISA	10 Day(s)	2-8° C	See Subcontractor report	Send out
TB gold (TB Quantiferon)**	Blood	OL0208	TB gold (TB Quantiferon)	Blood	ELISA	14 Day(s)	2-8° C	See Subcontractor report	Send out
Enterohaemorrhagic E.coli*	Other	OL0209	Enterohaemorrhagic E.coli	Other	R and Adherence as	15 Day(s)	RT	See Subcontractor report	Send out
Leptospira Ab*(MAT)	Serum (clotted blood)	OL0210	Leptospira Ab (MAT)	Serum (clotted blood)	MAT	14 Day(s)	Freeze	See Subcontractor report	Send out
C.difficile culture*	Stool	OL0211	C.difficile culture	Stool	Culture	34 Day(s)	2-8° C	See Subcontractor report	Send out
Enterovirus PCR (Dept of Med	Stool	OL0212	Enterovirus PCR ๓๓๓๓๓๓๓๓	Stool	PCR	8 Day(s)	2-8° C	See Subcontractor report	Send out
Coxackie A Virus Ab*	Serum (clotted blood)	OL0213	Coxsackie A Virus Ab	Serum (clotted blood)	micro-NT	25 Day(s)	Freeze	See Subcontractor report	Send out
Enterotoxigenic E.coli*	Colony isolate	OL0214	Enterotoxigenic E.coli	Colony isolate	Iden. & culture	15 Day(s)	RT	See Subcontractor report	Send out
Rabies Ab*	Serum (clotted blood)	OL0215	Rabies Ab	Serum (clotted blood)	RFFIT	20 Day(s)	2-8° C	See Subcontractor report	Send out
E.coli O157:H7*	Colony isolate	OL0216	E.coli O157:H7	Colony isolate	O&H Typing and PCR	17 Day(s)	RT	See Subcontractor report	Send out

Shiga toxin*	Colony isolate	OL0217	Shiga toxin	Colony isolate	-	17 Day(s)	RT	See Subcontractor report	Send out
Streptococcus pneumoniae, F	CSF	OL0218	S. pneumoniae, PCR	CSF	PCR	7 Day(s)	2-8° C	See Subcontractor report	Send out
Culture for Diphtheria*	Swab	OL0219	Culture for Diphtheria	Swab	Culture	16 Day(s)	-8° C within 24 hr	See Subcontractor report	Send out
Bordetella pertussis ,PCR*	Nasopharyngeal swab	OL0220	Bordetella pertussis ,PCR	Nasopharyngeal swab	PCR	6 Day(s)	2-8° C	See Subcontractor report	Send out
Salmonella Identification*	Colony isolate	OL0221	Salmonella Identification	Colony isolate	-	30 Day(s)	RT	See Subcontractor report	Send out
Dengue IgG/IgM Titer*	Serum (clotted blood)	OL0222	Dengue IgG/IgM Titer	Serum (clotted blood)	ELISA	9 Day(s)	2-8° C	See Subcontractor report	Send out
IFA for Leptospira Ab*	Serum (clotted blood)	OL0223	IFA for Leptospira Ab	Serum (clotted blood)	IFA	10 Day(s)	2-8° C	See Subcontractor report	Send out
N.meningitidis confirm and ser	Colony isolate	OL0225	N.meningitidis confirm	Colony isolate	-	25 Day(s)	RT	See Subcontractor report	Send out
S.pneumoniae Serotype*	Colony isolate	OL0226	S.pneumoniae Serotype	Colony isolate	-	15 Day(s)	RT	See Subcontractor report	Send out
Polio virus*	Stool	OL0227	Polio virus	Stool	Culture and PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
NAT2 diplotyping(DMSC)		OL1328	NAT2 diplotyping(DMSC)	EDTA Blood	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
Anti ENA Profile plus assay*	Serum (clotted blood)	OL0228	Anti ENA Profile assay	Serum (clotted blood)	Immuno blot	3 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-LKM1*	Serum (clotted blood)	OL0229	Anti-LKM1	Serum (clotted blood)	EIA	11 Day(s)	2-8° C	See Subcontractor report	Send out
CD4*	EDTA	OL0230	CD4	EDTA	Flow cytometry	3 Day(s)	RT	See Subcontractor report	Send out
CD4 / CD8*	EDTA	OL0231	CD4 / CD8	EDTA	Flow cytometry	3 Day(s)	RT	See Subcontractor report	Send out
CMV IgG, titer*	Other	OL0232	CMV IgG, titer	Other	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
CMV IgM, titer*	Other	OL0233	CMV IgM, titer	Other	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
EBV IgA*	Serum (clotted blood)	OL0234	EBV IgA	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
EBV IgA, CSF*	CSF	OL0235	EBV IgA, CSF	CSF	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
EBV IgG, CSF*	CSF	OL0236	EBV IgG, CSF	CSF	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
EBV IgM, CSF*	CSF	OL0237	EBV IgM, CSF	CSF	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Electrolyte, fluid*	Fluid	OL0238	Electrolyte, fluid	Fluid	ISE	3 Day(s)	2-8° C	See Subcontractor report	Send out
Varicella(Herpes) zoster IgG,	CSF	OL0241	Varicella zoster IgG,CSF	CSF	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Varicella(Herpes) zoster IgM,	CSF	OL0242	Varicella zoster IgM,CSF	CSF	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Stone Analysis*	Other	OL0243	Stone Analysis	Other	Chemistry	9 Day(s)	RT	See Subcontractor report	Send out
Toxoplasma IgG,titer*	CSF	OL0244	Toxoplasma IgG,titer	CSF	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Toxoplasma IgM,titer*	CSF	OL0245	Toxoplasma IgM,titer	CSF	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Thin Prep (Liquid Prep)*		OL0246	Thin Prep (Liquid Prep)	Other	-	5 Day(s)	2-8 oC	See Subcontractor report	Send out

Anti - JO-1, IgG*	Serum (clotted blood)	OL0247	Anti - JO-1, IgG	Serum (clotted blood)	EIA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Anti - Mitochondrial Ab (M2)*	Serum (clotted blood)	OL0248	Anti-Mitochondrial Ab,M2	Serum (clotted blood)	EIA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Campylobacter jejuni, IgG*	Serum (clotted blood)	OL0249	Campylobacter jejuni, IgG	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Anti - Histone IgG*	Serum (clotted blood)	OL0250	Anti - Histone IgG	Serum (clotted blood)	EIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Campylobacter jejuni, IgM*	Serum (clotted blood)	OL0251	Campylobacter jejuni, IgM	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Chlamydia pneumoniae IgG titer*		OL0253	C. pneumoniae IgG titer	Serum (clotted blood)	IFA	3 Day(s)	2-8 oC	See Subcontractor report	Send out
Chlamydia pneumoniae IgM titer*		OL0254	C. pneumoniae IgM titer	Serum (clotted blood)	IFA	3 Day(s)	2-8 oC	See Subcontractor report	Send out
Dengue IgMType specific, C	Serum (clotted blood)	OL0260	Dengue IgM Type specific	CSF	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Leptospira IgG,Titer*	Serum (clotted blood)	OL0257	Leptospira IgG,Titer	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Melioides IgM,(titer)*	Serum (clotted blood)	OL0258	Melioides IgM,(titer)	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Leptospira IgG & IgM (titer)*	Serum (clotted blood)	OL0259	Leptospira IgG&IgM(Titer)	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Measles IgM* (Titer)	Serum (clotted blood)	OL0262	Measles IgM (Titer)	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Torch IgM (Titer)*	Serum (clotted blood)	OL0264	Torch IgM (Titer)	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
EBV-CA IgG titer*	Serum (clotted blood)	OL0265	EBV-CA IgG titer	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Chlamydia trachomatis IgM t	Serum (clotted blood)	OL0266	C. trachomatis IgM titer	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
EBV-CA IgM titer*	Serum (clotted blood)	OL0267	EBV-CA IgM titer	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Chikungunya IgG*	Serum (clotted blood)	OL0268	Chikungunya IgG	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Chikungunya IgM*	Serum (clotted blood)	OL0269	Chikungunya IgM	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Protein Electrophoresis*	Serum (clotted blood)	OL0271	Protein Electrophoresis	Serum (clotted blood)	Electrophoresis	5 Day(s)	2-8° C	See Subcontractor report	Send out
Lyme(Borrelia) IgG*	Serum (clotted blood)	OL0272	Lyme(Borrelia) IgG	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Lyme(Borrelia) IgM*	Serum (clotted blood)	OL0273	Lyme(Borrelia) IgM	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
HSV IgG type1&2*(serotype)	Serum (clotted blood)	OL0274	HSV IgG1&2 (serotype)	Serum (clotted blood)	Immuno blot	5 Day(s)	2-8° C	See Subcontractor report	Send out
JE IgG,* titer	Serum (clotted blood)	OL0275	JE IgG, titer	Serum (clotted blood)	IFA	4 Day(s)	2-8° C	See Subcontractor report	Send out
JE IgM,*titer	Serum (clotted blood)	OL0276	JE IgM, titer	Serum (clotted blood)	IFA	4 Day(s)	2-8° C	See Subcontractor report	Send out
EBV-NA Ab*	Serum (clotted blood)	OL0277	EBV-NA Ab	Serum (clotted blood)	IFA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Varicella(Herpes) zoster virus	Serum (clotted blood)	OL0278	VZV IgM (Titer)	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Mercury*,blood	EDTA	OL0279	Mercury ,blood	EDTA	AA	14 Day(s)	2-8° C	See Subcontractor report	Send out
Chromium(Blood)*	EDTA	OL0280	Chromium(Blood)	EDTA	AAS	21 Day(s)	2-8° C	See Subcontractor report	Send out

Anti-GBM,screening*	Serum (clotted blood)	OL0281	Anti-GBM,screening	Serum (clotted blood)	IFA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Chlamydia trachomatis IgG titer	Serum (clotted blood)	OL0282	C. trachomatis IgG titer	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Measles IgG*(Titer),CSF	CSF	OL0283	Measles IgG (Titer),CSF	CSF	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Measles IgM*(Titer),CSF	CSF	OL0284	Measles IgM (Titer),CSF	CSF	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Legionella pneumophila IgM*	Serum (clotted blood)	OL0285	L.pneumophila IgM	Serum (clotted blood)	IFA	5 Day(s)	2-8° C	See Subcontractor report	Send out
Aldosterone(chula)*	Heparinized plasma	OL0286	Aldosterone(Chula)	Heparinized plasma	RIA	14 Day(s)	Freeze	See Subcontractor report	Send out
Anaerobe culture*	Other	OL0287	Anaerobe culture	Other	Culture	12 Day(s)	RT	See Subcontractor report	Send out
Anti Dnase B*	Serum (clotted blood)	OL0288	Anti Dnase B	Serum (clotted blood)	Nephelometry	12 Day(s)	2-8° C	See Subcontractor report	Send out
Bordetella pertussis culture*	Nasopharyngeal swab	OL0290	B. pertussis culture	Nasopharyngeal swab	Culture	18 Day(s)	RT	See Subcontractor report	Send out
Campylobacter culture*	Stool	OL0291	Campylobacter culture	Stool	Culture	18 Day(s)	ส่งพื้นที่	See Subcontractor report	Send out
Chlamydia pneumoniae IgG*	Serum (clotted blood)	OL0292	Chlamydia pneumoniae IgG	Serum (clotted blood)	Micro IF	11 Day(s)	2-8° C	See Subcontractor report	Send out
Chlamydia pneumoniae IgM*	Serum (clotted blood)	OL0293	Chlamydia pneumoniae IgM	Serum (clotted blood)	Micro IF	11 Day(s)	2-8° C	See Subcontractor report	Send out
Chlamydia pneumoniae PCR	Sputum	OL0294	Chlamydia pneumoniae PCR	Sputum	PCR	11 Day(s)	2-8° C	See Subcontractor report	Send out
Chlamydia psittaci IgG*	Serum (clotted blood)	OL0295	Chlamydia psittaci IgG	Serum (clotted blood)	Micro IF	11 Day(s)	2-8° C	See Subcontractor report	Send out
Chlamydia psittaci IgM*	Serum (clotted blood)	OL0296	Chlamydia psittaci IgM	Serum (clotted blood)	Micro IF	11 Day(s)	2-8° C	See Subcontractor report	Send out
DHEA-S*	Serum (clotted blood)	OL0297	DHEA-S	Serum (clotted blood)	CMA	5 Day(s)	2-8° C	See Subcontractor report	Send out
Catecholamine(Epinephrine/Norepinephrine)	Urine 24 Hr	OL0298	Catecholamine	Urine 24 Hr	HPLC	21 Day(s)	2-8° C,Protect from light	See Subcontractor report	Send out
Factor IX inhibitor assay*	Citrate plasma	OL0299	Factor IX inhibitor assay	Citrate plasma	Clot detection	7 Day(s)	Freeze	See Subcontractor report	Send out
Fungus Culture(Chula)*	Other	OL0300	Fungus Culture	Other	Culture	34 Day(s)	2-8° C	See Subcontractor report	Send out
IgG Subclass*	Serum (clotted blood)	OL0301	IgG Subclass	Serum (clotted blood)	-	11 Day(s)	2-8° C	See Subcontractor report	Send out
Legionella culture*	Blood or Respiratory tract fluid	OL0302	Legionella culture	Blood or Respiratory tract fluid	Culture	21 Day(s)	2-8° C	See Subcontractor report	Send out
TB culture(Bactec)*	Blood	OL0303	TB culture(Bactec)	Blood	Culture	63 Day(s)	2-8° C	See Subcontractor report	Send out
Mycoplasma culture*	Throat Swab	OL0304	Mycoplasma culture	Throat Swab	Culture	18 Day(s)	2-8° C	See Subcontractor report	Send out
Parvo virus B19 IgG*	Serum (clotted blood)	OL0305	Parvo virus B19 IgG	Serum (clotted blood)	ELISA	11 Day(s)	2-8° C	See Subcontractor report	Send out
Parvo virus B19 IgM*	Serum (clotted blood)	OL0306	Parvo virus B19 IgM	Serum (clotted blood)	ELISA	11 Day(s)	2-8° C	See Subcontractor report	Send out
Renin (chula)*	EDTA Plasma	OL0307	Renin (Chula)	EDTA Plasma	RIA	14 Day(s)	Freeze	See Subcontractor report	Send out
Fungus c/s,Hemo*	Blood	OL0309	Fungus c/s,Hemo	Blood	Culture	50 Day(s)	RT	See Subcontractor report	Send out
HSV,viral load (PCR)*	CSF	OL0310	HSV,viral load (PCR)	CSF	RT-PCR	7 Day(s)	2-8° C	See Subcontractor report	Send out

Pan-Enterovirus PCR*	CSF	OL0311	Pan-Enterovirus PCR	CSF	PCR	7 Day(s)	2-8° C	See Subcontractor report	Send out
Euglobulin lysis*	Citrate plasma	OL0312	Euglobulin lysis	Citrate plasma	Acid Precipitation	4 Day(s)	Freeze	See Subcontractor report	Send out
17-Hydroxy progesterone*	Serum (clotted blood)	OL0313	17-Hydroxy progesterone	Serum (clotted blood)	RIA	14 Day(s)	2-8° C	See Subcontractor report	Send out
Dopamine*	Urine 24 Hr	OL0314	Dopamine	Urine 24 Hr	HPLC	15 Day(s)	2-8° C	See Subcontractor report	Send out
APC resistance*	Na Citrate	OL0315	APC resistance	Na Citrate	APTT-based	15 Day(s)	Freeze	See Subcontractor report	Send out
ACTH*	EDTA Plasma แยกปั่นทันที	OL0316	ACTH	EDTA Plasma แยกปั่นทันที	CLIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
C - Peptide*	Serum (clotted blood)	OL0317	C - Peptide	Serum (clotted blood)	CLIA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Varicella(Herpes) zoster,viral	Fluid	OL0318	Varicella(Herpe)zoster,VL	Fluid	RT-PCR	7 Day(s)	2-8° C	See Subcontractor report	Send out
Factor VII*	Citrate plasma	OL0319	Factor VII	Citrate plasma	Clotting	7 Day(s)	Freeze	See Subcontractor report	Send out
Factor VIII inhibitor*	Citrate plasma	OL0321	Factor VIII inhibitor	Citrate plasma	Clotting	7 Day(s)	Freeze	See Subcontractor report	Send out
Immunofixation*	Serum (clotted blood)	OL0322	Immunofixation	Serum (clotted blood)	IEP	15 Day(s)	2-8° C	See Subcontractor report	Send out
Acetylcholine receptor Ab*	Serum (clotted blood)	OL0323	Acetylcholine receptor Ab	Serum (clotted blood)	ELISA	30 Day(s)	2-8° C	See Subcontractor report	Send out
Apolipoprotein A-1*	Serum (clotted blood)	OL0324	Apolipoprotein A-1	Serum (clotted blood)	Immunoturbidity	5 Day(s)	2-8° C	See Subcontractor report	Send out
Apolipoprotein B*	Serum (clotted blood)	OL0325	Apolipoprotein B	Serum (clotted blood)	Immunoturbidity	5 Day(s)	2-8° C	See Subcontractor report	Send out
Microfilaria Ag*	Serum (clotted blood)	OL0326	Microfilaria Ag	Serum (clotted blood)	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Mycoplasma pneumoniae ,PC	Sputum	OL0327	M. pneumoniae ,PCR	Sputum	PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
Beta-Cross Laps**	EDTA Plasma	OL0328	Beta-Cross Laps	EDTA Plasma	ECLIA	5 Day(s)	Freeze	See Subcontractor report	Send out
Osteocalcin*	EDTA Plasma	OL0329	Osteocalcin	EDTA Plasma	ECLIA	5 Day(s)	Freeze	See Subcontractor report	Send out
P1NP**	EDTA Plasma	OL0330	P1NP	EDTA Plasma	ECLIA	5 Day(s)	Freeze	See Subcontractor report	Send out
Factor inhibitor screening*	Citrate plasma	OL0331	Factor inhibitor screen	Citrate plasma	Clotting	7 Day(s)	Freeze	See Subcontractor report	Send out
Lipoprotein (a)*	Serum (clotted blood)	OL0332	Lipoprotein (a)	Serum (clotted blood)	Immunoturbidity	5 Day(s)	2-8° C	See Subcontractor report	Send out
Morphine confirmation*	Urine	OL0333	Morphine confirmation	Urine	GC-MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
Measles IgG*	Serum (clotted blood)	OL0334	Measles IgG	Serum (clotted blood)	ELISA	6 Day(s)	2-8° C	See Subcontractor report	Send out
Varicella(Herpes) zoster IgM*	Serum (clotted blood)	OL0335	Varicella zoster IgM	Serum (clotted blood)	ELISA	5 Day(s)	2-8° C	See Subcontractor report	Send out
PHA Stimulation*	Heparin	OL0336	PHA Stimulation	Heparin	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Methadone*	Serum (clotted blood)	OL0337	Methadone	Serum (clotted blood)	GC-MS	10 Day(s)	2-8° C	See Subcontractor report	Send out
Rabies virus,PCR*	Urine or CSF	OL0339	Rabies virus,PCR	Urine or CSF	RT-PCR	7 Day(s)	2-8° C	See Subcontractor report	Send out
HLA B51*	EDTA	OL0340	HLA B51	EDTA	-	7 Day(s)	2-8° C	See Subcontractor report	Send out

HLA-B 1502**	EDTA	OL0341	HLA-B 1502	EDTA	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Methamphetamine confirm*	Urine	OL0342	Methamphetamine confirm	Urine	GC/MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
IA2 Ab*	Serum (clotted blood)	OL0343	IA2 Ab	Serum (clotted blood)	ELISA	14 Day(s)	2-8° C	See Subcontractor report	Send out
Treponemal Ab*	Serum (clotted blood)	OL0344	Treponemal Ab	Serum (clotted blood)	ECLIA	5 Day(s)	2-8° C	See Subcontractor report	Send out
PCR for Fungus*	CSF	OL0345	PCR for Fungus	CSF	PCR	21 Day(s)	2-8° C	See Subcontractor report	Send out
Tissue Transglutaminase IgA	Serum (clotted blood)	OL0346	TTA	Serum (clotted blood)	ELISA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-Gliadin peptide IgA*	Serum (clotted blood)	OL0347	Anti-Gliadin peptide IgA	Serum (clotted blood)	ELISA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-Gliadin peptide IgG*	Serum (clotted blood)	OL0348	Anti-Gliadin peptide IgG	Serum (clotted blood)	ELISA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Heparin induced platelet Ab*	Citrate plasma	OL0349	Heparin induced plt Ab	Citrate plasma	ELISA	3 Day(s)	Freeze	See Subcontractor report	Send out
Tissue Transglutaminase IgG	Serum (clotted blood)	OL0350	TTG	Serum (clotted blood)	ELISA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Pyridoxal-5-Phosphate (PLP)*	EDTA	OL1204	Pyridoxal-5-Phosphate	EDTA	HPLC	10 Day(s)	2-8° C	See Subcontractor report	Send out
Vitamin D2/D3*		OL1224	Vitamin D2/D3	Serum (clotted blood)	LC/MS/MS	7 Day(s)	2-8° C (Protect from light)	See Subcontractor report	Send out
Methylmalonic Acid (MMA)*		OL1300	Methylmalonic acid	Serum (clotted blood)	LC/MS/MS	14 Day(s)	2-8 oC	See Subcontractor report	Send out
Fetal Hb (Acid elution)*	EDTA	OL0351	[IQ1]Fetal Hb stain	EDTA	Fetal Hb stain	7 Day(s)	2-8° C	See Subcontractor report	Send out
Acid phosphatase, semen*	Vaginal Swab or Discharge	OL0352	Acid phosphatase, semen	Vaginal Swab or Discharge	Colorimetric	18 Day(s)	2-8° C	See Subcontractor report	Send out
Alcohol*	NaF Blood	OL0353	Alcohol	NaF Blood	GC Head Space	10 Day(s)	2-8° C	See Subcontractor report	Send out
Aldolase*	Serum (clotted blood)	OL0354	Aldolase	Serum (clotted blood)	Enzymetric end point	7 Day(s)	Freeze	See Subcontractor report	Send out
Alkaptourea*	Urine	OL0355	Alkaptourea	Urine	Ferric chloride test	7 Day(s)	2-8° C	See Subcontractor report	Send out
Alpha-thalassemia, PCR*, bld	EDTA	OL0356	Alpha-thalassemia,PCR	EDTA	lex Gap PCR /ASMR	10 Day(s)	2-8° C	See Subcontractor report	Send out
Health check up package		HEALTH	Health check up package	clotted blood),EDTA Blood a	-	1 Day(s)	2-8 oC	See Subcontractor report	Chemistry
Anti Myeloperoxidase*	Serum (clotted blood)	OL0357	Anti Myeloperoxidase	Serum (clotted blood)	ELISA	11 Day(s)	2-8° C	See Subcontractor report	Send out
Anti Proteinase 3*	Serum (clotted blood)	OL0358	Anti Proteinase 3	Serum (clotted blood)	ELISA	11 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-Ro & Anti-La*	Serum (clotted blood)	OL0359	Anti-Ro & Anti-La	Serum (clotted blood)	ELISA	11 Day(s)	2-8° C	See Subcontractor report	Send out
ANTI-SCL 70*	Serum (clotted blood)	OL0360	ANTI-SCL 70	Serum (clotted blood)	ELISA	11 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-thrombin III*	Citrate plasma	OL0361	Anti-thrombin III	Citrate plasma	Chromogenic	11 Day(s)	Freeze	See Subcontractor report	Send out
Arsenic ,Drug*	Other	OL0362	Arsenic ,Drug (ค่าหนัก)	Other	Spectrophotometry	7 Day(s)	2-8° C	See Subcontractor report	Send out
Aspirin (Salicylate)*	Serum (clotted blood)	OL0363	Aspirin (Salicylate)	Serum (clotted blood)	Colorimetric	7 Day(s)	2-8° C	See Subcontractor report	Send out
Bence Jones protein*	Urine	OL0364	Bence Jones protein	Urine	Heat and precipitation	7 Day(s)	2-8° C	See Subcontractor report	Send out

Bile*	Urine	OL0366	Bile	Urine	Spot test	6 Day(s)	2-8° C	See Subcontractor report	Send out
Bromide*	Serum (clotted blood)	OL0367	Bromide	Serum (clotted blood)	Colorimetric Assay	7 Day(s)	2-8° C	See Subcontractor report	Send out
Brucella Ab*	Serum (clotted blood)	OL0368	Brucella Ab	Serum (clotted blood)	Agglutination	7 Day(s)	2-8° C	See Subcontractor report	Send out
Carbamazepine(Tegretol)*	Serum (clotted blood)	OL0369	Carbamazepine(Tegretol)	Serum (clotted blood)	FPIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
HBV qualitative,PCR*	EDTA Plasma	OL0370	HBV qualitative,PCR	EDTA Plasma	PCR	5 Day(s)	Freeze	See Subcontractor report	Send out
Cholinesterase,Erythrocyte*	EDTA	OL0371	Cholinesterase,RBC	EDTA	Stain	7 Day(s)	2-8° C	See Subcontractor report	Send out
CMVquantitative*รามา (RAM)	EDTA Plasma	OL0372	CMV Quantitative	EDTA Plasma	PCR	7 Day(s)	Freeze	See Subcontractor report	Send out
Coumadin (Warfarin)*	Serum (clotted blood)	OL0373	Coumadin (Warfarin)	Serum (clotted blood)	HPLC	7 Day(s)	2-8° C	See Subcontractor report	Send out
Cyanide, blood*	EDTA	OL0374	Cyanide, blood	EDTA	HPLC	7 Day(s)	2-8° C	See Subcontractor report	Send out
Cyanide, gastric*	Gastric content	OL0375	Cyanide, gastric	Gastric content	HPLC	7 Day(s)	2-8° C	See Subcontractor report	Send out
Delta-aminolevulinic acid*	Urine	OL0376	Delta-aminolevulinic acid	Urine	Colorimetric	6 Day(s)	2-8° C	See Subcontractor report	Send out
DNA fingerprint*	EDTA	OL0377	DNA fingerprint	EDTA	PCR-based	10 Day(s)	2-8° C	See Subcontractor report	Send out
EBV Quantitative*	EDTA Plasma	OL0378	EBV Quantitative	EDTA Plasma	PCR	7 Day(s)	Freeze	See Subcontractor report	Send out
Fibrinogen level*	Citrate plasma	OL0379	Fibrinogen level	Citrate plasma	Clotting	7 Day(s)	Freeze	See Subcontractor report	Send out
Fine needle aspiration*		OL0380	Fine needle aspiration	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Fluoride*	Urine	OL0381	Fluoride	Urine	ISE	7 Day(s)	2-8° C	See Subcontractor report	Send out
Gentamicin*	Serum (clotted blood)	OL0382	Gentamicin	Serum (clotted blood)	FPIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
HBV genotype*	EDTA Plasma	OL0383	HBV genotype(อ่านที่อื่น)	EDTA Plasma	PCR	11 Day(s)	Freeze	See Subcontractor report	Send out
HCV Quantitative*	EDTA Plasma	OL0384	HCV Quantitative	EDTA Plasma	RT-PCR	8 Day(s)	Freeze	See Subcontractor report	Send out
Heinz body*	EDTA	OL0385	[IQ1]Heinz body	EDTA	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
Hemosiderin*	Urine	OL0386	Hemosiderin	Urine	Stain sediment	7 Day(s)	2-8° C	See Subcontractor report	Send out
Hippuric acid* (Toluene, Thin	Urine	OL0387	Hippuric acid	Urine	HPLC	10 Day(s)	2-8° C	See Subcontractor report	Send out
Histoplasma titer*	Serum (clotted blood)	OL0388	Histoplasma titer	Serum (clotted blood)	Immunodiffusion	7 Day(s)	2-8° C	See Subcontractor report	Send out
HIV genotype*	EDTA Plasma	OL0389	HIV genotype	EDTA Plasma	PCR	18 Day(s)	Freeze	See Subcontractor report	Send out
HIV viralload (Abbott real tim	EDTA Plasma	OL0390	HIV viralload (Abbott)	EDTA Plasma	Real time PCR	7 Day(s)	Freeze	See Subcontractor report	Send out
Immunoglobulin IgE**	Serum (clotted blood)	OL0391	Immunoglobulin IgE	Serum (clotted blood)	EIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Indomethacin*	Serum (clotted blood)	OL0392	Indomethacin	Serum (clotted blood)	HPLC	9 Day(s)	2-8° C	See Subcontractor report	Send out
JC virus,PCR*	Fluid	OL0393	JC virus,PCR	Fluid	PCR	7 Day(s)	2-8° C	See Subcontractor report	Send out

JE IgG*	Serum (clotted blood)	OL0394	JE IgG	Serum (clotted blood)	ELISA	11 Day(s)	2-8° C	See Subcontractor report	Send out
LAP (Leukocyte Alkaline Phos	Bone marrow smear	OL0395	LAP stain	Bone marrow smear	Staining	8 Day(s)	2-8° C	See Subcontractor report	Send out
LDH Isoenzyme*	Serum (clotted blood)	OL0396	LDH Isoenzyme	Serum (clotted blood)	V L-lactate to pyruva	7 Day(s)	2-8° C	See Subcontractor report	Send out
Lipoprotein Electrophoresis*	Serum (clotted blood)	OL0397	Lipoprot. Electrophoresis	Serum (clotted blood)	Electrophoresis	7 Day(s)	2-8° C	See Subcontractor report	Send out
Melanin*	Urine	OL0398	Melanin	Urine	Colorimetric	5 Day(s)	2-8° C	See Subcontractor report	Send out
Methanol,blood*	NaF Blood	OL0399	Methanol,blood	NaF Blood	GC Head Space	6 Day(s)	2-8° C	See Subcontractor report	Send out
Methanol,urine*	Urine	OL0400	Methanol,urine	Urine	GC Head space	6 Day(s)	2-8° C	See Subcontractor report	Send out
Methemoglobin*	Heparin	OL0401	Methemoglobin	Heparin	SP	5 Day(s)	2-8° C	See Subcontractor report	Send out
Methotrexate*	Serum (clotted blood)	OL0402	Methotrexate	Serum (clotted blood)	CMIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Methyl hippuric acid* (Xylene	Urine	OL0403	Methyl hippuric acid	Urine	HPLC	10 Day(s)	2-8° C	See Subcontractor report	Send out
Myoglobin*	Serum (clotted blood)	OL0404	Myoglobin	Serum (clotted blood)	ECL	6 Day(s)	2-8° C	See Subcontractor report	Send out
Paraquat, blood*	EDTA	OL0405	Paraquat, blood	EDTA	HPLC	5 Day(s)	2-8° C	See Subcontractor report	Send out
Paraquat, urine*	Urine	OL0406	Paraquat, urine	Urine	HPLC-DAD	5 Day(s)	2-8° C	See Subcontractor report	Send out
PML/RARA*	Heparin	OL0407	PML/RARA	Heparin	FISH	30 Day(s)	2-8° C	See Subcontractor report	Send out
Prader Willi for FISH*	Heparin	OL0408	Prader Willi for FISH	Heparin	FISH	30 Day(s)	2-8° C	See Subcontractor report	Send out
Prealbumin*	Serum (clotted blood)	OL0409	Prealbumin	Serum (clotted blood)	Nephelometry	7 Day(s)	2-8° C	See Subcontractor report	Send out
Protein C*	Citrate plasma	OL0410	Protein C	Citrate plasma	Chromogenic	10 Day(s)	Freeze	See Subcontractor report	Send out
Protein S*	Citrate plasma	OL0411	Protein S	Citrate plasma	Chromogenic	10 Day(s)	Freeze	See Subcontractor report	Send out
Screen for Common Drugs,ur	Urine	OL0412	Screen for Drugs(urine)	Urine	LC/MS/MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Screen for Drugs & Pesticide	Gastric content	OL0413	Screen forDrugs&Pesticide	Gastric content	GC Head space	6 Day(s)	2-8° C	See Subcontractor report	Send out
Screen for Common Drugs,bf	Serum (clotted blood)	OL0414	Screen forDrugs(Blood)	Serum (clotted blood)	LC/MS/MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE to Cow milk*	Serum (clotted blood)	OL0415	Specific IgE to Cow milk	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE to Egg white*	Serum (clotted blood)	OL0416	Specific IgE to Egg white	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE to Soya Bean*	Serum (clotted blood)	OL0417	Specific IgE to Soya Bean	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Squamous cell carcinoma Ag	Serum (clotted blood)	OL0418	SSC Ag	Serum (clotted blood)	MEIA	6 Day(s)	2-8° C	See Subcontractor report	Send out
VDRL CSF*	CSF	OL0419	VDRL CSF	CSF	Flocculation	4 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for William syndrome*	Heparin	OL0420	FISH for William syndrome	Heparin	FISH	30 Day(s)	2-8° C	See Subcontractor report	Send out
Zinc protoporphyrin(Porphyrin	EDTA	OL0421	Zinc protoporphyrin	EDTA	HF	4 Day(s)	2-8° C	See Subcontractor report	Send out

Isopropanol*	Urine	OL0422	Isopropanol	Urine	GC Head space	10 Day(s)	2-8° C	See Subcontractor report	Send out
Beta 2 Glycoprotein1 IgG*	Serum (clotted blood)	OL0423	Beta 2 Glycoprotein1 IgG	Serum (clotted blood)	EIA	10 Day(s)	2-8° C	See Subcontractor report	Send out
P1NP, total *		OL0424	P1NP, total	Serum (clotted blood)	Chemiluminescence	5 Day(s)	2-8 oC	See Subcontractor report	Send out
Fragile X Syndrome Analysis*	EDTA	OL0425	Fragile X Syndrome	EDTA	PCR-based	60 Day(s)	2-8° C	See Subcontractor report	Send out
Methyl Ethyl Ketone*	Urine	OL0426	Methyl Ethyl Ketone	Urine	GC Head space	10 Day(s)	2-8° C	See Subcontractor report	Send out
Free light chain*	Serum (clotted blood)	OL0427	Free light chain	Serum (clotted blood)	Nephelometry	8 Day(s)	2-8° C	See Subcontractor report	Send out
ANTI-HTLV-1*	Serum (clotted blood)	OL0428	ANTI-HTLV-1	Serum (clotted blood)	Agglutination	5 Day(s)	2-8° C	See Subcontractor report	Send out
Osmotic fragility test*	EDTA	OL0429	Osmotic fragility test	EDTA	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
Cystatin C*	Serum (clotted blood)	OL0430	Cystatin C	Serum (clotted blood)	Nephelometry	3 Day(s)	2-8° C	See Subcontractor report	Send out
Identify &Sensitivity (RAMA)*	Colony isolate	OL0431	Ident&Sensitivity (RAMA)	Colony isolate	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Maternal Serum Screening*	Serum (clotted blood)	OL0432	Maternal Serum Screening	Serum (clotted blood)	EIA	10 Day(s)	2-8° C	See Subcontractor report	Send out
Flowcytometry for Acute Leukemia*	EDTA	OL0433	Flow for Acute Leukemia	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Anti-Ro*	Serum (clotted blood)	OL0434	Anti-Ro	Serum (clotted blood)	ELISA	11 Day(s)	2-8° C	See Subcontractor report	Send out
Aspergillus galactomannan Ag*	Serum (clotted blood)	OL0436	A. galactomannan Ag	Serum (clotted blood)	EIA	10 Day(s)	Freeze	See Subcontractor report	Send out
Growth Hormone*	Serum (clotted blood)	OL0437	Growth Hormone	Serum (clotted blood)	CLIA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Maternal Serum Screening(Quad)*	Serum (clotted blood)	OL0438	Quad Test	Serum (clotted blood)	EIA	10 Day(s)	2-8° C	See Subcontractor report	Send out
TTMA* (Benzene)	Urine	OL0439	TTMA (Benzene), ราม่า	Urine	HPLC	7 Day(s)	2-8° C	See Subcontractor report	Send out
MIC (RAMA)*	Colony isolate	OL0440	MIC ราม่า	Colony isolate	E-test	5 Day(s)	RT	See Subcontractor report	Send out
Bacteria Identify,(RAMA)**	Colony isolate	OL0441	Bacteria Identify,(RAMA)	Colony isolate	Culture	5 Day(s)	RT	See Subcontractor report	Send out
Chromosome analysis,*placenta	Placenta	OL0442	Chr.analysis,placenta	Placenta	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Duchenne Muscular Dystrophy*	Amniotic fluid	OL0443	Duchenne Muscul Dystrophy	Amniotic fluid	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
Chromosome analysis,*CVS สติตต่อก่อนส่ง ใช้ media เฉลี่ย		OL0444	Chromosome analysis, CVS สติตต่อก่อนส่ง ใช้ media เฉลี่ย		-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Fusion gene (BCR/ABL) by RT-PCR	EDTA	OL0445	BCR/ABL by RT-PCR	EDTA	RT-PCR	14 Day(s)	2-8° C	See Subcontractor report	Send out
Beta-thalassemia,PCR*,Blood	EDTA	OL0446	Beta-thalassemia,PCR	EDTA	PCR	18 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for Y Chromosome*	Heparin	OL0447	FISH for Y Chromosome	Heparin	FISH	30 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE to Mite*(DP)	Serum (clotted blood)	OL0448	Specific IgE to Mite (DP)	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE to A.fumigatus (m3)	Serum (clotted blood)	OL0449	IgE to A.fumigatus (m3)	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Flowcytometry for Non Hodgkin's Lymphoma*	Heparin	OL0450	Flow for CLL	Heparin	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out

Fungus c/s,Hemo,(RAMA)*	Blood	OL0451	Fungus c/s,Hemo, ʘʘʘʘʘ	Blood	Culture	30 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for PNH(RAM)	EDTA	OL0452	Flowcytometry for PNH	EDTA	Flow cytometry	7 Day(s)	RT	See Subcontractor report	Send out
Specific IgE to Egg yolk*	Serum (clotted blood)	OL0453	Specific IgE to Egg yolk	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Fusion gene (BCR/ABL) by R	EDTA	OL0454	BCR/ABL by RQ-PCR	EDTA	PCR	14 Day(s)	2-8° C	See Subcontractor report	Send out
BK virus,PCR*	EDTA Plasma	OL0455	BK virus,PCR	EDTA Plasma	PCR	7 Day(s)	Freeze	See Subcontractor report	Send out
FISH for HER2*	Other	OL0456	FISH for HER2	Other	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
NSE*	Serum (clotted blood)	OL0457	NSE	Serum (clotted blood)	ECLIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Clostridium tetanus IgG*	Serum (clotted blood)	OL0458	Clostridium tetanus IgG	Serum (clotted blood)	ELISA	8 Day(s)	2-8° C	See Subcontractor report	Send out
Influenza A(H1N1)*,PCR	Nasal Swab	OL0459	Influenza A(H1N1) ,PCR	Nasal Swab	PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
HBV Drug Resistant*	EDTA Plasma	OL0460	HBV Drug Resistant	EDTA Plasma	Line probe	11 Day(s)	Freeze	See Subcontractor report	Send out
Specific IgE f23(Crab)*	Serum (clotted blood)	OL0461	Specific IgE f23(Crab)	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE,f24(Shrimp)*	Serum (clotted blood)	OL0462	Specific IgE,f24(Shrimp)	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Everolimus level (CeRTican)*	EDTA	OL0463	Everolimus (Certican)	EDTA	EIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Flowcytometry for Lymphocy	EDTA	OL0464	Lymphocyte all subsets	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
FISH for BCR/ABL*	Heparin	OL0465	FISH for BCR/ABL	Heparin	FISH	5 Day(s)	2-8° C	See Subcontractor report	Send out
TSH receptor Ab*	Serum (clotted blood)	ATSHR	TSH Receptor AB	Serum (clotted blood)	ECLIA	4 Day(s)	2-8° C	0.00-1.75 IU/L	Immunology
Trichloroacetic acid*	Urine	OL0466	Trichloroacetic acid	Urine	GC Head space	5 Day(s)	2-8° C	See Subcontractor report	Send out
Parvovirus B19 viral load*	EDTA Plasma	OL0467	Parvovirus B19 viral load	EDTA Plasma	RT-PCR	7 Day(s)	Freeze	See Subcontractor report	Send out
Parvovirus B19,qualitative(PC	EDTA Plasma	OL0469	ParvoB19,qualitative(PCR)	EDTA Plasma	RT-PCR	5 Day(s)	Freeze	See Subcontractor report	Send out
Flowcytometry for AML,MRD	EDTA	OL0470	Flow for AML,MRD panel	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Anti Factor Xa*	Citrate plasma	OL0472	Anti Factor Xa	Citrate plasma	Chromogenic	3 Day(s)	Freeze	See Subcontractor report	Send out
Flowcytometry for CD4/CD8/T	EDTA	OL0473	Flow for CD4/CD8/TCR ?,?	EDTA	Flow cytometry	7 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for CD19/CD2	EDTA	OL0474	Flow for CD19/CD20	EDTA	Flow cytometry	7 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for CD 38 / ZAP	EDTA	OL0475	Flow for CD 38 / ZAP70	EDTA	Flow cytometry	7 Day(s)	RT	See Subcontractor report	Send out
Factor XIII*		OL0481	Factor XIII	Na Citrate Plasma	ated one-stage facto	8 Day(s)	Freeze	See Subcontractor report	Send out
Flowcytometry for Kappa/ Lam	EDTA	OL0482	Flowfor Kappa/ Lambda	EDTA	Flow cytometry	7 Day(s)	RT	See Subcontractor report	Send out
Toxoplasma gondii,PCR*	EDTA Plasma	OL0483	Toxoplasma gondii,PCR	EDTA Plasma	RT-PCR	7 Day(s)	Freeze	See Subcontractor report	Send out
Tacrolimus(Prograf)**	EDTA	OL0144	Tacrolimus(Prograf)	EDTA	MEIA	2 Day(s)	2-8° C	See Subcontractor report	Send out

Fungus identification(RAMA)*	Colony isolate	OL0485	Fungus identification	Colony isolate	Culture	15 Day(s)	RT	See Subcontractor report	Send out
Specific IgE*	Serum (clotted blood)	OL0486	Specific IgE	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
TB direct detection (Molecular)	Other	OL0489	TB direct detection	Other	PCR	21 Day(s)	2-8° C	See Subcontractor report	Send out
JE PCR*	EDTA Plasma	OL0490	JE PCR	EDTA Plasma	PCR	5 Day(s)	2-8° C	See Subcontractor report	Send out
Alpha-thal 1 gene,PCR*(2 del)	EDTA	OL0491	Alpha-thal1 gene (2 del)	EDTA	Multiplex Gap PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
Influenza A(H5N1)*,PCR	Nasal Swab	OL0492	Influenza A(H5N1) ,PCR	Nasal Swab	PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
Alpha 1-Antitrypsin,Stool*	Stool	OL0493	Alpha 1-Antitrypsin,stool	Stool	Turbidity Automation	9 Day(s)	2-8° C	See Subcontractor report	Send out
Respiratory 18 Subtypes*	Nasal Swab	OL0494	Respiratory Pathogens 23	Nasal Swab	Bead array	3 Day(s)	2-8° C	See Subcontractor report	Send out
Sirolimus(Rapamune)*	EDTA	OL0495	Sirolimus(Rapamune)	EDTA	MEIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
BCR/ABL mutation analysis*	EDTA	OL0496	BCR/ABL mutation analysis	EDTA	Direct sequencing	10 Day(s)	2-8° C	See Subcontractor report	Send out
Mixing test APTT**	Citrate plasma	OL0497	Mixing test APTT	Citrate plasma	Coagulation	3 Day(s)	2-8° C	See Subcontractor report	Send out
Coxsackie PCR*	Serum (clotted blood)	OL0498	Coxsackie PCR	Serum (clotted blood)	RT-PCR	7 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE(RAMA)*	Serum (clotted blood)	OL0499	Specific IgE(850)	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
C4D*	Other	OL0500	C4D	Other	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
CMV PCR (Qualitative)*	EDTA Plasma	OL0501	CMV PCR (Qualitative)	EDTA Plasma	RT-PCR	3 Day(s)	Freeze	See Subcontractor report	Send out
Interleukin 6 Ab*	Serum (clotted blood)	OL0502	Interleukin 6 Ab	Serum (clotted blood)	ECLIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
HCV qualitative PCR*	EDTA Plasma	OL0503	HCV qualitative PCR	EDTA Plasma	PCR	5 Day(s)	Freeze	See Subcontractor report	Send out
Sudan Black B*	Bone marrow smear	OL0504	Sudan Black B	Bone marrow smear	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
Alpha-Naphthyl acetate ester	Bone marrow	OL0505	Naphthylacetate esterase	Bone marrow	-	3 Day(s)	RT	See Subcontractor report	Send out
Beta-glucuronidase*	Bone marrow smear	OL0506	Beta-glucuronidase	Bone marrow smear	-	3 Day(s)	RT	See Subcontractor report	Send out
Adenovirus Viral Load*	EDTA Plasma	OL0507	Adenovirus Viral Load	EDTA Plasma	PCR	3 Day(s)	Freeze	See Subcontractor report	Send out
Zinc phosphide*	Gastric content	OL0508	Zinc phosphide	Gastric content	Screening	3 Day(s)	2-8° C	See Subcontractor report	Send out
Tryptase*	Serum (clotted blood)	OL0509	Tryptase	Serum (clotted blood)	EIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Pharmacogenomics for Clopidogrel	EDTA	OL0510	Clopidogrel	EDTA	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Beta-F1*	Other	OL0511	Beta-F1	Other	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
Adenovirus IgG*	Serum (clotted blood)	OL0512	Adenovirus IgG	Serum (clotted blood)	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Adenovirus IgM*	Serum (clotted blood)	OL0513	Adenovirus IgM	Serum (clotted blood)	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Sex-mismatched*	EDTA	OL0515	Sex-mismatched	EDTA	FISH	4 Day(s)	2-8° C	See Subcontractor report	Send out

Influenza A virus 3 subtypes*	Nasal Swab	OL0516	Influenza A (3 subtypes)	Nasal Swab	RT-PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
TPMT Activity*	EDTA	OL0517	TPMT Activity	EDTA	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Drug Quantitative Analysis*	Serum (clotted blood)	OL0518	Drug Quantitative	Serum (clotted blood)	GC/MS	5 Day(s)	2-8° C	See Subcontractor report	Send out
Flowcytometry for B-ALL MRD	EDTA	OL0519	Flow for B-ALL MRD	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Alkaline phosphatase Isoenzyme	Serum (clotted blood)	OL0520	ALP Isoenzyme	Serum (clotted blood)	at stable and Heat lab	3 Day(s)	2-8° C	See Subcontractor report	Send out
Cannabinoid*	Urine	OL0521	Cannabinoid	Urine	EIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
HHV 8 PCR*	EDTA Plasma	OL0522	HHV 8 PCR	EDTA Plasma	RT-PCR	3 Day(s)	Freeze	See Subcontractor report	Send out
Tramadol level*	Serum (clotted blood)	OL0523	Tramadol level	Serum (clotted blood)	LC/MS/MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
Rb-1 Gene by Fish for 13q14	EDTA	OL0524	Rb-1 Gene for 13q14(FISH)	EDTA	FISH	7 Day(s)	RT	See Subcontractor report	Send out
NPM1 Gene*	EDTA	OL0525	NPM1 Gene	EDTA	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
FLT3 mutation in AML*	EDTA	OL0526	FLT3 mutation in AML	EDTA	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
Enterovirus PCR*	Other	OL0527	Enterovirus PCR	Other	PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
Activated Protein C Resistance	Citrate plasma	OL0528	Activated Prot.C Resist	Citrate plasma	Coagulation	10 Day(s)	Freeze	See Subcontractor report	Send out
Voriconazole Level*	Serum (clotted blood)	OL0529	Voriconazole Level	Serum (clotted blood)	LC/MS/MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
Prediatric Profile*	Serum (clotted blood)	OL0530	Prediatric Profile	Serum (clotted blood)	Immuno blot	10 Day(s)	2-8° C	See Subcontractor report	Send out
RB1 Gene by FISH*	EDTA	OL0531	RB1 Gene by FISH	EDTA	FISH	10 Day(s)	2-8° C	See Subcontractor report	Send out
Multiplex RT-PCR for BCR/ABL	EDTA	OL0532	Multiplex RT-PCR - BCR/ABL	EDTA	RT-PCR	14 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-Desmoglein 3*	Serum (clotted blood)	OL0533	Anti-Desmoglein 3	Serum (clotted blood)	ELISA	20 Day(s)	2-8° C	See Subcontractor report	Send out
Rapid aneuploidy screening(Tissue	OL0534	BOB Test	Tissue	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Gastrointestinal Pathogens*	Swab	OL0535	Gastrointestine Pathogens	Swab	Bead array	5 Day(s)	2-8° C	See Subcontractor report	Send out
CEBPA*	EDTA	OL0536	CEBPA	EDTA	Screening method	15 Day(s)	2-8° C	See Subcontractor report	Send out
RT-PCR for MLL*	EDTA	OL0537	RT-PCR for MLL	EDTA	RT-PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
STI (Sexual transmitted infect	Urine	OL0538	Sexual transmit infected	Urine	Multiplex PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
Levetiracetam(Keppa)*	Serum (clotted blood)	OL0539	Levetiracetam(Keppa)	Serum (clotted blood)	GC-MS	14 Day(s)	2-8° C	See Subcontractor report	Send out
Encephalitis viruses panel*	Other	OL0540	Encephalitis virus panel	Other	Micro array	5 Day(s)	2-8° C	See Subcontractor report	Send out
CMV Drug Resistance*	EDTA Plasma	OL0541	CMV Drug Resistance	EDTA Plasma	PCR	5 Day(s)	Freeze	See Subcontractor report	Send out
Specific IgE for Omega-5 Gli	Serum (clotted blood)	OL0542	IgE for Omega-5	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Identify for Nocardia spp.*	Colony isolate	OL0543	Identify for Nocardia	Colony isolate	Sequencing	20 Day(s)	2-8° C	See Subcontractor report	Send out

Bacteria Sensitivity, (RAMA)*	Colony isolate	OL0544	Bacteria Sensitivity	Colony isolate	-	15 Day(s)	RT	See Subcontractor report	Send out
Amphetamine Level*	Urine	OL0545	Amphetamine Level	Urine	LC/MS	10 Day(s)	2-8° C	See Subcontractor report	Send out
MERS-CoV PCR*	Nasal Swab	OL0546	MERS-CoV PCR	Nasal Swab	PCR	2 Day(s)	2-8° C	See Subcontractor report	Send out
Itraconazole level*	Serum (clotted blood)	OL0547	Itraconazole level	Serum (clotted blood)	LC/MS/MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
AML1-ETO,CBFB-MYH11,PM	Bone marrow	OL0548	Multiplex RT-PCR for AML	Bone marrow	Multiplex PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
Topiramate level (Topamax)*	Serum (clotted blood)	OL0549	Topiramate(Topamax) level	Serum (clotted blood)	LC/MS/MS	10 Day(s)	2-8° C	See Subcontractor report	Send out
Microbial identification (18S)*	Other	OL0550	Microbial identified(18S)	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Anaerobes culture,(RAMA)*	Other	OL0551	Anaerobes culture, ʘʘʘʘ	Other	Culture	30 Day(s)	RT	See Subcontractor report	Send out
Double Negative T cells*	EDTA	OL0552	Double Negative T cells	EDTA	Flow cytometry	7 Day(s)	RT	See Subcontractor report	Send out
Rapid detection of 24 chromo	Tissue	OL0554	Detection of 24 chr.Ab	Tissue	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
VCFS/DiGeorge/CATCH22 (F	Heparin	OL0555	VCFS/DiGeo/CATCH22 (FISH	Heparin	FISH	10 Day(s)	2-8° C	See Subcontractor report	Send out
Isospora*	Stool	OL0556	Isospora	Stool	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
Microfilaria*	cc. + whole blood 1 cc. & Th	OL0557	Microfilaria cc. + whole blood 1 cc. & Thi	Knott's Concentration	Knott's Concentration	5 Day(s)	2-8° C	See Subcontractor report	Send out
Microsporidium*	Stool	OL0558	Microsporidium	Stool	Staining	5 Day(s)	2-8° C	See Subcontractor report	Send out
Stool Concentration*	Stool	OL0559	Stool Concentration	Stool	Ether - formalin	4 Day(s)	2-8° C	See Subcontractor report	Send out
Leishmania*	EDTA	OL0560	[IQ1]Leishmania Donovan	EDTA	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
Toxoplasma IgG (dye test)*	Serum (clotted blood)	OL0561	Toxoplasma IgG (dye test)	Serum (clotted blood)	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Malaria (Thick and Thin)*	EDTA	OL0562	Malaria (Thick and Thin)	EDTA	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
E.histolytica PCR*	Other	OL0563	E.histolytica PCR	Other	PCR	5 Day(s)	2-8° C	See Subcontractor report	Send out
Vitamin B6*	Heparin	OL0564	Vitamin B6	Heparin	Enzymatic Kinetic	10 Day(s)	2-8° C Light protect	See Subcontractor report	Send out
Vitamin B1 (ETK)*		OL0565	Vitamin B1 (ETK)	Heparin WB	Enzymatic assay	15 Day(s)	2-8° C (Protect from	See Subcontractor report	Send out
Angiostrongylus Ab*	Serum (clotted blood)	OL0566	Angiostrongylus Ab	Serum (clotted blood)	Immuno blot	20 Day(s)	2-8° C	See Subcontractor report	Send out
Cysticercosis Ab*	Serum (clotted blood)	OL0567	Cysticercosis Ab	Serum (clotted blood)	Immuno blot	10 Day(s)	2-8° C	See Subcontractor report	Send out
Cysticercosis Ab, CSF*	CSF	OL0568	Cysticercosis Ab, CSF	CSF	Immuno blot	10 Day(s)	2-8° C	See Subcontractor report	Send out
Echinococcus Ab*	Serum (clotted blood)	OL0569	Echinococcus Ab	Serum (clotted blood)	EIA	10 Day(s)	2-8° C	See Subcontractor report	Send out
Filaria Ab*	Serum (clotted blood)	OL0570	Filaria Ab	Serum (clotted blood)	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Gnathostoma Ab*	Serum (clotted blood)	OL0571	Gnathostoma Ab	Serum (clotted blood)	Immuno blot	15 Day(s)	2-8° C	See Subcontractor report	Send out
Gnathostoma Ab, CSF*	CSF	OL0572	Gnathostoma Ab, CSF	CSF	Immuno blot	15 Day(s)	2-8° C	See Subcontractor report	Send out

Paragonimus*	Sputum	OL0573	Paragonimus	Sputum	Staining	10 Day(s)	2-8° C	See Subcontractor report	Send out
Strongyloides Ab*	Serum (clotted blood)	OL0574	Strongyloides Ab	Serum (clotted blood)	EIA	20 Day(s)	2-8° C	See Subcontractor report	Send out
Toxocara Ab*	Serum (clotted blood)	OL0575	Toxocara Ab	Serum (clotted blood)	Immuno blot	10 Day(s)	2-8° C	See Subcontractor report	Send out
Schistosomiasis Ab*	Serum (clotted blood)	OL0576	Schistosomiasis Ab	Serum (clotted blood)	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Agar plate for Strongyloides*	Stool	OL1168	Agar plate(Strongyloides)	Stool	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Folate in RBC**	EDTA Blood and Serum	OL0577	Folate in RBC	EDTA Blood and Serum	Microbioassay	15 Day(s)	2-8° C	See Subcontractor report	Send out
Fasciola hepatica Ab*		OL1317	Fasciola hepatica Ab*	Serum (clotted blood)	Immuno blot	10 Day(s)	2-8 oC	See Subcontractor report	Send out
JAK2 V617F gene mutation*	EDTA	OL0578	JAK2 V617F gene mutation	EDTA	PCR	14 Day(s)	2-8° C	See Subcontractor report	Send out
von Willebrand factor Panel*	Citrate plasma	OL0579	VWF Panel	Citrate plasma	-	8 Day(s)	Freeze	See Subcontractor report	Send out
von Willebrand activity*	Citrate plasma	OL0580	von Willebrand activity	Citrate plasma	ELISA	8 Day(s)	Freeze	See Subcontractor report	Send out
von Willebrand factor Ag*	Citrate plasma	OL0581	von Willebrand factor Ag	Citrate plasma	ELISA	8 Day(s)	Freeze	See Subcontractor report	Send out
FIP1L1-PDGFRalpha gene*	EDTA	OL0582	FIP1L1-PDGFRalpha gene	EDTA	-	40 Day(s)	2-8° C	See Subcontractor report	Send out
Methemoglobin Reduction Test	ACD Blood	OL0583	MetHb Reduction Test	ACD Blood	MR Test	10 Day(s)	2-8° C	See Subcontractor report	Send out
Heparin induced platelet aggregation	Citrate plasma	OL0584	HIPA Test	Citrate plasma	-	4 Day(s)	Freeze	See Subcontractor report	Send out
Platelet factor 4 Ab*	Citrate blood	OL0585	Platelet factor 4 Ab	Citrate blood	ELISA	3 Day(s)	Freeze	See Subcontractor report	Send out
DNA target gene for myeloid	EDTA	OL1160	DNA target (myeloid)	EDTA	Next Gen Sequencing	30 Day(s)	2-8° C	See Subcontractor report	Send out
Flowcytometry for IgG on blood	EDTA	OL1161	Flow for IgG on RBC	EDTA	Flow cytometry	3 Day(s)	RT	See Subcontractor report	Send out
DNA target gene for Lymphoid neoplasm*		OL1217	DNA target (Lymphoid)	EDTA Whole Blood	NGS	30 Day(s)	2-8 oC	See Subcontractor report	Send out
Von willebrand factor :CBA*		OL1227	Von willebrand factor :CBA	Na Citrate WB	Sandwich ELISA	8 Day(s)	Freeze	See Subcontractor report	Send out
RNA targeted fusion gene for Myeloid neoplasm*		OL1269	RNA targeted (Myeloid)	EDTA Whole Blood	NGS	30 Day(s)	2-8 oC	See Subcontractor report	Send out
RNA targeted fusion gene for Lymphoid neoplasm (Siriraj)		OL1282	RNA targeted(Lymphoid)	EDTA Whole Blood	NGS	60 Days	2-8 oC	See Subcontractor report	Send out
Targeted gene for primary hemostatic defect*		OL1308	Primary hemostatic defect	EDTA Blood	NGS	6 Month(s)	2-8 oC	See Subcontractor report	Send out
Edoxaban Level(Siriraj)		OL1330	Edoxaban Level(Siriraj)	Citrate plasma	Chromogenic Test	3 Day(s)	Freeze	See Subcontractor report	Send out
NMO IgG,(siriraj)*	Serum (clotted blood)	OL0586	NMO IgG, ศิริราช	Serum (clotted blood)	Indirect IF	30 Day(s)	2-8° C	See Subcontractor report	Send out
Oligoclonal band*	Serum - CSF	OL0587	Oligoclonal band	Serum - CSF	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
Paraneoplastic Ab*	Serum (clotted blood)	OL0588	Paraneoplastic Ab	Serum (clotted blood)	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Ab for Autoimmune encephalitis	CSF	OL0590	Autoimmune encephalitisAb	CSF	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-MOG(siriraj)*	Serum (clotted blood)	OL0591	Anti-MOG ศิริราช	Serum (clotted blood)	-	30 Day(s)	2-8° C	See Subcontractor report	Send out

CSF Total-Tau protein*	CSF	OL0592	CSF Total-Tau protein	CSF	ELISA	4 Month(s)	2-8° C	See Subcontractor report	Send out
CSF Phosphorylated-Tau pro	CSF	OL0593	CSF Tau protein(Siriraj)	CSF	ELISA	4 Month(s)	2-8° C	See Subcontractor report	Send out
CSF Beta-amyloid protein*	CSF	OL0594	CSF Beta-amyloid protein	CSF	ELISA	4 Month(s)	2-8° C	See Subcontractor report	Send out
Anti Neuronal antibodies*	Serum or CSF	OL1198	Anti Neuronal antibodies	Serum or CSF	-	20 Day(s)	2-8° C	See Subcontractor report	N/A
Parasite identification*	Other	OL0595	Parasite identification	Other	Microscopic	5 Day(s)	RT	See Subcontractor report	Send out
Lupus anticoagulant*	Citrate plasma	OL0596	Lupus anticoagulant	Citrate plasma	KCT	7 Day(s)	Freeze	See Subcontractor report	Send out
Sudan Black*(Fat in Stool)	Stool	OL0597	Sudan Black	Stool	Staining	5 Day(s)	2-8° C	See Subcontractor report	Send out
D-Dimer,citrate*	Citrate plasma	OL0598	D-Dimer,citrate	Citrate plasma	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
Mycobacteria Profile1*	Sputum	OL0599	Mycobacteria Profile1	Sputum	-	90 Day(s)	2-8° C	See Subcontractor report	Send out
Mycobacteria Profile2*	Sputum	OL0600	Mycobacteria Profile2	Sputum	-	42 Day(s)	2-8° C	See Subcontractor report	Send out
Bacteria culture , Identificatio	Other	OL0603	Bacteria ident and AST	Other	Culture	14 Day(s)	RT	See Subcontractor report	Send out
Myositis Profile 4*	Serum (clotted blood)	OL0604	Myositis Profile 4	Serum (clotted blood)	Line immuno assay	10 Day(s)	2-8° C	See Subcontractor report	Send out
Inflammatory Bowel Profile*	Serum (clotted blood)	OL0605	Inflammatory Bowel Panel	Serum (clotted blood)	IFA	10 Day(s)	2-8° C	See Subcontractor report	Send out
Autoimmune Liver Profile*	Serum (clotted blood)	OL0606	Autoimmune Liver Profile	Serum (clotted blood)	Line immuno assay	10 Day(s)	2-8° C	See Subcontractor report	Send out
Sclerosis profile*	Serum (clotted blood)	OL0607	Sclerosis profile	Serum (clotted blood)	Immuno blot	7 Day(s)	2-8° C	See Subcontractor report	Send out
Myositis Profile*	Serum (clotted blood)	OL0608	Myositis Profile	Serum (clotted blood)	Line immuno assay	10 Day(s)	2-8° C	See Subcontractor report	Send out
IgG4 Ab for filaria (Siriraj)*		OL1319	IgG4 Ab filaria (Siriraj)	Serum (clotted blood)	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
Amino acid*	Heparin	OL0609	Amino acid	Heparin	HPLC	14 Day(s)	Freeze	See Subcontractor report	Send out
Organic acid,*urine	Urine	OL0610	Organic acid, urine	Urine	-	15 Day(s)	Freeze	See Subcontractor report	Send out
CAH CYP21A2*	EDTA	OL0611	CAH CYP21A2	EDTA	-	60 Day(s)	2-8° C	See Subcontractor report	Send out
Cow milk precipitin*	Serum (clotted blood)	OL0612	Cow milk precipitin	Serum (clotted blood)	ouble-Immunodiffusio	10 Day(s)	2-8° C	See Subcontractor report	Send out
Soy milk precipitin*	Serum (clotted blood)	OL0613	Soy milk precipitin	Serum (clotted blood)	ouble-Immunodiffusio	10 Day(s)	2-8° C	See Subcontractor report	Send out
Succinylacetone for Tyrosine	Urine	OL0614	Tyrosinemia Type I	Urine	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE for Casein (siriraj)	Serum (clotted blood)	OL0617	IgE for Casein,Siriraj	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE ,ศิริราช (948)*		OL0620	Specific IgE,Siriraj(948)	Serum (clotted blood)	pe Enzyme Immuno A	7 Day(s)	2-8 oC	See Subcontractor report	Send out
Specific IgE for mx2 (siriraj)*	Serum (clotted blood)	OL0621	Specific IgE(mx2),Siriraj	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE for American cock	Serum (clotted blood)	OL0624	American cockroach(IgE)	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE for Gliadin whea	Serum (clotted blood)	OL0625	Gliadin wheat(IgE)Siriraj	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out

Comprehensive Metabolic Te	Blood	OL0627	Comprehensive Metabolic	Blood	-	10 Day(s)	RT	See Subcontractor report	Send out
Plasma acylcarnitine*	Heparinized plasma	OL0629	Plasma acylcarnitine	Heparinized plasma	TMS	10 Day(s)	2-8° C	See Subcontractor report	Send out
Immuno phenotype for Leuke	Bone marrow	OL0630	Immunophenotype Leukemia	Bone marrow	Flow cytometry	14 Day(s)	RT	See Subcontractor report	Send out
Leukemia diagnosis for Lymph	EDTA	OL0631	Diag for Lymphoma/CLL	EDTA	Flow cytometry	14 Day(s)	2-8° C	See Subcontractor report	Send out
Centromeric X chromosome*	Other	OL0633	Centromeric X chromosome	Other	FISH	14 Day(s)	2-8° C	See Subcontractor report	Send out
XY Chromosome*	Other	OL0634	XY Chromosome	Other	FISH	14 Day(s)	2-8° C	See Subcontractor report	Send out
Mitogen(PHA) Stimulation Lyr	Heparin	OL0635	PHA Teat	Heparin	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Kennedy disease expansion*	EDTA	OL0636	Kennedy disease expansion	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
MELAS,MERRF,NARP*	EDTA	OL0637	MELAS,MERRF,NARP	EDTA	PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
SCA Type1,2,3_Expansion*	EDTA	OL0638	SCA Type1,2,3_Expansion	EDTA	-	60 Day(s)	2-8° C	See Subcontractor report	Send out
Wilson disease mutation*	EDTA	OL0639	Wilson disease mutation	EDTA	PCR	180 Day(s)	2-8° C	See Subcontractor report	Send out
Spinal Muscular Atrophy*	EDTA	OL0640	Spinal Muscular Atrophy	EDTA	PCR	60 Day(s)	2-8° C	See Subcontractor report	Send out
CADASIL (Notch 3) Mutation*	EDTA	OL0641	CADASIL(Notch 3)Mutation	EDTA	PCR	60 Day(s)	2-8° C	See Subcontractor report	Send out
Cryptosporidium*	Other	OL0643	Cryptosporidium	Other	Staining	10 Day(s)	2-8° C	See Subcontractor report	Send out
CMT1A and HNPP(PMP22)*	EDTA	OL0644	CMT1A and HNPP(PMP22)	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
FGFR3 Mutation*	EDTA	OL0645	FGFR3 Mutation	EDTA	PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
Huntington(HD) Expansion*	EDTA	OL0646	Huntington(HD) Expansion	EDTA	PCR	60 Day(s)	2-8° C	See Subcontractor report	Send out
Pancreatitis(PRSSI)*	EDTA	OL0647	Pancreatitis(PRSSI)	EDTA	PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
Pancreatitis(SPINKI)*	EDTA	OL0648	Pancreatitis(SPINKI)	EDTA	PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
MEN2A/2B (RET)*	EDTA	OL0649	MEN2A/2B (RET)	EDTA	-	45 Day(s)	2-8° C	See Subcontractor report	Send out
Lymphocyte Subpopulation*	EDTA	OL0650	Lymphocyte Subpopulation	EDTA	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
Hemochromatosis*	EDTA	OL0651	Hemochromatosis	EDTA	ASA	30 Day(s)	2-8° C	See Subcontractor report	Send out
CYP450 2C9 Polymorphism*	EDTA	OL0652	CYP450 2C9 Polymorphism	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Pneumocystic carini (IFA)*	Sputum	OL0653	Pneumocystic carini (IFA)	Sputum	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Pneumocystic carini, Giemsa	Sputum	OL0654	P.carini,Giemsa	Sputum	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
Pneumocystic carini, GMS*	Sputum	OL0655	Pneumocystic carini, GMS	Sputum	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
Interferon gamma receptor*	Heparin	OL0656	Interferon gamma receptor	Heparin	ect Immunofluoresce	7 Day(s)	2-8° C	See Subcontractor report	Send out
Interleukin 12 receptor*	Heparin	OL0657	Interleukin 12 receptor	Heparin	ect Immunofluoresce	7 Day(s)	2-8° C	See Subcontractor report	Send out

Interferon gamma auto Ab*	Serum (clotted blood)	OL0658	Interferon gamma auto Ab	Serum (clotted blood)	Direct Immunofluorescence	14 Day(s)	2-8° C	See Subcontractor report	Send out
Acanthamoeba(NNE) culture	CSF	OL0659	Acanthamoeba(NNE) culture	CSF	Culture	14 Day(s)	RT	See Subcontractor report	Send out
Immunoglobulin IgA(siriraj)*	Serum (clotted blood)	OL0660	Immunoglobulin IgA (SI)	Serum (clotted blood)	Nephelometry	5 Day(s)	2-8° C	See Subcontractor report	Send out
Immunoglobulin IgE(siriraj)*	Serum (clotted blood)	OL0661	Immunoglobulin IgE (SI)	Serum (clotted blood)	Nephelometry	5 Day(s)	2-8° C	See Subcontractor report	Send out
CD3+T cell*	EDTA	OL0664	CD3+T cell	EDTA	-	3 Day(s)	RT	See Subcontractor report	Send out
CD4+T cell*	EDTA	OL0665	CD4+T cell	EDTA	-	3 Day(s)	RT	See Subcontractor report	Send out
CD8+T cell*	EDTA	OL0666	CD8+T cell	EDTA	Flow cytometry	3 Day(s)	RT	See Subcontractor report	Send out
B cell (CD19)*	EDTA	OL0667	B cell (CD19)	EDTA	-	3 Day(s)	RT	See Subcontractor report	Send out
NK cell (CD16/56)*	EDTA	OL0668	NK cell (CD16/56)	EDTA	-	3 Day(s)	RT	See Subcontractor report	Send out
Phagocytosis (DHR assay)*	Heparin	OL0669	Phagocytosis (DHR assay)	Heparin	-	3 Day(s)	RT	See Subcontractor report	Send out
Specific antigen stimulation by	Heparin	OL0670	Specific Ag stimulation	Heparin	Lymphoproliferation	10 Day(s)	RT	See Subcontractor report	Send out
DNA Extraction*	EDTA	OL0671	DNA Extraction	EDTA	PCR	-	2-8° C	See Subcontractor report	Send out
Triplet Expansion*	EDTA		OL0672	Triplet Expansion	EDTA	PCR	-	2-8° C	See Subcontractor report
TCRD rearrangement*	EDTA	OL0674	TCRD rearrangement	EDTA	PCR	20 Day(s)	2-8° C	See Subcontractor report	Send out
TCRB rearrangement*	EDTA	OL0675	TCRB rearrangement	EDTA	PCR	20 Day(s)	2-8° C	See Subcontractor report	Send out
FAP (APC) mutation*	EDTA	OL0676	FAP (APC) mutation	EDTA	-	6 Month(s)	2-8° C	See Subcontractor report	Send out
KSS/CPEO*	EDTA	OL0677	KSS/CPEO	EDTA	-	45 Day(s)	RT	See Subcontractor report	Send out
Adrenoleukodystrophy, ALD(EDTA	OL0678	ALD(X-linked)	EDTA	PCR	60 Day(s)	2-8° C	See Subcontractor report	Send out
FGFR2 mutation*	EDTA	OL0679	FGFR2 mutation	EDTA	PCR	34 Day(s)	2-8° C	See Subcontractor report	Send out
Dysferlinopathy (Dysferlin)*	EDTA	OL0680	Dysferlinopathy	EDTA	-	4 Month(s)	2-8° C	See Subcontractor report	Send out
Anti Pneumococcal IgG*	Serum (clotted blood)	OL0681	Anti Pneumococcal IgG	Serum (clotted blood)	ELISA	10 Day(s)	RT	See Subcontractor report	Send out
Primary Torsion Dystonia (PT	EDTA	OL0682	Primary Torsion Dystonia	EDTA	PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
SDH gene B*	EDTA	OL0683	SDH gene B	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
SDH gene C*	EDTA	OL0684	SDH gene C	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
SDH gene D*	EDTA	OL0685	SDH gene D	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Hemophilia A(F8)int22 invers	EDTA	OL0687	HemophiliaA (int22invers)	EDTA	Inverse-PCR	1 Month(s)	2-8° C	See Subcontractor report	Send out
PARKIN gene , PARK I*	EDTA	OL0688	PARKIN gene , PARK I	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
PARKIN gene , PARK II*	EDTA	OL0689	PARKIN gene , PARK II	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out

Presenilin-1 (PSEN1/PS-1)*	EDTA	OL0690	Presenilin-1 (PSEN1/PS-1)	EDTA	-	2 Month(s)	2-8° C	See Subcontractor report	Send out
HLA-B 1502,(siriraj)*	EDTA	OL0691	HLA-B 1502, ศิริราช	EDTA	Sequencing	10 Day(s)	2-8° C	See Subcontractor report	Send out
Mitochondrial DNA deletion(H)	EDTA	OL0692	KSS/CPEO	EDTA	PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
Mitochondrial Disease (LHON)	EDTA	OL0693	LHON	EDTA	PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
PCR for 60 Fragments*	EDTA	OL0694	PCR for 60 Fragments	EDTA	PCR	3 Month(s)	2-8° C	See Subcontractor report	Send out
CYP2C9 Genotyping*	EDTA	OL0695	CYP2C9 Genotyping	EDTA	Sequencing	30 Day(s)	2-8° C	See Subcontractor report	Send out
SCA Type 6,7,12*	EDTA	OL0696	SCA Type 6,7,12	EDTA	-	60 Day(s)	2-8° C	See Subcontractor report	Send out
GNAS mutation analysis*	EDTA	OL0697	GNAS mutation analysis	EDTA	DNA sequencing PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
CYP2C19 Genotyping*	EDTA	OL0698	CYP2C19 Genotyping	EDTA	RT-PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
CMT1A and HNPP*	EDTA	OL0699	CMT1A and HNPP	EDTA	-	60 Day(s)	2-8° C	See Subcontractor report	Send out
ALD(X-linked),specific site*	Other	OL0700	ALD,specific site	Other	PCR	14 Day(s)	2-8° C	See Subcontractor report	Send out
Transthyretin gene(TTR)*	EDTA	OL0701	Transthyretin gene(TTR)	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Von Hippel-Lindau (VHL) mut	EDTA	OL0702	VHL mutation	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
PCR 3 Fragment*		OL1231	PCR 3 Fragment	EDTA Whole Blood	-	3 Months	2-8 oC	See Subcontractor report	Send out
Sequencing with Dye5 Rxn (SIMR)*		OL1322	Sequencing Dye5Rxn(SIMR)	EDTA Blood	-	60 Day(s)	2-8 oC	See Subcontractor report	Send out
OPMD_Repeat Expansion(SIMR)*		OL1324	OPMD_Repeat Expansion	EDTA Blood	-	45 Day(s)	2-8 oC	See Subcontractor report	Send out
Free CoRTisol, urine*	Urine 24 Hr	OL0703	Free Cortisol, urine	Urine 24 Hr	CLIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Benzodiazepine*	um or Urine or Gastric Con	OL0704	Benzodiazepine	um or Urine or Gastric Conte	FPIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Antidepressants*	Serum or Clotted blood	OL0706	Antidepressants	Serum or Clotted blood	FPIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Phenothiazine*	Urine	OL0707	Phenothiazine	Urine	FPIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Paracetamol(gastric)*	Gastric content	OL0709	Paracetamol(gastric)	Gastric content	CMA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Oxalate*	Urine or Urine 24 hrs.	OL0711	Oxalate	Urine or Urine 24 hrs.	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Citrate,Urine*	Urine	OL0712	Citrate,Urine	Urine	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Influenza A, Isolate*	Other	OL1291	Influenza A, Isolate	Nasal Swab in VTM	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Parainfluenza type 1, Isolate*	Other	OL0713	Parainfluenza1,Isolate	Other	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
AST for Fungus*	Other	OL0714	AST for Fungus	Other	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Mycobacterium culture from c	Colony isolate	OL0715	MycobacteriumC/S (colony)	Colony isolate	Culture	1-2 Month(s)	RT	See Subcontractor report	Send out
AST for rapid growing NTM*	Colony isolate	OL0716	AST for rapid growing NTM	Colony isolate	-	45 Day(s)	RT	See Subcontractor report	Send out

AST for slow growing NTM*	Colony isolate	OL0717	AST for slow growing NTM	Colony isolate	-	45 Day(s)	RT	See Subcontractor report	Send out
MTB Ident & AST(Automate)*	Colony isolate	OL0718	MTB Ident & AST(Automate)	Colony isolate	-	30 Day(S)	RT	See Subcontractor report	Send out
Bacteria Molecular epidemiol	Colony isolate	OL0719	Bac.epidemiology(Mole)	Colony isolate	-	15 Day(s)	RT	See Subcontractor report	Send out
M.pneumoniae DNA quantita	Sputum	OL0720	M.pneumoniae quantitative	Sputum	PCR	8 Day(s)	RT	See Subcontractor report	Send out
Mycobacteria Profile3*	Sputum	OL1171	Mycobacteria Profile3 (1)	Sputum	-	42 Day(s)	2-8° C	See Subcontractor report	Send out
Anti Basement Membrane Ig	Serum (clotted blood)	OL0721	Anti Basement MembraneIgA	Serum (clotted blood)	Indirect IFA	14 Day(s)	2-8° C	See Subcontractor report	Send out
Anti Basement Membrane IgG	Serum (clotted blood)	OL0722	Anti Basement MembraneIgG	Serum (clotted blood)	Indirect IFA	14 Day(s)	2-8° C	See Subcontractor report	Send out
Anti Basement Membrane IgM	Serum (clotted blood)	OL0723	Anti Basement MembraneIgM	Serum (clotted blood)	Indirect IFA	14 Day(s)	2-8° C	See Subcontractor report	Send out
Pemphigus Ab*(Intercellular)	Serum (clotted blood)	OL0724	Pemphigus Ab	Serum (clotted blood)	Indirect IF	14 Day(s)	2-8° C	See Subcontractor report	Send out
Direct Immunofluorescence I	Tissue	OL0725	Immunofluorescence IgG	Tissue	Direct Immunofluoresce	10 Day(s)	2-8° C	See Subcontractor report	Send out
Direct Immunofluorescence I	Tissue	OL0726	Immunofluorescence IgM	Tissue	Direct Immunofluoresce	10 Day(s)	2-8° C	See Subcontractor report	Send out
HLA-B27*	EDTA	OL0727	HLA-B27	EDTA	PCR-SSP	2 Day(s)	2-8° C	See Subcontractor report	Send out
Rh Ab Titer*	EDTA	OL0728	Rh Ab Titer	EDTA	Agglutination	6 Day(s)	2-8° C	See Subcontractor report	Send out
Screening and Identify RBC A	EDTA	OL0729	Screen&Identify RBC Ab	EDTA	Agglutination	3 Day(s)	2-8° C	See Subcontractor report	Send out
HLA typing (A,B,DR,DQ low r	EDTA	OL0730	HLA typing (low res)	EDTA	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
HLA typing(A,B,DRB1,DQB1	EDTA	OL0731	HLA typing (high res)	EDTA	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
Platelet Screening Ab*	CD Blood and Clotted blood	OL0732	Platelet Screening Ab	ACD Blood and Clotted blood	ELISA	7 Day(s)	RT	See Subcontractor report	Send out
HLA for kidney transplantatio	EDTA	OL0733	HLA for kidney transplant	EDTA	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
HLA Antibody(PRA)*	Serum (clotted blood)	OL0734	HLA Antibody(PRA)	Serum (clotted blood)	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
HLA Confirm Typing*	EDTA	OL0735	HLA Confirm Typing	EDTA	-	21 Day(s)	2-8° C	See Subcontractor report	Send out
HLA typing*	EDTA	OL0736	HLA typing	EDTA	PCR /SSO	7 Day(s)	2-8° C	See Subcontractor report	Send out
HLA for kidney transplantatio	Clotted Blood and EDTA	OL0737	kidney transplant(HLA)	Clotted Blood and EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
HLA-B51,B5*	EDTA	OL0738	HLA-B51,B5	EDTA	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
HLA-Matching*	CD Blood and Clotted blood	OL0739	HLA-Matching	ACD Blood and Clotted blood	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
HLA Class 1 Typing*	EDTA	OL0740	HLA Class 1 Typing	EDTA	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
HPA DNA Typing*	EDTA	OL0741	HPA DNA Typing	EDTA	PCR /SSO	5 Day(s)	2-8° C	See Subcontractor report	Send out
HLA typing(A,B,C,DRB1,DQB	EDTA	OL0742	HLA typing(Full high res)	EDTA	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
CD34 (Blood and BM)*	EDTA	OL0743	CD34	EDTA	Flow cytometry	3 Day(s)	RT	See Subcontractor report	Send out

Search for HLA*	Other	OL0744	Search for HLA	Other	-	14 Day(s)	RT	See Subcontractor report	Send out
HLA Antibody (PRA) , Stat*	Serum (clotted blood)	OL0745	HLA Antibody (PRA) , Stat	Serum (clotted blood)	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
HLA Autoantibody*	Serum (clotted blood)	OL0746	HLA Autoantibody	Serum (clotted blood)	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
HLA typing (A,B,C,DR,DQ, lo	EDTA	OL0747	HLA typing (Full low res)	EDTA	-	7 Day(s)	RT	See Subcontractor report	Send out
HLA-cross matching*	EDTA	OL0748	HLA-cross matching	EDTA	-	10 Day(s)	RT	See Subcontractor report	Send out
HLA crossmatching (Flow cytometry)		OL1301	HLA Crossmatching (Flow)	Serum (clotted blood)	Flow cytometry	8 Day(s)	RT	See Subcontractor report	Send out
DSA for HLA Class I & II(Red)	Serum (clotted blood)	OL0749	DSA for HLA Class I&II	Serum (clotted blood)	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
DSA for HLA class I*	Serum (clotted blood)	OL0750	DSA for HLA class I	Serum (clotted blood)	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
R/O TRALI*	Clotted Blood	OL0751	R/O TRALI	Clotted Blood	-	8 Day(s)	2-8° C	See Subcontractor report	Send out
HLA A low resolution*	EDTA	OL0752	HLA A low resolution	EDTA	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
HLA B low resolution*	EDTA	OL0753	HLA B low resolution	EDTA	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
HLA C high resolution*	EDTA	OL0754	HLA C high resolution	EDTA	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
RBC Antigen typing*	EDTA	OL0755	RBC Antigen typing	EDTA	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
RBC Antigen typing 19 panel	EDTA	OL0756	RBC Ag typing 19 panel	EDTA	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
DSA for HLA Class II*	Serum (clotted blood)	OL0757	DSA for HLA Class II	Serum (clotted blood)	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
Confirm ABO Grouping*	EDTA	OL0758	Confirm ABO Grouping	EDTA	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
HLA C low resolution*	EDTA	OL0759	HLA C low resolution	EDTA	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
HLA-DRB3/4/5 high resolution	EDTA	OL0760	DRB3/4/5 high resolution	EDTA	-	15 Day(s)	RT	See Subcontractor report	Send out
HLA-DPB1*	EDTA	OL0761	HLA-DPB1	EDTA	-	15 Day(s)	RT	See Subcontractor report	Send out
Repeat crossmatch*	Clotted Blood	OL0762	Repeat crossmatch	Clotted Blood	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
DAT ,ภาวะขาด*	EDTA	OL0763	DAT ,ภาวะขาด	EDTA	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
HLA antibody screening*	Serum (clotted blood)	OL0764	HLA antibody screening	Serum (clotted blood)	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
HLA-DQ low resolution*	EDTA	OL0765	HLA-DQ low resolution	EDTA	-	10 Day(s)	RT	See Subcontractor report	Send out
HLA-DRB1/3/4/5 low resolution	EDTA	OL0766	DRB1/3/4/5 low resolution	EDTA	-	10 Day(s)	RT	See Subcontractor report	Send out
Confirm ABO Grouping (Saliva)	Saliva	OL1190	Confirm ABO (Saliva)	Saliva	-	3 Day(s)	RT	See Subcontractor report	Send out
HLA Typing (DQA1 or DQB1)	EDTA	OL1191	HLA Typing (DQA1 or DQB1)	EDTA	-	15 Day(s)	RT	See Subcontractor report	Send out
HLA-DRB1 high resolution		OL1252	HLA-DRB1 high resolution	EDTA Whole Blood	-	15 Day(s)	RT	See Subcontractor report	Send out
Inflammatory cytokine panel(Be	Serum (clotted blood)	OL1289	Inflammatory cytokine pnl	Serum (clotted blood)	Flow cytometry	7 Day(s)	2-8° C	See Subcontractor report	Send out

BCR/ABL p190 by quantitative	EDTA	OL1288	BCR/ABL p190 by quan. PCR	EDTA Blood	Real-time PCR	14 Day(s)	2-8° C	See Subcontractor report	Send out
Osmolarity,Urine*	Urine	OL1286	Osmolarity (urine)(BPL)	Urine	FPD	2 Day(s)	2-8° C	See Subcontractor report	Send out
Kidney biopsy*	Other	OL0768	Kidney biopsy	Other	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
Trichinellosis Ab*	Serum (clotted blood)	OL0769	Trichinellosis Ab	Serum (clotted blood)	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Paragonimus Ab*	Serum (clotted blood)	OL0770	Paragonimus Ab	Serum (clotted blood)	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Lead ,Blood*	EDTA	OL0771	Lead ,Blood	EDTA	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Lead ,urine*	Urine	OL0772	Lead ,urine	Urine	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Manganese,blood*	EDTA	OL0773	Manganese,blood	EDTA	GFAAS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Cobalt, urine*	Urine	OL0774	Cobalt, urine	Urine	GFAAS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Mandelic acid*	Urine	OL0775	Mandelic acid	Urine	HPLC	30 Day(s)	2-8° C	See Subcontractor report	Send out
Cyclohexanol*	Urine	OL0776	Cyclohexanol	Urine	GC/FID	20 Day(s)	2-8° C	See Subcontractor report	Send out
Acetone*(IPA metabolite)	Urine	OL0777	Acetone (IPA metabolite)	Urine	GC Head space	20 Day(s)	2-8° C	See Subcontractor report	Send out
Mercury, urine*	Urine	OL0778	Mercury, urine	Urine	AA	15 Day(s)	2-8° C	See Subcontractor report	Send out
Aluminium*	Serum (clotted blood)	OL0779	Aluminium	Serum (clotted blood)	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Formic acid*(Formaldehyde r	Urine	OL0780	Formic acid	Urine	Spectro-enzymatic kine	21 Day(s)	2-8° C	See Subcontractor report	Send out
Chromium* urine	Urine	OL0781	Chromium urine	Urine	GFAAS	15 Day(s)	2-8° C	See Subcontractor report	Send out
2,5 Hexanedione(Hexane me	Urine	OL0782	2,5 Hexanedione	Urine	GC Head space	21 Day(s)	2-8° C	See Subcontractor report	Send out
Phenol (Benzene)*	Urine	OL0783	Phenol (Benzene)	Urine	HPLC	20 Day(s)	2-8° C	See Subcontractor report	Send out
Arsenic,urine*	Urine	OL0785	Arsenic,urine	Urine	AAS-Hydride	15 Day(s)	2-8° C	See Subcontractor report	Send out
Cadmium, urine*	Urine	OL0786	Cadmium, urine	Urine	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Manganese,urine*	Urine	OL0787	Manganese,urine	Urine	GFAAS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Cadmium,blood*	EDTA	OL0788	Cadmium,blood	EDTA	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Copper,serum*	Serum (clotted blood)	OL0789	Copper,serum	Serum (clotted blood)	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Copper,urine 24 hrs.*	Urine 24 Hr	OL0790	Copper,urine 24 hrs.	Urine 24 Hr	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Zinc, serum*	Serum (clotted blood)	OL0791	Zinc, serum	Serum (clotted blood)	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Nickel, serum*	Serum (clotted blood)	OL0793	Nickel, serum	Serum (clotted blood)	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Zinc ,urine*	Urine	OL0794	Zinc ,urine	Urine	ICP-MS	14 Day(s)	2-8° C	See Subcontractor report	Send out
Arsenic ,urine 24 hrs*	Urine 24 Hr	OL0795	Arsenic ,urine 24 hrs	Urine 24 Hr	AAS-Hydride	15 Day(s)	2-8° C	See Subcontractor report	Send out

Aluminium,urine*	Urine	OL0796	Aluminium,urine	Urine	ICP-MS	15 Day(s)	2-8° C	See Subcontractor report	Send out
Chromosome analysis,BM*	Heparinized Bone marrow	OL0797	Chromosome analysis,BM	Heparinized Bone marrow	G-Banding	11 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for Rubinstein-Taybi*	Heparin	OL0798	FISH for Rubinstein-Taybi	Heparin	FISH	15 Day(s)	2-8° C	See Subcontractor report	Send out
FGFR3/IGH,t(4;14)[FISH]*	Heparin	OL1187	FGFR3/IGH,t(4;14)[FISH]	Heparin	FISH	10 Day(s)	2-8° C	See Subcontractor report	Send out
MYEOV/IGH,t(11;14)[FISH]*	Heparin	OL1188	MYEOV/IGH,t(11;14)[FISH]	Heparin	FISH	10 Day(s)	2-8° C	See Subcontractor report	Send out
TP53 (17p13.1)[FISH]*	Heparin	OL1189	TP53 (17p13.1)[FISH]	Heparin	FISH	10 Day(s)	2-8° C	See Subcontractor report	Send out
Alpha/Beta thalassemia,PCR	Amniotic Fluid and EDTA Blood	OL0799	Alpha/Beta Thal,PCR AF	Amniotic Fluid and EDTA Blood	PCR	15 Day(s)	2-8° C	See Subcontractor report	Send out
Beta-thalassemia DNA,PCR(\$	EDTA	OL0800	Beta-thalassemia DNA,PCR	EDTA	PCR	18 Day(s)	2-8° C	See Subcontractor report	Send out
Alpha-thalassemia,PCR*, (S	EDTA	OL0801	Alpha-thal,PCR(Siriraj)	EDTA	PCR	15 Day(s)	2-8° C	See Subcontractor report	Send out
PND(Chorionic villi / AF / Cord	Other	OL0802	PND	Other	PCR	15 Day(s)	2-8° C	See Subcontractor report	Send out
PML/RARA*,PCR	EDTA	OL0803	PML/RARA ,PCR	EDTA	RT-PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
FIP1L1-CHIC2-PDGFR4 (4q1	Heparin	OL0804	CHIC2-(4q12)Del,Break	Heparin	FISH	20 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for 5q33(MPD)*	Heparinized Bone marrow	OL0806	FISH for 5q33(MPD)	Heparinized Bone marrow	FISH	20 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for Multiple myeloma*	Heparin	OL0807	FISH for Multiple myeloma	Heparin	FISH	20 Day(s)	2-8° C	See Subcontractor report	Send out
RT-PCR for AML1/ETO*	EDTA	OL0808	RT-PCR for AML1/ETO	EDTA	RT-PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
FLT3 mutation (ITD/TKD)*	EDTA	OL0809	FLT3 mutation (ITD/TKD)	EDTA	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for BCR/ABL (chulabho	Heparin	OL0810	FISH for BCR/ABL(CRA)	Heparin	FISH	15 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for PML/RARA*	Heparinized Bone marrow	OL0811	FISH for PML/RARA	Heparinized Bone marrow	FISH	14 Day(s)	2-8° C	See Subcontractor report	Send out
Fusion gene(BCR/ABL) by RQ	EDTA	OL0812	BCR/ABLby RQ-PCR (CRA)	EDTA	PCR	14 Day(s)	2-8° C	See Subcontractor report	Send out
Fusion gene(BCR/ABL) by RT	EDTA	OL0813	BCR/ABL by RT-PCR (CRA)	EDTA	RT-PCR	14 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for 17p13/19q13*	Heparin	OL0814	FISH for 17p13/19q13	Heparin	FISH	17 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for 5q32*	Heparin	OL0815	FISH for 5q32	Heparin	FISH	14 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for AML1/ETO*	Heparin	OL0816	FISH for AML1/ETO	Heparin	FISH	17 Day(s)	2-8° C	See Subcontractor report	Send out
Fish for t (11,14)*	Heparin	OL0817	Fish for t (11,14)	Heparin	FISH	17 Day(s)	2-8° C	See Subcontractor report	Send out
FISH for t(4,14)[FGFR3/IGH]*	Heparin	OL0818	FISH t(4,14)[FGFR3/IGH]	Heparin	FISH	17 Day(s)	2-8° C	See Subcontractor report	Send out
Anti EPO*	EDTA Blood and Serum	OL0819	Anti EPO	EDTA Blood and Serum	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Donor Specific Ab screening	Serum (clotted blood)	OL0820	Donor Specific Ab screen	Serum (clotted blood)	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
RBC membrane Screening*	EDTA	OL0821	RBC membrane Screening	EDTA	-	7 Day(s)	2-8° C	See Subcontractor report	Send out

G-6-PD Quantitative*	EDTA	OL0822	[IQ1]G-6-PD Quantitative	EDTA	Kinetics	10 Day(s)	2-8° C	See Subcontractor report	Send out
Pyruvate Kinase*	EDTA	OL0823	Pyruvate Kinase	EDTA	Kinetics	10 Day(s)	2-8° C	See Subcontractor report	Send out
Hb Typing (Cord Blood)*	EDTA	OL0825	Hb Typing (Cord Blood)	EDTA	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
TPMT,ITPA,NUDT genotype*	EDTA	OL0826	TPMT,ITPA,NUDT genotype	EDTA	-	20 Day(s)	2-8° C	See Subcontractor report	Send out
Endotoxin*	Other	OL0827	Endotoxin	Other	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Rickettsia Ab*(Scrub&Murine)	Serum (clotted blood)	OL0828	Scrub&Murine Ab	Serum (clotted blood)	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Rickettsia Ab*(Scrub&Murine)	Serum (clotted blood)	OL0829	Scrub&Murine&Tick Ab	Serum (clotted blood)	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Scrub typhus Ab*	Serum (clotted blood)	OL0830	Scrub typhus Ab	Serum (clotted blood)	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Murine typhus Ab*	Serum (clotted blood)	OL0831	Murine typhus Ab	Serum (clotted blood)	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Murine typhus and Tick typhu	Serum (clotted blood)	OL0832	Murine&Tick Ab	Serum (clotted blood)	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Scrub typhus and Tick typhus	Serum (clotted blood)	OL0833	Scrub&Tick Ab	Serum (clotted blood)	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Tick typhus (IgG & IgM)*	Serum (clotted blood)	OL0834	Tick typhus (IgG & IgM)	Serum (clotted blood)	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Malaria Ag*	EDTA	OL0835	[IQ1]Malaria Ag	EDTA	-	2 Day(s)	2-8° C	See Subcontractor report	Send out
Myelodysplastic syndrome*	EDTA	OL0846	Myelodysplastic syndrome	EDTA	Flowcytometry	3 Day(s)	2-8° C	See Subcontractor report	Send out
Flowcytometry for Acute Lym	Bone marrow	OL0847	Flow for ALL	Bone marrow	Flow cytometry	7 Day(s)	RT	See Subcontractor report	Send out
Prostate Health Index (PHI)*	Serum (clotted blood)	OL0859	Prostate Health Index	Serum (clotted blood)	CLIA	15 Day(s)	2-8° C	See Subcontractor report	Send out
NMO IgG*	Serum - CSF	OL0860	NMO IgG(1)	Serum - CSF	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Muscle biopsy*	Tissue	OL0861	Muscle biopsy	Tissue	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Anti Acetylcholine Receptor*	Serum (clotted blood)	OL0862	AChR(Acetylcholine Rec.)	Serum (clotted blood)	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Autoimmune Encephalitis Ab	Serum - CSF	OL0863	Autoimmune Encephalitis	Serum - CSF	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-Ganglioside IgG*	Serum or Clotted blood	OL0864	Anti-Ganglioside IgG	Serum or Clotted blood	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-Ganglioside IgM*	Serum or Clotted blood	OL0865	Anti-Ganglioside IgM	Serum or Clotted blood	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Autoimmune cerebellar dege	Serum - CSF	OL0866	Autoimmune cerebellar	Serum - CSF	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-MOG*	Serum or CSF	OL0867	Anti-MOG	Serum or CSF	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
NMO IgG (CSF)*	CSF	OL0868	NMO IgG (CSF)	CSF	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
NMO IgG (Serum)*	Serum (clotted blood)	OL0869	NMO IgG (Serum)	Serum (clotted blood)	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Autoimmune cerebellar dege	CSF	OL0870	Autoimmune cerebellarCSF	CSF	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Autoimmune cerebellar dege	Serum (clotted blood)	OL0871	Autoimmune cerebellar	Serum (clotted blood)	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out

Autoimmune Encephalitis Ab	CSF	OL0872	Autoimmune Encep. Ab,CSF	CSF	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Autoimmune Encephalitis Ab	Serum (clotted blood)	OL0873	Autoimmune Encep Ab Serum	Serum (clotted blood)	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-MOG Profile*	Serum - CSF	OL0874	Anti-MOG Profile	Serum - CSF	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Autoimmune myositis Ab*	Serum (clotted blood)	OL0875	Autoimmune myositis Ab	Serum (clotted blood)	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
CIDP*		OL1318	CIDP(Neuro)	Serum (clotted blood)	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
MG screening (Musk-IgG+AChR-IgG)*		OL1320	Musk-IgG+AChR-IgG(Neuro)	Serum (clotted blood)	-	15 Day(s)	2-8 oC	See Subcontractor report	Send out
Marfan (FBN-1) Mutation*	EDTA	OL0877	Marfan (FBN-1) Mutation	EDTA	-	6 Month(s)	2-8° C	See Subcontractor report	Send out
Thrombophilia-FII & FV HK*	EDTA	OL0878	Thrombophilia-FII & FV HK	EDTA	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
Thrombophilia-FV Leiden*	EDTA	OL0879	Thrombophilia-FV Leiden	EDTA	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
HNPC (MLH 1 & MSH 2) M	EDTA	OL0880	MLH 1& MSH 2 Mutation	EDTA	-	6-12 Month(s)	2-8° C	See Subcontractor report	Send out
ADPKD(PKD1) Mutation*	EDTA	OL0881	ADPKD(PKD1) Mutation	EDTA	-	180 Day(s)	2-8° C	See Subcontractor report	Send out
Duchenne/Becker-MLPA*	EDTA	OL0882	Duchenne/Becker-MLPA	EDTA	-	45 Day(s)	2-8° C	See Subcontractor report	Send out
Factor V Leiden*	EDTA	OL0883	Factor V Leiden	EDTA	ASA	15 Day(s)	Freeze	See Subcontractor report	Send out
Sequencing with Dye 1 Rxn*	EDTA	OL0884	Sequencing with Dye 1 Rxn	EDTA	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Metachromatic Leukodystrop	EDTA	OL0885	MLD	EDTA	-	60 Day(s)	2-8° C	See Subcontractor report	Send out
PSEN1*	EDTA	OL0886	PSEN1	EDTA	-	60 Day(s)	2-8° C	See Subcontractor report	Send out
APoE Polymorphism*	EDTA	OL0887	APoE Polymorphism	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
PSEN2*	EDTA	OL0888	PSEN2	EDTA	-	60 Day(s)	2-8° C	See Subcontractor report	Send out
Sequencing with Dye 2 Rxn*	EDTA	OL0889	Sequencing with Dye 2 Rxn	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
VKORC1 genotype*	EDTA	OL0890	VKORC1 genotype	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
BiRT-Hogg-Dube,BHD(FLCN)	EDTA	OL0891	Birt-Hogg-Dube, mutation	EDTA	Sequencing	60 Day(s)	2-8° C	See Subcontractor report	Send out
LE Test*	Serum (clotted blood)	OL0892	LE Test	Serum (clotted blood)	Agglutination	7 Day(s)	2-8° C	See Subcontractor report	Send out
Iodine (urine)*	Urine	OL0893	Iodine (Random urine)	Urine	- Isotonic, Redox react	7 Day(s)	2-8° C	See Subcontractor report	Send out
Tranmission E.M.*	Other	OL0895	Tranmission E.M.	Other	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
E.histolytica Antibody*	Serum (clotted blood)	OL0896	E.histolytica Antibody	Serum (clotted blood)	ELISA	5 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-centromere*	Serum (clotted blood)	OL0897	Anti-centromere	Serum (clotted blood)	EIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Erythropoietin*	Serum (clotted blood)	OL0898	Erythropoietin	Serum (clotted blood)	CLIA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Allergy profile(Food & Respir	Serum (clotted blood)	OL0901	Allergy profile&Total IgE	Serum (clotted blood)	-	5 Day(s)	2-8° C	See Subcontractor report	Send out

Melioides IgG,(titer)*	Serum (clotted blood)	OL0904	Melioides IgG,(titer)	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Varicella(Herpes) zoster virus	Serum (clotted blood)	OL0905	VZV IgG(Titer)	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Measles IgG (titer)*	Serum (clotted blood)	OL0906	Measles IgG (titer)	Serum (clotted blood)	IFA	3 Day(s)	2-8° C	See Subcontractor report	Send out
CY-PREP Plus HPV DNA PCR	Cervical Swab	OL0907	CY-PREP Plus HPV DNA PCR	Cervical Swab	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Monkeypox virus (Real time PCR)	Other	OL0907	CY-PREP Plus HPV DNA PCR	Cervical Swab	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Legionella IgG*	Serum (clotted blood)	OL0908	Legionella IgG	Serum (clotted blood)	IFA	5 Day(s)	2-8° C	See Subcontractor report	Send out
Cyprep*	Cervical Swab	OL0909	Cyprep	Cervical Swab	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Dengue Ab IgG & IgM type s	Serum or CSF	OL0910	Dengue IgG&IgM type	Serum or CSF	IFA	5 Day(s)	2-8° C	See Subcontractor report	Send out
Anti Cardiolipin (IgA,IgG,IgM)	Serum (clotted blood)	OL0911	Anti Cardiolipin (G,M,A)	Serum (clotted blood)	EIA	4 Day(s)	2-8° C	See Subcontractor report	Send out
MG panel (Anti-AchR+Anti-MuSK)*		OL1221	Anti-AchR+Anti-MuSK	Serum (clotted blood)	ELISA	15 Day(s)	2-8 oC	See Subcontractor report	Send out
Anti-Neuronal Ab*		OL1225	Anti-Neuronal Ab	Serum (clotted blood)	Immuno blot	12 Day(s)	2-8 oC	See Subcontractor report	Send out
HLA-B 5801*	EDTA	OL0913	HLA-B 5801	EDTA	PCR-SSP	10 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE to Milk panel*	Serum (clotted blood)	OL0915	IgE to Milk panel	Serum (clotted blood)	FEIA	10 Day(s)	2-8° C	See Subcontractor report	Send out
Adenovirus Ag*	Nasioharyngeal aspirates	OL0916	Adenovirus Ag	Nasioharyngeal aspirates	IFA	4 Day(s)	4° C	See Subcontractor report	Send out
HLA-B 5701*	EDTA	OL0917	HLA-B 5701 (จุฬาร)	EDTA	PCR-SSP	10 Day(s)	2-8° C	See Subcontractor report	Send out
HBsAg Quantitative*	Serum (clotted blood)	OL0918	HBsAg Quantitative	Serum (clotted blood)	CMIA	5 Day(s)	2-8° C	See Subcontractor report	Send out
Urine Protein Electrophoresis	Urine 24 Hr	OL0919	Urine Protein Electro.	Urine 24 Hr	capillary electrophoresis	15 Day(s)	2-8° C	See Subcontractor report	Send out
Mumps IgG*	Serum (clotted blood)	OL0920	Mumps IgG	Serum (clotted blood)	ELISA	10 Day(s)	2-8° C	See Subcontractor report	Send out
Mumps IgM*	Serum (clotted blood)	OL0921	Mumps IgM	Serum (clotted blood)	ELISA	10 Day(s)	2-8° C	See Subcontractor report	Send out
IgG 4	Serum (clotted blood)	OL0922	IgG 4	Serum (clotted blood)	Nephelometry	7 Day(s)	2-8° C	See Subcontractor report	Send out
Urine Immunofixation*	Urine 24 Hr	OL0923	Urine Immunofixation	Urine 24 Hr	IEP	15 Day(s)	2-8° C	See Subcontractor report	Send out
PCR for Fungus Identification	Colony isolate	OL0924	PCR for Fungus	Colony isolate	PCR	30 Day(s)	2-8° C	See Subcontractor report	Send out
Factor V*	Citrate plasma	OL0925	Factor V	Citrate plasma	Clot detection	7 Day(s)	Freeze	See Subcontractor report	Send out
ADAM TS13 (functional)*	Na Citrate	OL0926	ADAM TS13 (functional)	Na Citrate	-	18 Day(s)	Freeze	See Subcontractor report	Send out
Reptilase time*	Citrate plasma	OL0927	Reptilase time	Citrate plasma	Clotting	5 Day(s)	Freeze	See Subcontractor report	Send out
(1,3)-Beta-D-Glucan assay*	Serum (clotted blood)	OL0928	Beta-D-Glucan assay	Serum (clotted blood)	-	14 Day(s)	Freeze	See Subcontractor report	Send out
VHL gene(Bhumisiri 4th flr)*	EDTA	OL0929	VHL gene (ภูมิพิริ ชั้น4)	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Hb electrophoresis (Hb Typing)	EDTA	OL0930	Hb electrophoresis	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out

Anti dsDNA (EIA)*	Serum (clotted blood)	OL0931	Anti dsDNA (EIA)	Serum (clotted blood)	EIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Antinuclear Ab(ANA)*	Serum (clotted blood)	OL0932	ANA (Antinuclear Ab)	Serum (clotted blood)	IFA	7 Day(s)	2-8° C	See Subcontractor report	Send out
M.pneumoniae Ab titer*	Serum (clotted blood)	OL0933	M.pneumoniae Ab titer	Serum (clotted blood)	PA	5 Day(s)	Freeze	See Subcontractor report	Send out
Mycobacterium identification	Other	OL0934	Mycobac.identification	Other	inhouse PCR	15 Day(s)	2-8° C	See Subcontractor report	Send out
C.difficile toxin molecular det	Stool	OL0935	C.difficile toxin (Mole)	Stool	PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
COVID-19 Neutralizing Ab *	Serum (clotted blood)	OL0936	COVID-19 Neutralizing Ab	Serum (clotted blood)	ELISA	5 Day(s)	2-8° C	See Subcontractor report	Send out
Mycobacterium culture and A	Other	OL1172	Myco culture and AST	Other	-	60 Day(s)	RT	See Subcontractor report	Send out
PCR for Leptospira spp.*	EDTA	OL1174	PCR for Leptospira spp.	EDTA	-	5 Day(s)	Freeze	See Subcontractor report	Send out
MIC for Fluconazole(fungus)*	Colony isolate	OL1175	MIC Fluconazole(fungus)	Colony isolate	E-test	15 Day(s)	RT	See Subcontractor report	Send out
Sensititer*	Colony isolate	OL1176	Sensititer (EMF032)	Colony isolate	-	15 Day(s)	RT	See Subcontractor report	Send out
Factor II**	Citrate plasma	OL1177	Factor II	Citrate plasma	-	4 Day(s)	Freeze	See Subcontractor report	Send out
Factor IX**	Citrate plasma	OL1178	Factor IX	Citrate plasma	-	4 Day(s)	Freeze	See Subcontractor report	Send out
Factor XII**	Citrate plasma	OL1179	Factor XII	Citrate plasma	-	4 Day(S)	Freeze	See Subcontractor report	Send out
Multiplex mosquito borne viru	EDTA	OL1180	Multiplex mosquito borne	EDTA	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Chromogranin A*	EDTA Plasma	OL1262	Chromogranin A	EDTA Plasma	-	10 Day(s)	Freeze	See Subcontractor report	Send out
Anti-GAD*	Serum (clotted blood)	OL0937	Anti-GAD	Serum (clotted blood)	CLIA	14 Day(s)	2-8° C	See Subcontractor report	Send out
Free Androgen Index*	Serum (clotted blood)	OL0938	Free Androgen Index	Serum (clotted blood)	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
HEV PCR*	Serum (clotted blood)	OL0939	HEV PCR	Serum (clotted blood)	RT-PCR	7 Day(s)	2-8° C	See Subcontractor report	Send out
HAV PCR*	Serum (clotted blood)	OL0940	HAV PCR	Serum (clotted blood)	RT-PCR	5 Day(s)	2-8° C	See Subcontractor report	Send out
Trichrome stain for protozoa*	Stool	OL1181	Trichrome stain(protozoa)	Stool	-	3 Day(s)	Freeze	See Subcontractor report	Send out
Cx 26*	EDTA	OL0941	Cx 26	EDTA	-	8 Week(s)	2-8° C	See Subcontractor report	Send out
Campomelic dysplasia (SOX	EDTA	OL0942	Campomelic dysplasia	EDTA	DNA sequencing PCR	8 Week(s)	Freeze	See Subcontractor report	Send out
Citrin deficiency/citrullinemia	EDTA	OL0943	Citrin deficiency type2	EDTA	-	30 Day(s)	-	See Subcontractor report	Send out
Lymphocyte Transformation T	Heparin	OL0944	Lymphocyte Transform Test	Heparin	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Water R/O*	Other	OL0945	น้ำ R/O	Other	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Water RO (AAMI)*	Other	OL0946	RO(AAMI:General)	Other	-	20 Day(s)	2-8° C	See Subcontractor report	Send out
Water RO (Total Bacteria)*	Other	OL0947	น้ำ RO (Total Bacteria)	Other	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
HLA - ABC DNA Typing*	EDTA	OL0948	HLA - ABC DNA Typing	EDTA	-	10 Day(s)	2-8° C	See Subcontractor report	Send out

DIF for Skin Tissue*	Tissue	OL0950	DIF for Skin Tissue	Tissue	Direct Immunofluorescence	10 Day(s)	2-8° C	See Subcontractor report	Send out
Pemphigus & Bullous pemphigoid	Serum (clotted blood)	OL0951	Pemphigus&pemphigoid Ab	Serum (clotted blood)	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
MGMT Promoter Methylation*	Paraffin block	OL0952	MGMT Promoter Methylation	Paraffin block	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
BRCA 1 and 2 mutation test*	EDTA	OL0953	BRCA 1/2 mutation	EDTA	-	3 Month(s)	2-8° C	See Subcontractor report	Send out
IDH1 and IDH2 mutation*	Paraffin block	OL0954	IDH1 and IDH2 mutation	Paraffin block	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
TERT Promoter mutation*	Paraffin block	OL0955	TERT Promoter mutation	Paraffin block	-	14 Day(s)	RT	See Subcontractor report	Send out
TP53 mutation (Exon 5-8)*	EDTA	OL0956	TP53 mutation (Exon 5-8)	EDTA	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
27-Gene Panel*	EDTA	OL0957	27-Gene Panel	EDTA	Next Gen Sequencing	3 Month(s)	2-8° C	See Subcontractor report	Send out
1-Gene Panel*	EDTA	OL0958	1-Gene Panel	EDTA	Next Gen Sequencing	20 Day(s)	2-8° C	See Subcontractor report	Send out
EGFR Mutation (Fast track)*	EDTA	OL0959	EGFR(Fast track)	EDTA	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
EGFR Mutation (Normal track)	EDTA	OL0960	EGFR(Normal track)	EDTA	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
Leukemia and Mastocytosis g	EDTA	OL0961	Leukemia and Mastocytosis	EDTA	Sequencing	15 Day(s)	2-8° C	See Subcontractor report	Send out
Cancer fusion gene panel*	Other	OL1197	Cancer fusion gene panel	Other	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
BRAF Mutation,Normal(Gene Pro)*		OL1314	BRAF mutation (Normal)	Tissue Block/HE Slide and P	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
NIPT Test* (panorama)	Other	OL0962	NIPT Test	Other	-	21 Day(s)	2-8° C	See Subcontractor report	Send out
Karyotyping & QF PCR (comb	Amniotic fluid	OL0963	Karyotype&QF PCR(Combo)	Amniotic fluid	-	14 Day(s)	2-8° C	See Subcontractor report	Send out
Panorama plus 5 Microdeletio	Other	OL0964	Panorama plus5 Microdel	Other	-	21 Day(s)	2-8° C	See Subcontractor report	Send out
Paraneoplastic Antibodies*	Serum (clotted blood)	OL0965	AIE Intracellular Ab	Serum (clotted blood)	-	35 Day(s)	2-8° C	See Subcontractor report	Send out
Human T-lymphotropic virus	CSF and EDTA	OL0968	HTLV-1	CSF and EDTA	Qualitative RT-PCR	8 Day(s)	2-8° C	See Subcontractor report	Send out
Hanta virus*	Other	OL0969	Hanta virus	Other	RT-PCR	7 Day(s)	2-8° C	See Subcontractor report	Send out
PML-RARA fusion gene by R	EDTA	OL0970	PML-RARA (RT-PCR)	EDTA	RT-PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
Deletion 17P13.1 by FISH*	Heparinized Bone marrow	No HCLab Code	-	Heparinized Bone marrow	FISH	21 Day(s)	2-8° C	See Subcontractor report	N/A
Carboxyhemoglobin,RAMA*	Heparin	OL0972	Carboxyhemoglobin,RAMA	Heparin	-	2 Day(s)	2-8° C	See Subcontractor report	Send out
Specific IgE to Gluten*	Serum (clotted blood)	OL0973	Specific IgE to Gluten	Serum (clotted blood)	FEIA	7 Day(s)	2-8° C	See Subcontractor report	Send out
Chikungunya PCR*	EDTA Plasma	OL0974	Chikungunya PCR	EDTA Plasma	Real-time PCR	3 Day(s)	Freeze	See Subcontractor report	Send out
Zika virus PCR*	EDTA Plasma	OL0975	Zika virus PCR	EDTA Plasma	RT-PCR	3 Day(s)	Freeze	See Subcontractor report	Send out
Human Herpes Virus(HHV-6)	EDTA Plasma	OL0976	HHV-6 PCR	EDTA Plasma	RT-PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
Measles IgM*	Serum (clotted blood)	OL0977	Measles IgM	Serum (clotted blood)	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out

N-MID Osteocalcin*	Serum (clotted blood)	OL0978	N-MID Osteocalcin	Serum (clotted blood)	CLIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Chromosome with FISH for D	Heparin	OL0979	Chromosome+FISH DiGeorge	Heparin	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
Transferrin*	Serum (clotted blood)	OL0980	Transferrin	Serum (clotted blood)	Nephelometry	5 Day(s)	2-8° C	See Subcontractor report	Send out
Alpha 1-Antitrypsin*	Serum (clotted blood)	OL0981	Alpha 1-Antitrypsin	Serum (clotted blood)	Nephelometry	7 Day(s)	2-8° C	See Subcontractor report	Send out
DNA analysis for abnormal H	EDTA	OL0982	DNA analysis for abn. Hb	EDTA	Multiplex PCR	14 Day(s)	2-8° C	See Subcontractor report	Send out
SFLT-1/PLGF Ratio*	Serum (clotted blood)	OL0983	SFLT-1/PLGF Ratio	Serum (clotted blood)	ECLIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-PLA2 receptor IgG*	Serum (clotted blood)	OL0984	Anti-PLA2 receptor IgG	Serum (clotted blood)	ELISA	15 Day(s)	2-8° C	See Subcontractor report	Send out
HLA-DR15*	EDTA	OL0985	HLA-DR15	EDTA	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Molecular Identification bacte	Other	OL0986	Molecular Ident(16S RNA)	Other	-	10 Day(s)	2-8° C	See Subcontractor report	Send out
PDL-1(22C3)*	Other	OL0987	PDL-1(22C3)	Other	-	10 Day(s)	RT	See Subcontractor report	Send out
Calreticulin mutation(CALR)*	EDTA	OL0988	CALR mutation	EDTA	DNA sequencing PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
Ketamine(Quantitative)*	Urine	OL0989	Ketamine(Quantitative)	Urine	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Silver,Blood*	EDTA	OL0990	Silver,Blood	EDTA	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
Maternal serum screening(Dc	Serum or Clotted blood	OL0991	Maternal (Double test)	Serum or Clotted blood	EIA	10 Day(s)	2-8° C	See Subcontractor report	Send out
HSV Type 6 (Qualitative)*	EDTA Plasma	OL0992	HSV Type 6 (Qualitative)	EDTA Plasma	PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
Cannabinoid metabolite*	Serum (clotted blood)	OL0993	Cannabinoid metabolite	Serum (clotted blood)	GC/MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
Leukemia chromosome analy	Heparin	OL0994	Leukemia chr. analysis	Heparin	G-Banding	20 Day(s)	2-8° C	See Subcontractor report	Send out
MDMA (Ecstasy)*	Urine	OL0995	MDMA (Ecstasy)	Urine	GC/MS	8 Day(s)	2-8° C	See Subcontractor report	Send out
Complement activation (CH5	Serum (clotted blood)	OL0996	CH50	Serum (clotted blood)	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Opiate panel*	Urine	OL0997	Opiate panel	Urine	GC/MS	5 Day(s)	2-8° C	See Subcontractor report	Send out
Iodine(24 hrs.Urine)*	Urine	OL0998	Iodine (24 hrs urine)	Urine	ICP-MS	20 Day(s)	2-8° C Light protect	See Subcontractor report	Send out
Nicotine and metabolite*	Urine	OL0999	Nicotine and metabolite	Urine	GC/MS	10 Day(s)	2-8° C	See Subcontractor report	Send out
Mycobacteria Culture for LJ r	Colony isolate	OL1000	Myco.Culture(LJ media)	Colony isolate	-	20 Day(s)	RT	See Subcontractor report	Send out
1,25-Active Vitamin D*	Serum (clotted blood)	OL1001	1,25-Active Vitamin D	Serum (clotted blood)	CLIA	18 Day(s)	2-8° C,Protect from l	See Subcontractor report	Send out
Late Night Salivary CoRTisol*	Saliva	OL1002	Salivary Cortisol	Saliva	-	3 Day(s)	2-8° C	See Subcontractor report	Send out
Plasma Free Hb*	EDTA	OL1003	Plasma Free Hb	EDTA	-	4 Day(s)	2-8° C	See Subcontractor report	Send out
Direct Renin*	EDTA Plasma	OL1004	Direct Renin	EDTA Plasma	CMIA	10 Day(s)	Freeze	See Subcontractor report	Send out
NTM Identify & Sensitivity*	Colony isolate	OL1005	NTM Identify&Sens	Colony isolate	-	21 Day(s)	2-8° C	See Subcontractor report	Send out

Immunoglobulin IgA(RAMA)*	Serum (clotted blood)	OL1006	Immunoglobulin IgA ,ຮ່າມາ	Serum (clotted blood)	Turbidity,Automation	5 Day(s)	2-8° C	See Subcontractor report	Send out
IGF-BP3		OL1303	IGF - BP3	Serum (clotted blood)	CLIA	3 Day(s)	2-8 oC	See Subcontractor report	Send out
Mitragynine level*	Serum (clotted blood)	OL1007	Mitragynine level	Serum (clotted blood)	LC/MS/MS	10 Day(s)	2-8° C	See Subcontractor report	Send out
Dihydrotestosterone(DHT)*	Serum (clotted blood)	OL1008	Dihydrotestosterone (DHT)	Serum (clotted blood)	EIA	18 Day(s)	2-8° C	See Subcontractor report	Send out
Metanephrine/Normetanephr	Urine 24 hrs. with HCL	OL1009	Metaneph/Normetanephrine	Urine 24 hrs. with HCL	HPLC	15 Day(s)	C, Protect from	See Subcontractor report	Send out
Mycoplasma pneumoniae Ab	Serum (clotted blood)	OL1010	Mycoplasma pneumoniae Ab	Serum (clotted blood)	PA	4 Day(s)	2-8° C	See Subcontractor report	Send out
MIC Panel for Mycobacterium	Colony isolate	OL1012	MIC Panel for Mycobac	Colony isolate	E-test	15 Day(s)	RT	See Subcontractor report	Send out
Barbiturate Panel*	Serum (clotted blood)	OL1013	Barbiturate Panel	Serum (clotted blood)	GC/MS	9 Day(s)	2-8° C	See Subcontractor report	Send out
Pharmacogenetics in TPMT*	EDTA	OL1014	Pharmacogenetics in TPMT	EDTA	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Urine 3-methoxytyramine*	Urine 24 Hr with 20%HCL	OL1015	Urine 3-methoxytyramine	Urine 24 Hr with 20%HCL	HPLC	10 Day(s)	2-8° C	See Subcontractor report	Send out
Mycophenolic acid (MPA)*	Serum (clotted blood)	OL1016	Mycophenolic acid (MPA)	Serum (clotted blood)	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Hand Foot and Mouth diseas	Other	OL1017	Hand Foot Mouth disease	Other	PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
Thrombin generation assay*	Citrate plasma	OL1018	Thrombin generation assay	Citrate plasma	-	10 Day(s)	Freeze	See Subcontractor report	Send out
Thromboelastogram 3*	Citrate plasma	OL1019	Thromboelastogram 3	Citrate plasma	-	10 Day(s)	Freeze	See Subcontractor report	Send out
Flowcytometry for EMA*	EDTA	OL1020	Flowcytometry for EMA	EDTA	Flow cytometry	7 Day(s)	RT	See Subcontractor report	Send out
Zika virus IgM*	Clotted Blood	OL1021	Zika virus IgM	Clotted Blood	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out
MIC Panel gram positive*	Colony isolate	OL1022	MIC Panel	Colony isolate	E-test	5 Day(s)	RT	See Subcontractor report	Send out
NGAL*	Urine	OL1024	NGAL	Urine	-	21 Day(s)	2-8° C	See Subcontractor report	Send out
JAK2 V617F mutation(RAMA)	EDTA	OL1025	JAK2 V617F mutation,RAMA	EDTA	PCR	10 Day(s)	2-8° C	See Subcontractor report	Send out
Zika virus IgG*	Serum (clotted blood)	OL1026	Zika virus IgG	Serum (clotted blood)	ELISA	7 Day(s)	2-8° C	See Subcontractor report	Send out
HIV-1 PCR Qualitative,(RAMA)	EDTA	OL1027	HIV-1 PCR Quali,(RAMA)	EDTA	RT-PCR	5 Day(s)	Freeze	See Subcontractor report	Send out
Clozapine and Metabolite*	Serum (clotted blood)	OL1028	Clozapine and Metabolite	Serum (clotted blood)	LC/MS/MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
HLA B1301*	EDTA	OL1029	HLA B1301	EDTA	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Immunoglobulin IgM,ຮ່າມາ*		OL1030	Immunoglobulin IgM,ຮ່າມາ	Serum (clotted blood)	Turbidity, Automator	5 Day(s)	2-8 oC	See Subcontractor report	Send out
Immunoglobulin IgG,ຮ່າມາ*		OL1031	Immunoglobulin IgG,ຮ່າມາ	Serum (clotted blood)	Turbidity, Automator	5 Day(s)	2-8 oC	See Subcontractor report	Send out
Mixing Test PT*	Citrate plasma	OL1032	Mixing Test PT	Citrate plasma	Coagulation	3 Day(s)	2-8° C	See Subcontractor report	Send out
Urine Aldosterone*	Urine 24 Hr	OL1033	Urine Aldosterone	Urine 24 Hr	CLIA	10 Day(s)	2-8° C	See Subcontractor report	Send out
MIC-Antifungal*	Colony isolate	OL1034	MIC-Antifungal	Colony isolate	E-test	7 Day(s)	RT	See Subcontractor report	Send out

AMR20 (MecA gene)*	Colony isolate	OL1035	AMR20 (MecA gene)	Colony isolate	PCR	5 Day(s)	RT	See Subcontractor report	Send out
Next generation sequencing	EDTA	OL1037	NGS for Myeloid leukemia	EDTA	-	20 Day(s)	2-8° C	See Subcontractor report	Send out
HIV-2 PCR Qualitative,(RAMA	EDTA	OL1038	HIV-2 PCR Quali,(RAMA)	EDTA	RT-PCR	5 Day(s)	Freeze	See Subcontractor report	Send out
Lamotrigine level*	Serum (clotted blood)	OL1039	Lamotrigine level	Serum (clotted blood)	LC/MS/MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
Busulfan(Busulfex) level*	EDTA	OL1040	Busulfan(Busulfex) level	EDTA	LC/MS/MS	5 Day(s)	2-8° C	See Subcontractor report	Send out
Clopidogrel(Palvix) genotypic	EDTA	OL1041	Clopidogrelc genotypic	EDTA	RT-PCR	5 Day(s)	2-8° C	See Subcontractor report	Send out
Prenatal chromosome analys	Amniotic fluid	OL1042	Prenatal chr. analysis	Amniotic fluid	G-Banding	14 Day(s)	2-8° C	See Subcontractor report	Send out
Genetic disorder Chromosom	Heparin	OL1043	Genetic Chr.analysis	Heparin	G-Banding	15 Day(s)	2-8° C	See Subcontractor report	Send out
Rivaroxaban level*	Citrate plasma	OL1045	Rivaroxaban level	Citrate plasma	Chromogenic	3 Day(s)	Freeze	See Subcontractor report	Send out
ITPA genotype*	EDTA	OL1046	ITPA genotype	EDTA	RT-PCR	3 Day(s)	2-8° C	See Subcontractor report	Send out
Non-Gynecology and FNA*	Fluid	OL1047	Non-Gynecology and FNA	Fluid	Liquid-based	7 Day(s)	2-8° C	See Subcontractor report	Send out
Immuno phenotyping for Plat	EDTA	OL1048	Platelet Surface Marker	EDTA	Flow cytometry	7 Day(s)	2-8° C	See Subcontractor report	Send out
Von willebrand factor multime	EDTA Plasma	OL1049	Vwf multimer	EDTA Plasma	-	25 Day(s)	Freeze	See Subcontractor report	Send out
Anti-Ganglioside profile IgG&	CSF	OL1050	Anti-Ganglioside(G/M)	CSF	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Acyclovir level*	Serum (clotted blood)	OL1051	Acyclovir level	Serum (clotted blood)	LC/MS/MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
MDM2/CER(FISH)*	Paraffin block	OL1052	MDM2/CER(FISH)	Paraffin block	FISH	10 Day(s)	RT	See Subcontractor report	Send out
Alpha-thal2 gene PCR*	EDTA	OL1053	Alpha-thal2 gene PCR	EDTA	lex Gap PCR /ASMR	10 Day(s)	2-8° C	See Subcontractor report	Send out
Postnatal chromosome micro	EDTA	OL1054	Postnatal chr. microarray	EDTA	-	15 Day(s)	2-8° C	See Subcontractor report	Send out
Prader-Willi/Angleman syndro	EDTA	OL1056	Prader-Willi syndrome	EDTA	MS-MLPA	20 Day(s)	2-8° C	See Subcontractor report	Send out
Pharmacogenetics for DPYD*	EDTA	OL1058	Pharmacogenetics for DPYD	EDTA	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
COVID Ab(SARS-COV2-anti S	Serum (clotted blood)	OL1059	SARS-COV2-anti S1 IgG	Serum (clotted blood)	CLIA	8 Day(s)	2-8° C	See Subcontractor report	Send out
Calcitonin*	Serum (clotted blood)	OL1061	Calcitonin	Serum (clotted blood)	CLIA	5 Day(s)	2-8° C	See Subcontractor report	Send out
5HIAA*	Urine 24 Hr	OL1062	5HIAA(1)	Urine 24 Hr	HPLC	14 Day(s)	2-8° C,Protect from l	See Subcontractor report	Send out
Plasma Metanephrine/Norme	EDTA Plasma	OL1063	Plasma Meta/Normeta	EDTA Plasma	LC/MS/MS	10 Day(s)	Freeze	See Subcontractor report	Send out
Posaconazole(Noxafil)*	Serum (clotted blood)	OL1064	Posaconazole(Noxafil)	Serum (clotted blood)	LC/MS/MS	4 Day(s)	2-8° C	See Subcontractor report	Send out
Vitamin B1 (Thiamine)**	EDTA	OL1065	Vitamin B1 (Thiamine)	EDTA	HPLC	14 Day(s)	2-8° C Light protect	See Subcontractor report	Send out
Plasma Catecholamines*	EDTA Plasma	OL1066	Plasma Catecholamines	EDTA Plasma	-	10 Day(s)	Freeze	See Subcontractor report	Send out
ADAM TS13 (antibody)*	Na Citrate	OL1067	ADAM TS13 (antibody)	Na Citrate	-	15 Day(s)	Freeze	See Subcontractor report	Send out

Lacosamide (Vimpat) Level*	Serum (clotted blood)	OL1068	Lacosamide (Vimpat) Level	Serum (clotted blood)	LC/MS/MS	5 Day(s)	2-8° C	See Subcontractor report	Send out
Gastrin*	Serum (clotted blood)	OL1069	Gastrin	Serum (clotted blood)	CLIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Androstenedione(ADD)*	EDTA Plasma	OL1070	Androstenedione(ADD)	EDTA Plasma	ECLIA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Serotonin*	EDTA Plasma	OL1071	Serotonin	EDTA Plasma	HPLC	7 Day(s)	Freeze	See Subcontractor report	Send out
Prolactin (PEG precipitation)*	Serum (clotted blood)	OL1072	Prolactin (PEG)	Serum (clotted blood)	CMA	3 Day(s)	2-8° C	See Subcontractor report	Send out
VDRL (RAMA)*	Serum (clotted blood)	OL1073	VDRL รามา	Serum (clotted blood)	Flocculation	3 Day(s)	2-8° C	See Subcontractor report	Send out
Ceftazidime level*	Serum (clotted blood)	OL1074	Ceftazidime level	Serum (clotted blood)	HPLC	5 Day(s)	2-8° C	See Subcontractor report	Send out
Vaccine-induce Immune Thrc	Na Citrate	OL1185	Anti-PF4 Ab	Na Citrate	ELISA	5 Day(s)	within 4 hrs or Fre	See Subcontractor report	Send out
ATP7B*	EDTA	OL1075	ATP7B	EDTA	-	60 Day(s)	2-8° C	See Subcontractor report	Send out
TSC2 gene,Hot spot*	EDTA	OL1076	TSC2 gene,Hot spot	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
Neurofibromatosis,NF(NF2 w	EDTA	OL1077	Neurofibromatosis	EDTA	-	2 Month(s)	2-8° C	See Subcontractor report	Send out
Sequencing whole Beta globin gene (ATgene)*		OL1315	Sequencing B-globin gene	EDTA Blood	Sequencing	17 Day(s)	2-8 oC	See Subcontractor report	Send out
Aerobe culture& sens,Animal	Other	OL1080	Aerobe Cul&Sens(Animal)	Other	Culture	10 Day(s)	2-8° C	See Subcontractor report	Send out
NIPT Qualifi*	Other	OL1081	NIPT Qualifi	Other	Sequencing	7 Day(s)	2-8° C	See Subcontractor report	Send out
Next Generation Sequencing	EDTA	OL1082	NGS for Myeloid leukemia	EDTA	Sequencing	7 Week(s)	2-8° C	See Subcontractor report	Send out
Individual fatty acid content*	EDTA	OL1083	Individual fatty acid	EDTA	GC/MS	7 Day(s)	2-8° C	See Subcontractor report	Send out
NIFTY FOCUS*	Other	OL1084	NIFTY FOCUS	Other	Sequencing	14 Day(s)	2-8° C	See Subcontractor report	Send out
SCN 4 A Target mutation*	EDTA	OL1086	SCN 4 A Target mutation	EDTA	-	30 Day(s)	4° C	See Subcontractor report	Send out
SCN 4 A Target mutation ,Re	EDTA	OL1087	SCN4 A mutation,Relation	EDTA	-	30 Day(s)	4° C	See Subcontractor report	Send out
MPZ gene target mutation*	EDTA	OL1088	MPZ gene target mutation	EDTA	Target mutation	30 Day(s)	2-8° C	See Subcontractor report	Send out
MPZ gene target mutation,Re	EDTA	OL1089	MPZ genemutation,Relation	EDTA	Target mutation	30 Day(s)	2-8° C	See Subcontractor report	Send out
BRCA2 Target mutation*	EDTA	OL1090	BRCA2 Target mutation	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
BRCA2 Target mutation(Rela	EDTA	OL1091	BRCA2 mutation(Relation)	EDTA	-	30 Day(s)	2-8° C	See Subcontractor report	Send out
SLC 18A2 Target mutation*	EDTA	OL1092	SLC 18A2 Target mutation	EDTA	Sanger Sequencing	30 Day(s)	2-8° C	See Subcontractor report	Send out
DNA JB2 Target mutation*	EDTA	OL1093	DNA JB2 Target mutation	EDTA	Sanger Sequencing	30 Day(s)	2-8° C	See Subcontractor report	Send out
APC gene*	EDTA	OL1094	APC gene	EDTA	Sanger Sequencing	30 Day(s)	2-8° C	See Subcontractor report	Send out
BRCA1 target mutation*	EDTA	OL1095	BRCA1 target mutation	EDTA	Target mutation	30 Day(s)	2-8° C	See Subcontractor report	Send out
BRCA1 target mutaion(Relati	EDTA	OL1096	BRCA1 mutaion(Relation)	EDTA	Target mutation	30 Day(s)	2-8° C	See Subcontractor report	Send out

Target gene mutation*	EDTA	OL1097	Target gene mutation	EDTA	Target mutation	30 Day(s)	4° C	See Subcontractor report	Send out
Target gene mutation,Relation	EDTA	OL1098	Target gene mutation,Rel	EDTA	Target mutation	30 Day(s)	4° C	See Subcontractor report	Send out
BRCA1/2 sequencing(HBOC)	EDTA	OL1099	BRCA1/2 sequencing(HBOC)	EDTA	-	42 Day(s)	2-8° C	See Subcontractor report	Send out
EBV VCA IgG*	Serum (clotted blood)	OL1100	EBV VCA IgG	Serum (clotted blood)	ELISA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Chlamydia trachomatis IgM*	Serum (clotted blood)	OL1101	C.trachomatis IgM	Serum (clotted blood)	ELISA	8 Day(s)	2-8° C	See Subcontractor report	Send out
Gamma GT*	Serum (clotted blood)	OL1102	Gamma GT (BPL)	Serum (clotted blood)	CMIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
HSV IgG*	Serum (clotted blood)	OL1103	HSV IgG	Serum (clotted blood)	ELISA	4 Day(s)	2-8° C	See Subcontractor report	Send out
Thrombin Time*	Citrate plasma	OL1104	Thrombin time	Citrate plasma	-	2 Day(s)	Freeze	See Subcontractor report	Send out
Beta hydroxybutyrate*	Serum (clotted blood)	OL1105	Beta hydroxybutyrate	Serum (clotted blood)	atic endpoint determ	3 Day(s)	2-8° C	See Subcontractor report	Send out
Vancomycin Level*	Serum (clotted blood)	OL1106	Vancomycin Level	Serum (clotted blood)	EIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Fine needle aspiration(FNA)*	Other	OL1107	Fine needle aspiration	Other	Staining	7 Day(s)	2-8° C	See Subcontractor report	Send out
Anti-HBc IgM*	Serum (clotted blood)	OL1108	Anti-HBc IgM	Serum (clotted blood)	CMIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Theophylline(Aminophylline)*	Serum (clotted blood)	OL1109	Theophylline(Aminophylline)	Serum (clotted blood)	KIMS	2 Day(s)	2-8° C	See Subcontractor report	Send out
CMV IgG*	Serum (clotted blood)	OL1110	CMV IgG	Serum (clotted blood)	CMIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Chlamydia trachomatis IgG*	Serum (clotted blood)	OL1111	C.trachomatis IgG	Serum (clotted blood)	ELISA	8 Day(s)	2-8° C	See Subcontractor report	Send out
Insulin antibodies*	Serum (clotted blood)	OL1112	Insulin antibodies	Serum (clotted blood)	-	20 Day(s)	Freeze	See Subcontractor report	Send out
Melioidosis (Total Ab)*	Serum (clotted blood)	OL1113	Melioidosis (Total Ab)	Serum (clotted blood)	HA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Culture and sensitivity(COVID)	VTH	OL1115	Culture&Sens(COVID-NHS)	Sputum	-	5 Day(s)	2-8 oC	See Subcontractor report	Send out
Interleukin 6 (IL-6) level*	Serum (clotted blood)	OL1119	Interleukin 6 level	Serum (clotted blood)	ECLIA	1 Day(s)	Freeze	See Subcontractor report	Send out
SARS-CoV-2 (Variant of Conc	0	OL1149	SARS-CoV-2 Genotyping	Nasopharyngeal swab	Sequencing	7 Day(s)	2-8° C	See Subcontractor report	Send out
MTB/MDR Real-time PCR*	Sputum	OL0017	MTB/MDR Real-time PCR	Sputum	Real time PCR	5 Day(s)	2-8° C	See Subcontractor report	Send out
Cryptococcal Antigen*	Serum or CSF	OL1200	Cryptococcal Antigen	Serum or CSF	ICA	3 Day(s)	2-8° C	See Subcontractor report	Send out
Breast,excision(<5cm)*	Other	OL1208	Breast,excision(<5cm)	Other	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Breast(core needle biopsy,m	Other	OL1209	Breast(multiple pieces)	Other	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Breast excision (>5cm)*	Other	OL1210	Breast excision (>5cm)	Other	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Lymph node (Neck dissection)	Other	OL1211	Lymph node(Neck)	Other	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Lymph node,Biopsy*	Other	OL1212	Lymph node,Biopsy	Other	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Liver biopsy*	Other	OL1213	Liver biopsy	Other	-	5 Day(s)	2-8° C	See Subcontractor report	Send out

Thyroid gland(Each lobe)*	Other	OL1214	Thyroid gland(Each lobe)	Other	-	5 Day(s)	2-8° C	See Subcontractor report	Send out
Thyroid gland with node diss	Other	OL1215	Thyroid gland with node	Other	-	7 Day(s)	2-8° C	See Subcontractor report	Send out
Flowcytometry for Acute Leu	Heparinized Bone marrow	OL1122	Flow for Acute Leukemia	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for ALL Panel	Heparinized Bone marrow	OL1123	Flow for ALL Panel	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for Acute Mye	Heparinized Bone marrow	OL1124	Flow for AML panel	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for B-cell Non-Hodgkin Lymphoma*		OL1125	Flow for Lymphoma(Bcell)	Heparinized BM	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for T-cell Non-	Heparinized Bone marrow	OL1126	Flow for Lymphoma(Tcell)	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for AML,MRD	Heparinized Bone marrow	OL1127	Flow for AML,MRD(NGD)	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for CML(NGD)	Heparinized Bone marrow	OL1128	Flowcytometry for CML	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for Lymphoma	Heparinized Bone marrow	OL1129	Flowfor Lymphoma(NGD)	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for B-ALL,MRD	Heparinized Bone marrow	OL1130	Flow for B-ALL,MRD(NGD)	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for CLL(NGD)	Heparinized Bone marrow	OL1131	Flow for CLL(NGD)	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for PNH (NGD)	EDTA	OL1132	Flowfor PNH (NGD)	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for MDS(NGD)	Heparinized Bone marrow	OL1133	Flowcytometry for MDS	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
PML,RARA(NGD)*	EDTA	OL1134	PML,RARA(NGD)	EDTA	RT-PCR	25 Day(s)	2-8° C	See Subcontractor report	Send out
Flowcytometry for T-ALL,MRD	Heparinized Bone marrow	OL1135	Flow for T-ALL,MRD (NGD)	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for CD(NGD)*	Heparin	OL1136	Flowcytometry for CD(NGD)	Heparin	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for Multiple My	Bone marrow	OL1137	Flow for MM(NGD)	Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for NK cell Pa	EDTA	OL1138	NK cell Panel6(NGD)	EDTA	Flow cytometry	2 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for Lymphocy	Heparinized Bone marrow	OL1139	Lymphocyte subsets(NGD)	Heparinized Bone marrow	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
CD3 for leukemia(NGD)*	EDTA	OL1140	CD3 for leukemia(NGD)	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
CD4 for leukemia(NGD)*	EDTA	OL1141	CD4 for leukemia(NGD)	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
CD8 for leukemia(NGD)*	EDTA	OL1142	CD8 for leukemia(NGD)	EDTA	Flow cytometry	5 Day(s)	2-8° C	See Subcontractor report	Send out
Flowcytometry for CD19(NGD)	EDTA	OL1143	Flowfor CD19(NGD)	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for CD20(NGD)	EDTA	OL1144	Flow for CD20(NGD)	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for NK cell Pa	EDTA	OL1194	Flow for NK cell Panel2	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Flowcytometry for CD34*	EDTA	OL1195	Flowcytometry for CD34	EDTA	Flow cytometry	5 Day(s)	RT	See Subcontractor report	Send out
Anti-CCP*	Serum (clotted blood)	OL1145	Anti-CCP	Serum (clotted blood)	ECLIA	4 Day(s)	2-8° C	See Subcontractor report	Send out

HBeAg*	Serum (clotted blood)	OL1199	HBeAg	Serum (clotted blood)	ECLIA	2 Day(s)	2-8° C	See Subcontractor report	Send out
Chromosome analysis,AF without AFP (BPL)*		OL1279	Chr.analysis,AFnoAFP(BPL)	Amniotic fluid	Karyotyping	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
Chromosome analysis,AF with AFP (BPL)*		OL1280	Chr.analysis,AF+AFP (BPL)	Amniotic fluid	Karyotyping	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
Chromosome analysis,Blood (BPL)*		OL1281	Chr.analysis,Blood (BPL)	Heparin WB	Karyotyping	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
Beta-2 Glycoprotein IgM (Quantitative)(BPL)*		OL0050	Beta-2 Glycoprotein IgM	Serum (clotted blood)	EIA	3 Day(s)	2-8 oC	See Subcontractor report	Send out
Beta-2 Microglobulin (Blood)(BPL)*		OL0022	Beta-2 Microglobulin(BPL)	Serum (clotted blood)	Nephelometry	2 Day(s)	2-8 oC	See Subcontractor report	Send out
VMA with Urine creatinine (BPL)*		OL0034	VMA Profile (BPL)	Urine 24 hr.	-	5 Day(s)	oC (Protect from	See Subcontractor report	Send out
HBe Antibody (BPL)*		OL1121	HBe Antibody (BPL)	Serum (clotted blood)	ECLIA	2 Day(s)	2-8 oC	See Subcontractor report	Send out
Osmolarity (Blood)(BPL)*		OL1285	Osmolarity (Blood)(BPL)	Serum (clotted blood)	FDP	2 Day(s)	2-8 oC	See Subcontractor report	Send out
Specific IgE to Pediatric Profile(BPL)*		OL1304	Specific IgE Pediatric	Serum (clotted blood)	Immuno blot	3 Day(s)	2-8 oC	See Subcontractor report	Send out
Anti HAV IgM (BPL)*		OL1316	Anti - HAV IgM(BPL)	Serum (clotted blood)	ECLIA	2 Day(s)	2-8 oC	See Subcontractor report	Send out
CSF Culture	Cerebrospinal fluid	MCUCS	CSF culture	Cerebrospinal fluid	Culture	4 Day(s)	2-8° C	see report	Microbiology
Ear Culture	Ear	MCUEA	Ear culture	Ear	Culture	4 Day(s)	2-8° C	see report	Microbiology
Eye Culture	Eye	MCUEY	Eye culture	Eye	Culture	4 Day(s)	2-8° C	see report	Microbiology
Wound Culture	Wound	MCUWO	Wound culture	Wound	Culture	4 Day(s)	2-8° C	see report	Microbiology
		MCUOT	Other specimen C/S	Other	Culture	4 Day(s)	2-8° C	see report	Microbiology
DNA analysis for abnormal H	EDTA Blood	OL0982	DNA analysis for abn. Hb	EDTA	Multiplex PCR	14 Day(s)	2-8° C	See Subcontractor report	Send out
GH Stimulation test*	Serum	OL1306	GH Stimulation test	Serum (clotted blood)	CLIA	4 Day(s)	2-8 oC	See Subcontractor report	Send out
Pharmacogenetics for NUDT	EDTA Blood	OL1307	Pharmaco for NUDT15	EDTA Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
Targeted gene for primary he	EDTA Blood	OL1308	Primary hemostatic defect	EDTA Blood	NGS	6 Month(s)	2-8 oC	See Subcontractor report	Send out
Coxsackie A6 PCR (RAMA)*	Other	OL1309	Coxsackie A6 PCR (RAMA)	Other	RT-PCR	4 Day(s)	2-8 oC	See Subcontractor report	Send out
JAK2 V617F mutation by Qua	EDTA Blood	OL1310	JAK2 by Quanti PCR(RAMA)	EDTA Bone marrow	-	14 Day(s)	2-8 oC	See Subcontractor report	Send out
Pathology-9900*	Other	OL1311	Pathology-9900(Hi-tech)	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Pharmacogenetic for Irinotec	EDTA WB	OL1312	Pharmaco. for Irinotecan	EDTA Blood	Sequencing	7 Day(s)	2-8 oC	See Subcontractor report	Send out
JAK2,MPL,CALR and KIT mu	Bone marrow	OL1313	JAK2,MPL,CALR,KIT mutant	EDTA Bone marrow	-	15 Day(s)	2-8 oC	See Subcontractor report	Send out
BRAF mutation (Nomal)*(G	Other	OL1314	BRAF mutation (Nomal)	Tissue Block/HE Slide and P	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
Sequencing whole Beta glob	EDTA WB	OL1315	Sequencing B-globin gene	EDTA Blood	Sequencing	17 Day(s)	2-8 oC	See Subcontractor report	Send out
Anti - HAV IgM, BPL	Serum	OL1316	Anti - HAV IgM(BPL)	Serum (clotted blood)	ECLIA	2 Day(s)	2-8 oC	See Subcontractor report	Send out

Fasciola hepatic Ab*	Serum	OL1317	Fasciola hepatic Ab*	Serum (clotted blood)	Immuno blot	10 Day(s)	2-8 oC	See Subcontractor report	Send out
CIDP*	Serum	OL1318	CIDP(Neuro)	Serum (clotted blood)	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
MG screening (Musk-IgG+AChR-IgG)	Serum	OL1320	Musk-IgG+AChR-IgG(Neuro)	Serum (clotted blood)	-	15 Day(s)	2-8 oC	See Subcontractor report	Send out
Pathology-3300*	Other	OL1321	Pathology-3300	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
Sequencing with Dye5 Rxn (S)	EDTA WB	OL1322	Sequencing Dye5Rxn(SIMR)	EDTA Blood	-	60 Day(s)	2-8 oC	See Subcontractor report	Send out
Immunohistochemistry-14300	Other	OL1323	IHC-14300 (Hi-tech)	Other	-	7 Day(s)	RT	See Subcontractor report	Send out
OPMD_Repeat Expansion(SI)	EDTA WB	OL1324	OPMD_Repeat Expansion	EDTA Blood	-	45 Day(s)	2-8 oC	See Subcontractor report	Send out
Breast core needle (PDC)*	Tissue	OL1325	Breast core needle(PDC)	Tissue	-	5 Day(s)	RT	See Subcontractor report	Send out
Fine needle aspiration(1Slide)	Other	OL1326	FNA(1Slide)(PDC)	Other	-	4 Day(s)	RT	See Subcontractor report	Send out
Fine needle aspirate(PDC)*	Other	OL1327	Fine needle aspirate(PDC)	Other	-	4 Day(s)	RT	See Subcontractor report	Send out
NAT2 diplotyping(DMSC)*	EDTA WB	OL1328	NAT2 diplotyping(DMSC)	EDTA Blood	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
Target gene sequencing for c	EDTA Blood	OL1329	Congenital BM failure	EDTA Blood	-	6 Month(s)	2-8 oC	See Subcontractor report	Send out
Edoxaban Level(Siriraj)*	Na Citrate Plasma	OL1330	Edoxaban Level(Siriraj)	Citrate plasma	Chromogenic Test	3 Day(s)	Freeze	See Subcontractor report	Send out
Breast mass or breast tissue	Tissue	OL1331	Breast mass<5cm (PDC)	Tissue	-	4 Day(s)	RT	See Subcontractor report	Send out
Biopsy-1300(PDC)*	Tissue	OL1332	Biopsy-1300(PDC)	Tissue biopsy	-	4 Day(s)	RT	See Subcontractor report	Send out
G6PD Multiplex PCR (10muta	EDTA WB	OL1333	G6PD Multiplex PCR(RAMA)	EDTA Blood	Multiplex PCR	14 Day(s)	2-8 oC	See Subcontractor report	Send out
Non-Hodgkin lymphoma pan	Other	OL1334	NH lymphoma panel(PDC)	Other	-	4 Day(s)	RT	See Subcontractor report	Send out
Urine Organic test (Celfix)	1st AM urine (20mL)	OL1335	Urine Organic (Celfix)	1st AM urine (20mL)	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
DNALL Prestige (BGI)	EDTA WB	OL1336	DNALL Prestige (BGI)	EDTA Blood or Buccal swab	-	30 Day(s)	2-8 oC	See Subcontractor report	Send out
DNALL SNIP&PICK (BGI)	Buccal swab	OL1337	DNALL SNIP&PICK (BGI)	Buccal swab	-	30 Day(s)	2-8 oC	See Subcontractor report	Send out
IKAROS(RAMA)*	EDTA WB	OL1338	IKAROS(RAMA)*	EDTA Blood	-	14 Day(s)	2-8 oC	See Subcontractor report	Send out
Measles virus IgG(RAMA)*	Serum	OL1339	Measles virus IgG(RAMA)	Serum (clotted blood)	CLIA	2 Day(s)	2-8 oC	See Subcontractor report	Send out
TMAO(BGI)*	EDTA WB	OL1340	TMAO(BGI)	EDTA Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
DNA Methylation(BGI)*	EDTA WB	OL1341	DNA Methylation(BGI)	EDTA Blood	-	28 Day(s)	2-8 oC	See Subcontractor report	Send out
Alzheimer ATNX 6 markers(B	EDTA WB	OL1342	Alzheimer ATNX 6 markers	EDTA Blood	-	5 Day(s)	2-8 oC	See Subcontractor report	Send out
Alzheimer 4 markers(BGI)*	EDTA WB	OL1343	Alzheimer 4 markers (BGI)	EDTA Blood	-	5 Day(s)	2-8 oC	See Subcontractor report	Send out
Alzheimer (ptau217)(BGI)*	EDTA WB	OL1344	Alzheimer (ptau217)(BGI)	EDTA Blood	-	5 Day(s)	2-8 oC	See Subcontractor report	Send out
Cytokine 12 markers(BGI)*	EDTA WB	OL1345	Cytokine 12 markers(BGI)	EDTA Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out

Colotect(BGI)*	Stool	OL1346	Colotect(BGI)	Stool in commercial kit	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
COLOTECT Plus(BGI)*	Stool	OL1347	COLOTECT Plus(BGI)	Stool in commercial kit	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
COLOTECH Premium(BGI)*	Stool	OL1348	COLOTECH Premium(BGI)	Stool in commercial kit	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1349	Bacteria Antigens (CSF)	CSF	Agglutination	4 Day(s)	RT	See Subcontractor report	Send out
		OL1350	[RAMA] IgG subclass	Serum (Clotted Blood)	Turbidity	14 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1351	[RAMA] Selenium	Serum (Clotted Blood)	ICP-MS	14 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1352	[Hitech]Review slide	-	-	7 Day(s)	-	See Subcontractor report	Send out
		OL1353	Fungi molecular ident	Other	Sequencing	30 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1354	Coliform (Watech)	Other	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1355	Gram stain tissue(RAMA)	Tissue biopsy	Staining	3 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1356	RAS&RAF mutation(GenePro	Le Block/HE Slide or EDTA B	Sequencing	10 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1357	IHC:MMR (Hitech)	Other	Staining	7 Day(s)	RT	See Subcontractor report	Send out
		OL1358	AFB stain tissue(RAMA)	Biopsy	Staining	3 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1359	[RAMA]AFB stain tissue	Biopsy	Staining	3 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1360	Autoimmune Liver Profile	Serum (Clotted Blood)	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1361	SCN 4 A:PMC mutation[SRJ]	EDTA blood 6 mL	-	70 Day(s)	oC (Not over 48	See Subcontractor report	Send out
		OL1362	SCN 4 A : CACNA1S[SRJ]	EDTA blood 6 mL	-	40 Day(s)	oC (Not over 48	See Subcontractor report	Send out
		OL1363	Flow Cyto for MRD,B-ALL	EDTA bone marrow 6 mL	Flowvytometry	3 Day(s)	RT within 24 hrs	See Subcontractor report	Send out
		OL1364	Flow Cyto for MRD,T-ALL	EDTA bone marrow 6 mL	Flowvytometry	3 Day(s)	RT within 24 hrs	See Subcontractor report	Send out
		OL1365	Biopsy-2000(PDC)*	Biopsy	-	4 Day(s)	-	See Subcontractor report	Send out
		OL1366	GAAD Score[CHULA]	Serum (Clotted Blood)	ECLIA	3 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1367	HSV1,HSV2,VZV PCR[RAMA]	CSF, Other	Real-Time PCR	3 Day(s)	RT within 24 hrs	See Subcontractor report	Send out
		OL1368	Rectum,resection (PDC)	Biopsy	-	4 Day(s)	-	See Subcontractor report	Send out
		OL1369	Tone,finger (PDC)	Biopsy	-	4 Day(s)	-	See Subcontractor report	Send out
		OL1370	FGFR23 (SIMR)	EDTA blood 6 mL	ngle gene sequencir	30 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1371	Gut Microbiome Absolute	Stool in commercial kit	NGS	60 Day(s)	RT	See Subcontractor report	Send out

		OL1372	SPOT MAS 10	Whole blood (Commercial kit)	ctDNA with NGS	30 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1373	ADAMTS 13 activity [SRJ]	Nacitrate plasma	-	3 Day(s)	Freeze	See Subcontractor report	Send out
		OL1375	Kidney Biopsy(LM&I)[PDC]	Biopsy	-	7 Day(s)	-	See Subcontractor report	Send out
		OL1376	Kidney biopsy (EM) [PDC]	Biopsy	-	16 Day(s)	-	See Subcontractor report	Send out
		OL1377	FGF 23-CLIA	Blood 3-6 mL (Separate Pla	CLIA	10 Day(s)	Freeze	See Subcontractor report	Send out
		OL1378	[NH]HPV 32 genotype	1st AM Urine (20mL Sterile)	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1379	[NH]HPV high risk	1st AM Urine (20mL Sterile)	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1380	[NH] Osmotic fragility	EDTA Blood 2 mL	One tube method(KKU	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1381	[NH]Toxic Metals in blood	EDTA Whole blood	ICP-MS	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1382	[NH]Toxic Metals in urine	one 5-10 mL/Urine 24hrs (No g	ICP-MS	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1383	[RAMA]6MP Metabolites	EDTA blood 6 mL	LC-MS	3 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1384	Sequencing RBC Disorder	od 12 mL or EDTA bone mar	NGS	6 Months	oC (Not over 48	See Subcontractor report	Send out
		OL1385	DNA target for TCR BetaSR	od 12 mL or EDTA bone mar	NGS	45 Day(s)	oC (Not over 48	See Subcontractor report	Send out
		OL1386	DAT for IgG,C3d	EDTA blood 6 mL	Gel method/Automate	3 Day(s)	2-8 oC	See Subcontractor report	Send out
		OL1387	Oligoclonal Band [Chula]	Serum and CSF	G-Isoelectric Focusir	20 Day(s)	oC(Not over 24h	See Subcontractor report	Send out
		OL1388	C-peptide(0,90)[Chula]	Serum (Clotted Blood)	CLIA	4 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0001	CancerNext (LSG)	EDTA Whole Blood	-	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0002	CancerNext/RNAinsight,LSG	EDTA Whole Blood	-	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0003	CancerNext-Expanded (LSG)	EDTA Whole Blood	-	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0004	CancerNext-Expanded + RNAinsight™ (LSG)*	EDTA Whole Blood	-	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0005	BRCANext (LSG)	EDTA Whole Blood	-	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0006	BRCANext-Expanded (LSG)	EDTA Whole Blood	-	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0007	ExomeNext-Proband (LSG)	EDTA Whole Blood	-	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0008	ExomeNext-Trio (LSG)	EDTA Whole Blood	-	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0009	CardioNext (LSG)	EDTA Whole Blood	-	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out

		OZ0010	FHNext(LSG)	EDTA Whole Blood	-	14-21 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0011	Combine DNA/RNA (LSG)	EDTA Whole Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0012	Essential DNA Only (LSG)	EDTA Whole Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0013	Essential RNA Only (LSG)	EDTA Whole Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0014	Extended (Tissue) (LSG)	EDTA Whole Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0015	Comprehensive,Tissue(LSG)	EDTA Whole Blood	-	14 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0016	Comprehensive Fusion(LSG)	EDTA Whole Blood	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0017	DNA68 (Tissue) (LSG)	EDTA Whole Blood	-	14 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0018	HRD+Comprehensive(LSG)	EDTA Whole Blood	-	14 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0019	MGMT (LSG)	EDTA Whole Blood	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0020	MLH1 (LSG)	EDTA Whole Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0021	CYP2C19 Genotyping (LSG)	EDTA Whole Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0022	CYP2C19 & SLCO1B1(LSG)	EDTA Whole Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0023	CNSDose(LSG)	EDTA Whole Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0024	Amplis (LSG)	EDTA Whole Blood	-	7 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0025	Amplis-plus(LSG)	EDTA Whole Blood	-	10 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0026	IHC : PDL-1 (SP263) (LSG)	EDTA Whole Blood	-	3 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0027	IHC : ALK (LSG)	-	-	3 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0028	IHC : ROS (LSG)	-	-	3 Day(s)	2-8 oC	See Subcontractor report	Send out
		OZ0029	IHC : MMR(LSG)	-	-	3 Day(s)	2-8 oC	See Subcontractor report	Send out